




ELSEVIER

Analytica Chimica Acta 476 (2003) 171–215

ANALYTICA
CHIMICA
ACTA

www.elsevier.com/locate/aca

Cumulative Author Index
Analytica Chimica Acta
Volumes 451–475, 2002



A

Abad-Villar, E.M., Teresa Fernández-Abedul, M. and Costa-García, A., Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, (453) (2002) 63

Abbas, S.S., *see* El-Ragehy, N.A., (461) (2002) 155

Abbaspour, A. and Kamyabi, M.A., Copper(II)-selective electrode based on dithioacetal, (455) (2002) 225

Abdalla, D.S.P., *see* Lima, E.S., (465) (2002) 81

Abdelsalam, M.E., Denuault, G. and Daniele, S., Calibrationless determination of cadmium, lead and copper in rain samples by stripping voltammetry at mercury microelectrodes. Effect of natural convection on the deposition step, (452) (2002) 65

Abdollahi, H., *see* Safavi, A., (459) (2002) 119

Abel, A.P., *see* Duvaneck, G.L., (469) (2002) 49

Aboul-Enein, H.Y., *see* Stefan, R.I., (467) (2002) 189

Acedo Valenzuela, M.I., *see* Muñoz de la Peña, A., (463) (2002) 75

Achmatowicz, S., *see* Zielińska, R., (451) (2002) 243

Ackerman, A.H. and Hurtubise, R.J., Methods for coating filter paper for solid-phase microextraction with luminescence detection and characterization of the coated filter paper by infrared spectrometry, (474) (2002) 77

Ackman, R.G., The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, (465) (2002) 175

Adams, F., Adriaens, A. and Bogaerts, A., Can plasma spectrochemistry assist in improving the accuracy of chemical analysis?, (456) (2002) 63

Adams, F., *see* Li, Y., (459) (2002) 93

Adams, F.C., *see* Tsakovski, S., (453) (2002) 143

Adas, F., *see* Amet, Y., (465) (2002) 193

Adelaide Ferreira, M. and Barros, A.A., Determination of As(III) and arsenic(V) in natural waters by cathodic stripping voltammetry at a hanging mercury drop electrode, (459) (2002) 151

Adeloju, S., *see* Zhao, H., (472) (2002) 113

Adriaens, A., *see* Adams, F., (456) (2002) 63

Arévalo, F.F., *see* González, J.C., (466) (2002) 233

Agnoli, F., *see* Mazzocchin, G.A., (475) (2003) 181

Agú, L., Guzmán, A., Yáñez-Sedeño, P. and Pingarrón, J.M., Voltammetric determination of chloramphenicol in milk at electrochemically activated carbon fibre microelectrodes, (461) (2002) 65

Aguilar-Caballos, M.P., Härmä, H., Tuomola, M., Lövgren, T. and Gómez-Hens, A., Homogeneous stopped-flow fluoroimmunoassay using europium as label, (460) (2002) 271

Aguilar-Caballos, M.P., *see* Casas-Hernández, A.M., (452) (2002) 169

Åkesson, B., *see* Chen, J., (474) (2002) 137

Akhond, M., *see* Shamsipur, M., (461) (2002) 147

Akrida-Demertz, K., *see* Triantafyllou, V.I., (467) (2002) 253

Ala-Kleme, T., Mäki, R., Laaksonen, P. and Haapakka, K., Blue and red photoluminescence of bicapped [60]fullerene- γ -cyclodextrin complex in aqueous solutions, (472) (2002) 83

Ala-Kleme, T., *see* Canty, P., (453) (2002) 269

Ala-Kleme, T., *see* Kulmala, S., (458) (2002) 271

Alarcón, J., *see* Doménech, A., (452) (2002) 11

Alava, F., *see* Méndez, H., (452) (2002) 217

Albani, F., *see* Bugamelli, F., (472) (2002) 1

Albanis, T.A., *see* Lambropoulou, D.A., (468) (2002) 171

Albanis, T.A., *see* Sakkas, V.A., (467) (2002) 233

Alder, J.F., *see* Thompson, M., (463) (2002) 1

Alder, J.F., *see* Wilks, A.T., (466) (2002) 57

Alder, J.F., *see* Wilks, A.T., (468) (2002) 323

Ali Tunçel, S., *see* Kavaklı, C., (464) (2002) 313

Alizadeh, N., Moemeni, A. and Shamsipur, M., Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, (464) (2002) 187

Allain, L.R. and Vo-Dinh, T., Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, (469) (2002) 149

Allan Butterfield, D., Colvin, J., Liu, J., Wang, J., Bachas, L. and Bhattacharrya, D., Electron paramagnetic resonance spin label titration: a novel method to investigate random and site-specific immobilization of enzymes onto polymeric membranes with different properties, (470) (2002) 29

Almadid, A., Watterson, J., Piunno, P.A.E., Raha, S., Foulds, I.V., Horgen, P.A., Castle, A. and Krull, U., Direct selective detection of genomic DNA from coliform using a fiber optic biosensor, (461) (2002) 37

Almansa López, E., *see* Cuadros-Rodríguez, L., (454) (2002) 297

Al-Masri, M.S., *see* Al-Merey, R., (452) (2002) 143

Al-Merey, R., Al-Masri, M.S. and Bozou, R., Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, (452) (2002) 143

Alonso, E., *see* Tarancón, A., (471) (2002) 135

Alonso, J., *see* Martínez-Barrachina, S., (454) (2002) 217

Alonso, M.C., *see* Farré, M., (456) (2002) 19

Alsanus, B., *see* Jung, V., (474) (2002) 49

Alsberg, T., *see* Rozenbaum, I., (452) (2002) 105

Alt, F., *see* von Bohlen, A., (451) (2002) 279

Altmann, R., *see* Perdikaki, K., (467) (2002) 197

Alvarez de Cienfuegos-Gálvez, P., *see* Capitán-Vallvey, L.F., (451) (2002) 231

Alvarez-García, N., *see* González-Martín, I., (453) (2002) 281

Alvarez-García, N., *see* González-Martín, I., (468) (2002) 293

Alvim-Ferraz, M.C.M., *see* Oliva-Teles, M.T., (467) (2002) 97

Amador-Hernández, J., *see* García-Ayuso, L.E., (457) (2002) 247

Amao, Y., *see* Fujiwara, Y., (471) (2002) 25

Amendola, L., Botrè, F., Carollo, A.S., Longo, D. and Zoccolillo, L., Analysis of organophosphorus pesticides by gas chromatography-mass spectrometry with negative chemical ionization: a study on the ionization conditions, (461) (2002) 97

Amendola, L., Colamonici, C., Mazzarino, M. and Botrè, F., Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, (475) (2003) 125

Amet, Y., Adas, F. and Berthou, F., High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods, (465) (2002) 193

Amine, A., *see* Majid, S., (464) (2002) 123

Ana Gimeno, R., *see* Comas, E., (470) (2002) 163

An Li, K., *see* Li, L., (452) (2002) 321
 Andaluz, J.L.H., *see* González-Martín, I., (453) (2002) 281
 Anderson, C.P., *see* Vinopal, R.T., (457) (2002) 83
 Anderson, G.P., *see* Goldman, E.R., (457) (2002) 13
 Andersson, T., Hartonen, K., Hyötyläinen, T. and Riekola, M.-L., Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel, (466) (2002) 93
 Andrade-Eiroa, A., Erustes, J.A., Forteza, R., Cerdá, V. and Lima, J.L.F.C., Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection, (467) (2002) 25
 Andre, F., *see* Le Bizec, B., (473) (2002) 89
 Andreadis, J.D., *see* Lin, H.J., (457) (2002) 97
 Andreescu, S., Barthelmebs, L. and Marty, J.-L., Immobilization of acetylcholinesterase on screen-printed electrodes: comparative study between three immobilization methods and applications to the detection of organophosphorus insecticides, (464) (2002) 171
 Andreou, V.G. and Clonis, Y.D., Novel fiber-optic biosensor based on immobilized glutathione S-transferase and sol-gel entrapped brom cresol green for the determination of atrazine, (460) (2002) 151
 Andrews, A.R.J., *see* de Jager, L., (458) (2002) 311
 Andrews, A.R., *see* Whitchurch, C., (454) (2002) 45
 Anfossi, L., Tozzi, C., Giovannoli, C., Baggiani, C. and Giraudi, G., Development of a non-competitive immunoassay for cortisol and its application to the analysis of saliva, (468) (2002) 315
 Angerhofer, C.K., *see* Li, W., (471) (2002) 61
 Angnes, L., *see* da Rocha, J.R.C., (452) (2002) 23
 Anklam, E., *see* Leitner, A., (453) (2002) 33
 Antignac, J.-P., *see* Le Bizec, B., (473) (2002) 89
 Antignac, J.-P., *see* Van den hauwe, O., (473) (2002) 127
 Antonietta Baldo, M., Daniele, S., Bragato, C. and Mazzocchin, G.A., Voltammetric investigation on sulfide ions in aqueous solutions with mercury-coated platinum microelectrodes, (464) (2002) 217
 Antunes, M.C., Simão, J.E., Duarte, A.C., Esteban, M. and Faúter, R., Application of multivariate curve resolution to the voltammetric study of the complexation of fulvic acids with cadmium(II) ion, (459) (2002) 291
 Aoki, K., Uchida, H., Katsube, T., Ishimaru, Y. and Iida, T., Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, (471) (2002) 3
 Aouabdi, S., *see* Karousos, N.G., (469) (2002) 189
 Aoyagi, H., *see* Yoshida, Y., (452) (2002) 149
 Aplincourt, M., *see* Merdy, P., (459) (2002) 133
 Arakawa, H., Kanemitsu, M., Tajima, N. and Maeda, M., Chemiluminescence assay for catechin based on generation of hydrogen peroxide in basic solution, (472) (2002) 75
 Araki, K., Goto, M. and Furusaki, S., Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule, (469) (2002) 173
 Araki, K., *see* da Rocha, J.R.C., (452) (2002) 23
 Arano, Y., *see* Nakayama, M., (453) (2002) 135
 Araújo, A.N., *see* Pimenta, A.M., (470) (2002) 185
 Ariese, F., *see* de Rijke, E., (468) (2002) 3
 Ariese, F., *see* Luthe, G., (459) (2002) 53
 Armanino, C., De Acutis, R. and Rosa Festa, M., Wheat lipids to discriminate species, varieties, geographical origins and crop years, (454) (2002) 315
 Armanino, C., *see* Forina, M., (454) (2002) 13
 Armanino, C., *see* Stella, A., (461) (2002) 201
 Armenta, S., Quintás, G., Moros, J., Garrigues, S. and de la Guardia, M., Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, (468) (2002) 81
 Armstrong, N.R., *see* Skrdla, P.J., (455) (2002) 49
 Arrebola Liébanas, F.J., *see* Cuadros-Rodríguez, L., (454) (2002) 297
 Artursson, T., Spångeus, P. and Holmberg, M., Variable reduction on electronic tongue data, (452) (2002) 255
 Arwin, H., *see* Mecklenburg, M., (459) (2002) 25
 Assiengbon, K.A., *see* Garland, J.E., (475) (2003) 47
 Atanasova, V., Fulcrand, H., Cheynier, V. and Moutounet, M., Effect of oxygenation on polyphenol changes occurring in the course of wine-making, (458) (2002) 15
 Atta-Politou, J., *see* Tzouganaki, Z.D., (467) (2002) 115
 Ávila-Rosón, J.C., *see* Segura Carretero, A., (474) (2002) 91
 Avramescu, A., Noguer, T., Avramescu, M. and Marty, J.-L., Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, (458) (2002) 203
 Avramescu, M., *see* Avramescu, A., (458) (2002) 203
 Azenha, M. and Vasconcelos, M.T., Headspace solid-phase micro-extraction gas chromatography-mass detection method for the determination of butyltin compounds in wines, (458) (2002) 231
 Aznar, G., *see* Hoffman, M.K., (473) (2002) 49
 Azzam, T., *see* Kumar, N., (465) (2002) 257

B

Baalbaki, B., Blanchin, M.-D. and Fabre, H., Validation of a micellar electrokinetic capillary chromatography method for the determination of imidurea, methyl and propylparabens in a pharmaceutical ointment, (463) (2002) 15
 Bacaloni, A., *see* Laganà, A., (462) (2002) 187
 Baccan, N., *see* Miranda, C.E.S., (453) (2002) 301
 Bachas, L., *see* Allan Butterfield, D., (470) (2002) 21
 Baeyens, W.R.G., *see* Huang, G., (474) (2002) 21
 Baggiani, C., *see* Anfossi, L., (468) (2002) 315
 Bagheri, M., *see* Safavi, A., (459) (2002) 119
 Baker, J.G., *see* Thompson, M., (463) (2002) 1
 Baker, J.G., *see* Wilks, A.T., (466) (2002) 57
 Baker, J.G., *see* Wilks, A.T., (468) (2002) 323
 Bakhtiar, R., Ramos, L. and Tse, F.L.S., Quantification of methyl phenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, (469) (2002) 261
 Bakkali, A., *see* Korta, E., (475) (2003) 97
 Bakker, E., *see* Ion, A.C., (452) (2002) 329
 Bala, C., *see* Rotariu, L., (458) (2002) 215
 Balighian, E.D., *see* Goldman, E.R., (457) (2002) 13

Ballesteros, B., Barceló, D., Dankwardt, A., Schneider, P. and Marco, M.-P., Evaluation of a field-test kit for triazine herbicides (SensioScreen™ TR500) as a fast assay to detect pesticide contamination in water samples, (475) (2003) 105

Bang, S.S., *see* Shriner-Lake, L.C., (470) (2002) 71

Barbante, C., *see* Krachler, M., (458) (2002) 387

Burbaste, M., Medina, B., Sarabia, L., Ortiz, M.C. and Pérez-Trujillo, J.P., Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, (472) (2002) 161

Barbosa, J., *see* Jiménez-Lozano, E., (464) (2002) 37

Barceló, D., *see* Ballesteros, B., (475) (2003) 105

Barceló, D., *see* Farré, M., (456) (2002) 19

Barceló, D., *see* Nistor, C., (456) (2002) 3

Barisci, J.N., *see* Minett, A.I., (475) (2003) 37

Barisci, Z., *see* Persson, P., (460) (2002) 1

Barnett, N.W., Hindson, B.J., Jones, P. and Smith, T.A., Chemically induced phosphorescence from manganese(II) during the oxidation of various compounds by manganese(III), (IV) and (VII) in acidic aqueous solutions, (451) (2002) 181

Barnett, N.W., Lewis, S.W., Purcell, S.D. and Jones, P., Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection, (458) (2002) 291

Barnett, N.W., *see* Bos, R., (454) (2002) 147

Baró, A., *see* Marqués, I., (471) (2002) 145

Barrón, D., *see* Jiménez-Lozano, E., (464) (2002) 37

Barros, A.A., *see* Adelaide Ferreira, M., (459) (2002) 151

Barros, A.S., *see* Rutledge, D.N., (454) (2002) 277

Barroso, C.G., *see* Benítez, P., (458) (2002) 197

Barroso, C.G., *see* Domínguez, C., (458) (2002) 95

Barroso, C.G., *see* Palma, M., (458) (2002) 119

Barthelmebs, L., *see* Andreescu, S., (464) (2002) 171

Bartlett, P.N., *see* Halliwell, C.M., (453) (2002) 191

Bary, A.A., *see* El-Saharty, Y.S., (462) (2002) 125

Basiripour, F., *see* Ganjali, M.R., (464) (2002) 181

Battle, R., *see* Nerín, C., (464) (2002) 303

Baumes, R., Wirth, J., Bureau, S., Gunata, Y. and Razungles, A., Biogeneration of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, (458) (2002) 3

Baumstark-Khan, C., *see* Rabbow, E., (456) (2002) 31

Bavili-Tabrizi, A., *see* Manzoori, J.L., (470) (2002) 215

Baxter, A.G., *see* Situ, C., (473) (2002) 143

Baxter, D., *see* Malinovsky, D., (463) (2002) 111

Bayer, K., *see* Ivansson, D., (456) (2002) 193

Bayona, J.M., *see* Moldovan, Z., (465) (2002) 359

Bazylak, G. and Nagels, L.J., Potentiometric detection of *N,N'*-diethylaminoethanol and lysosomotropic amino alcohols in cation exchange high-performance liquid chromatography systems, (472) (2002) 11

Becerra, E., *see* Pizà, N., (467) (2002) 155

Beck, N.G., Franks, R.P. and Bruland, K.W., Analysis for Cd, Cu, Ni, Zn, and Mn in estuarine water by inductively coupled plasma mass spectrometry coupled with an automated flow injection system, (455) (2002) 11

Beckett, R., *see* Crossan, A.N., (468) (2002) 199

Belchior, A.P., *see* Caldeira, I., (458) (2002) 55

Belkin, S., *see* Rajan Premkumar, J., (462) (2002) 11

Bella, G.D., *see* Saitta, M., (466) (2002) 335

Beltrán, J.L., *see* Jiménez-Lozano, E., (464) (2002) 37

Beltrán, J.L., *see* Marqués, I., (471) (2002) 145

Beltrán, S., *see* Ortega-Heras, M., (458) (2002) 85

Bendicho, C., *see* Filgueiras, A.V., (466) (2002) 303

Bendicho, C., *see* Méndez, H., (452) (2002) 217

Benedetti, D., *see* Brescia, M.A., (458) (2002) 177

Benkhedda, K., *see* Tsakovski, S., (453) (2002) 143

Benítez, P., Castro, R. and Barroso, C.G., Removal of iron, copper and manganese from white wines through ion exchange techniques: effects on their organoleptic characteristics and susceptibility to browning, (458) (2002) 197

Berglund, M., *see* Wolff Brache, C.S.J., (460) (2002) 41

Bergwerff, A.A., *see* Impens, S., (473) (2002) 53

Bermejo, E., *see* Chicharro, M., (469) (2002) 243

Bermejo-Barrera, A., *see* Bermejo-Barrera, P., (455) (2002) 253

Bermejo-Barrera, A.M., *see* Bermejo-Barrera, P., (455) (2002) 253

Bermejo-Barrera, P., Moreda-Piñeiro, A., Bermejo-Barrera, A. and Bermejo-Barrera, A.M., Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, (455) (2002) 253

Bermond, A., *see* Fangueiro, D., (459) (2002) 245

Bermúdez-Puente, M., *see* González, J.C., (466) (2002) 233

Bernardi, M.E., *see* Forzani, E.S., (460) (2002) 163

Berrueta, L.A., *see* Korta, E., (475) (2003) 97

Berthou, F., *see* Amet, Y., (465) (2002) 193

Bertotti, M., *see* da Rocha, J.R.C., (452) (2002) 23

Bertotti, M., *see* Paixão, T.R., (472) (2002) 123

Bezemer, E. and Rutan, S., Resolution of overlapped NMR spectra by two-way multivariate curve resolution alternating least squares with imbedded kinetic fitting, (459) (2002) 277

Bhattacharrya, D., *see* Allan Butterfield, D., (470) (2002) 29

Bicanic, D., *see* Luterotti, S., (460) (2002) 193

Billing, C., Groot, D.R. and van Staden, J.F., Determination of arsenic in gold samples using matrix exchange differential pulse stripping voltammetry, (453) (2002) 201

Billova, S., *see* Paleček, E., (469) (2002) 73

Bin, X., *see* Mecklenburg, M., (459) (2002) 25

Binotto, R., *see* Bohrer, D., (459) (2002) 267

Binari, I., *see* Epstein, J.R., (469) (2002) 3

Birkmyre, L., *see* Escalona, H., (458) (2002) 45

Bitter, I., *see* Kunsági-Máté, S., (461) (2002) 273

Björkman, H.T., Edlund, P.-O. and Jacobsson, S.P., Sonic spray ionization interface for liquid chromatography-mass spectrometry, (468) (2002) 263

Bjurling, P., *see* Gustavsson, E., (468) (2002) 153

Bláha, M., *see* Bláha, V., (467) (2002) 125

Bláha, V., Solichová, D., Bláha, M., Hyšpler, R., Havel, E., Vyroubal, P., Žďánský, P. and Zadák, Z., Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis treatment evaluated by liquid chromatography and gas chromatography, (467) (2002) 125

Blanc, R., *see* Navalón, A., (454) (2002) 83

Blanchin, M.-D., *see* Baalbaki, B., (463) (2002) 15

Blanco, M. and Pagès, J., Classification and quantitation of finishing oils by near infrared spectroscopy, (463) (2002) 295

Blasco, C., Fernández, M., Picó, Y., Font, G. and Mañes, J., Simultaneous determination of imidacloprid, carbendazim, methiocarb and hexythiazox in peaches and nectarines by liquid chromatography-mass spectrometry, (461) (2002) 109

Blo, G., Contado, C., Grandi, D., Fagioli, F. and Dondi, F., Dimensional and elemental characterization of suspended particulate matter in natural waters: quantitative aspects in the integrated ultrafiltration, split-flow thin cell and inductively coupled plasma-atomic emission spectrometry approach, (470) (2002) 253

Block, K., *see* Wang, J., (469) (2002) 197

Bloomfield, M.S., *see* Vannecke, C., (455) (2002) 117

Bo, T., Li, K.A. and Liu, H., Fast determination of flavonoids in *Glycyrrhiza radix* by capillary zone electrophoresis, (458) (2002) 345

Bo, T., Yang, X., Liu, F., Li, K.A., Xiu, L. and Liu, H., Optimized separation of pharmacologically active xanthones from *Securidaca inappendiculata* by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography, (474) (2002) 37

Bo, Z., *see* Yuanqian, L., (461) (2002) 181

Boaventura, R.A.R., *see* Botelho, C.M.S., (462) (2002) 73

Bocaz-Beneventi, G., Latorre, R., Farková, M. and Havel, J., Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, (452) (2002) 47

Boch, K., Schuster, M., Risse, G. and Schwarzer, M., Microwave-assisted digestion procedure for the determination of palladium in road dust, (459) (2002) 257

Boch, K., *see* Ringmann, S., (452) (2002) 207

Boenke, A., Contribution of European research to anti-microbials and hormones, (473) (2002) 83

Boenke, A., Searle, C. and Karjalainen, T., Contribution of European research to endocrine disruptors, (473) (2002) 161

Bogaerts, A., *see* Adams, F., (456) (2002) 63

Bogdanov, S., *see* Korta, E., (475) (2003) 97

Bohrer, D., do Nascimento, P.C., Martins, P. and Binotto, R., Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, (459) (2002) 267

Bolelli, L., *see* Girotti, S., (471) (2002) 113

Bolis, S.D., *see* Economou, A., (467) (2002) 179

Bonfil, Y. and Kirowa-Eisner, E., Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, (457) (2002) 285

Bonfil, Y., Brand, M. and Kirowa-Eisner, E., Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, (464) (2002) 99

Booksh, K.S., *see* Nikolajsen, R.P.H., (475) (2003) 137

Bopp, M.A., *see* Duveneck, G.L., (469) (2002) 49

Boqué, R., Ferré, J., Faber, N.M. and Xavier Rius, F., Limit of detection estimator for second-order bilinear calibration, (451) (2002) 313

Boqué, R., *see* Pulido, A., (455) (2002) 267

Borraccetti, M.D., *see* Damiani, P.C., (471) (2002) 87

Borrull, F., *see* Comas, E., (470) (2002) 163

Bos, M., Boukamp, B.A. and Vrielink, J.A.M., Determination of diffusion profiles of silver ions in soda-lime-silica glass by X-ray fluorescence spectrometry, (459) (2002) 305

Bos, R., Barnett, N.W., Dyson, G.A. and Russell, R.A., Characterisation of a synthesised fluorescent ligand (4-acridinol-1-sulphonic acid) using nuclear magnetic resonance spectroscopy, (454) (2002) 147

Bosch, E., *see* Canals, I., (458) (2002) 355

Bosch, E., *see* Espinosa, S., (454) (2002) 157

Botana, L.M., *see* González, J.C., (466) (2002) 233

Botchkareva, A.E., Fini, F., Eremin, S., Mercader, J.V., Montoya, A. and Girotti, S., Development of a heterogeneous chemiluminescent flow immunoassay for DDT and related compounds, (453) (2002) 43

Botelho, C.M.S., Boaventura, R.A.R. and Gonçalves, M.L.S.S., Interactions of Pb(II) with particles of a polluted river, (462) (2002) 73

Botrè, F., *see* Amendola, L., (461) (2002) 97

Botrè, F., *see* Amendola, L., (475) (2003) 125

Bouche, M.P., *see* Van den hauwe, O., (473) (2002) 127

Boucon, C., *see* Pravdova, V., (462) (2002) 133

Boucon, C., *see* Questier, F., (466) (2002) 311

Boudenne, J.-L., *see* Brach-Papa, C., (457) (2002) 311

Boukamp, B.A., *see* Bos, M., (459) (2002) 305

Boulet, C.A., *see* Lam, M.T., (457) (2002) 21

Boutron, C.F., *see* Burton, G.R., (469) (2002) 225

Boutron, C.F., *see* Valletona, P., (453) (2002) 1

Bowens, P., *see* Jung, V., (474) (2002) 49

Bozou, R., *see* Al-Merey, R., (452) (2002) 143

Brach-Papa, C., Coulomb, B., Boudenne, J.-L., Cerdá, V. and Theraulaz, F., Spectrofluorimetric determination of aluminum in drinking waters by sequential injection analysis, (457) (2002) 311

Bragato, C., *see* Antonietta Baldo, M., (464) (2002) 217

Brambilla, G., *see* Courtheyn, D., (473) (2002) 71

Brand, M., *see* Bonfil, Y., (464) (2002) 99

Bravo, B., *see* Márquez, N., (452) (2002) 129

Breach, J., *see* Young, D., (463) (2002) 143

Brennan, J.D., *see* Flora, K.K., (470) (2002) 19

Brennan, J.D., *see* Gulcev, M.D., (457) (2002) 47

Brennan, J.D., *see* Jin, W., (461) (2002) 1

Brescia, M.A., Caldarola, V., De Giglio, A., Benedetti, D., Fanizzi, F.P. and Sacco, A., Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectrometric determinations, (458) (2002) 177

Brett, C.M.A., *see* Majid, S., (464) (2002) 123

Bright, F.V., *see* Cho, E.J., (470) (2002) 101

Brinkman, U.A., *see* de Rijke, E., (468) (2002) 3

Brinkman, U.A.Th., *see* Luthe, G., (459) (2002) 53

Brittain, A.H., *see* Young, D., (463) (2002) 143

Bro, R., *see* Nikolajsen, R.P.H., (475) (2003) 137

Brock, J.W., *see* Yoshimura, Y., (458) (2002) 331

Brodnjak-Vončina, D., Dobčnik, D., Novič, M. and Zupan, J., Chemometrics characterisation of the quality of river water, (462) (2002) 87

Brondz, I., Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, (465) (2002) 1

Brouwer, L., *see van Bennekum, E.O.*, (473) (2002) 151

Bruckner-Lea, C.J., Tsukuda, T., Dockendorff, B., Follansbee, J.C., Kingsley, M.T., Ocampo, C., Stults, J.R. and Chandler, D.P., Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, (469) (2002) 129

Bruder-Hubscher, V., Lagarde, F., Leroy, M.J.F., Coughanowr, C. and Enguehard, F., Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, (451) (2002) 285

Bruland, K.W., *see Beck, N.G.*, (455) (2002) 11

Bruland, K.W., *see Weeks, D.A.*, (453) (2002) 21

Brunet, E., *see Noguera, P.*, (460) (2002) 279

Bruno de Sousa, R., *see Caldeira, I.*, (458) (2002) 55

Brynn Hibbert, D., *see Saeid Al Deen, T.*, (474) (2002) 125

Buchanan, G.W., *see Ganjali, M.R.*, (464) (2002) 181

Buchberger, W., *see Klampfl, C.W.*, (454) (2002) 185

Bugamelli, F., Sabbioni, C., Mandrioli, R., Kenndler, E., Albani, F. and Raggi, M.A., Simultaneous analysis of six antiepileptic drugs and two selected metabolites in human plasma by liquid chromatography after solid-phase extraction, (472) (2002) 1

Bulatov, V., Fisher, M. and Schechter, I., Aerosol analysis by cavity-ring-down laser spectroscopy, (466) (2002) 1

Bunin, V.D., *see Gulyi, O.I.*, (462) (2002) 165

Bureau, S., *see Baumes, R.*, (458) (2002) 3

Burton, G.R., Morgan, V.I., Boutron, C.F. and Rosman, K.J.R., High-sensitivity measurements of strontium isotopes in polar ice, (469) (2002) 225

Burvenich, C., *see Van Merris, V.*, (468) (2002) 237

Buschmann, H.-J. and Mutihac, L., Complexation, liquid-liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers, (466) (2002) 101

Buxeda i Garrigós, J., *see Tsolakidou, A.*, (474) (2002) 177

Buydens, L.M.C., *see de Groot, P.J.*, (453) (2002) 117

Bylund, D., *see Danielsson, R.*, (454) (2002) 167

Byrne, R.H., Liu, X., Kaltenbacher, E.A. and Sell, K., Spectrophotometric measurement of total inorganic carbon in aqueous solutions using a liquid core waveguide, (451) (2002) 221

Bystol, A.J., *see Escandar, G.M.*, (466) (2002) 275

Bystol, A.J., *see Whitcomb, J.L.*, (464) (2002) 261

C

Cabezudo, M.D., *see Castro Vázquez, L.*, (458) (2002) 39

Cai, H., Wang, Y., He, P. and Fang, Y., Electrochemical detection of DNA hybridization based on silver-enhanced gold nanoparticle label, (469) (2002) 165

Cai, M.Y., *see Zhang, H.R.*, (463) (2002) 135

Cai, R., *see Gan, N.*, (466) (2002) 257

Cai, R., *see Wu, X.*, (464) (2002) 153

Cajlakovic, M., Lobnik, A. and Werner, T., Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, (455) (2002) 207

Caldarola, V., *see Brescia, M.A.*, (458) (2002) 177

Caldeira, I., Belchior, A.P., Clímaco, M.C. and Bruno de Sousa, R., Aroma profile of Portuguese brandies aged in chestnut and oak woods, (458) (2002) 55

Calokerinos, A.C., *see Mihalatos, A.M.*, (451) (2002) 189

Campanella, L., *see Favero, G.*, (460) (2002) 23

Campiglia, A.D., *see Escandar, G.M.*, (466) (2002) 275

Campiglia, A.D., *see Whitcomb, J.L.*, (464) (2002) 261

Camps, F., *see Galve, R.*, (452) (2002) 191

Canals, I., Bosch, E. and Rosés, M., Prediction of the separation of phenols by capillary zone electrophoresis, (458) (2002) 355

Candelone, J.P., *see Vallelonga, P.*, (453) (2002) 1

Cane, D., *see Tzoris, A.*, (460) (2002) 257

Cannavan, A., *see Yakkundi, S.*, (473) (2002) 177

Cantagrel, R., *see Lablanquie, O.*, (458) (2002) 191

Canty, P., *see Helin, M.*, (454) (2002) 193

Canty, P., *see Kulmala, S.*, (453) (2002) 253

Canty, P., Väär, L., Häkansson, M., Spehar, A.-M., Papkovsky, D., Ala-Kleme, T., Kankare, J. and Kulmala, S., Time-resolved electrochemiluminescence of platinum(II) coproporphyrin, (453) (2002) 269

Cao, W., *see Sun, X.*, (470) (2002) 137

Cao, X., *see Zhang, W.*, (458) (2002) 337

Cao, X., *see Zhang, W.*, (472) (2002) 27

Cao, Y., Lou, C., Zhang, X., Chu, Q., Fang, Y. and Ye, J., Determination of puerarin and daidzein in *Puerariae radix* and its medicinal preparations by micellar electrokinetic capillary chromatography with electrochemical detection, (452) (2002) 123

Cao, Z.-X., *see Hu, S.-Q.*, (458) (2002) 297

Capella-Péiró, M.-E., Gil-Agustí, M., Monferrer-Pons, L. and Estevan-Romero, J., Direct injection micellar liquid chromatographic method for the analysis of corticosteroids in creams, ointments and other pharmaceuticals, (454) (2002) 125

Capitán-Vallvey, L.F., Fernández Ramos, M.D. and Alvarez de Cienfuegos-Gálvez, P., Optical test strip for calcium determination based on a neutral ionophore, (451) (2002) 231

Carapuça, H., *see Fangueiro, D.*, (459) (2002) 245

Carda-Broch, S., *see Ruiz-Angel, M.J.*, (454) (2002) 109

Cárdenas, S., *see Nascentes, C.C.*, (462) (2002) 275

Carewska, M., *see Scaccia, S.*, (455) (2002) 35

Carmona, F.G., *see Pérez Gilabert, M.*, (465) (2002) 319

Carneiro, J.M.T., Dias, A.C.B., Zagatto, E.A.G. and Honorio, R.S., Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, (455) (2002) 327

Carneiro, J.M.T., Zagatto, E.A.G., Santos, J.L.M. and Lima, J.L.F.C., Spectrophotometric determination of phytic acid in plant extracts using a multi-pumping flow system, (474) (2002) 161

Carolan, V.A., *see Morton, J.*, (455) (2002) 23

Carollo, A.S., *see Amendola, L.*, (461) (2002) 97

Carr, J.J., *see French, C.R.*, (453) (2002) 13

Carr, R.H., *see Nordon, A.*, (472) (2002) 133

Casas-Hernández, A.M., Aguilar-Caballos, M.P. and Gómez-Hens, A., Application of time-resolved luminescence to dry reagent chemical technology, (452) (2002) 169

Cass, A.E.G., *see Halliwell, C.M.*, (453) (2002) 191

Castillo, E., Granados, M. and Cortina, J.L., Chromium(VI) transport through the Raipore 1030 anion exchange membrane, (464) (2002) 15

Liquid-supported membranes in chromium(VI) optical sensing: transport modelling, (464) (2002) 197

Castle, A., *see* Almadidy, A., (461) (2002) 37

Castro Vázquez, L., Pérez-Coello, M.S. and Cabezudo, M.D., Effects of enzyme treatment and skin extraction on varietal volatiles in Spanish wines made from Chardonnay, Muscat, Airén, and Macabeo grapes, (458) (2002) 39

Castro, R., *see* Benítez, P., (458) (2002) 197

Cavic, B.A. and Thompson, M., Interfacial nucleic acid chemistry studied by acoustic shear wave propagation, (469) (2002) 101

Cepeda, A., *see* Iglesias, Y., (468) (2002) 43

Cerdá, V., *see* Andrade-Eiroa, A., (467) (2002) 25

Cerdá, V., *see* Brach-Papa, C., (457) (2002) 311

Cerdá, V., *see* de Armas, G., (455) (2002) 149

Cerdá, V., *see* de Armas, G., (467) (2002) 13

Cerdá, V., *see* de Armas, G., (471) (2002) 173

Cerdá, V., *see* Pizà, N., (467) (2002) 155

Cerdá, V., *see* Semenova, N.V., (455) (2002) 277

Cerrato Oliveros, M.C., Pérez Pavón, J.L., García Pinto, C., Fernández Laespada, M.E., Moreno Cordero, B. and Forina, M., Electronic nose based on metal oxide semiconductor sensors as a fast alternative for the detection of adulteration of virgin olive oils, (459) (2002) 219

Cesaretti, S., *see* Lucarelli, F., (469) (2002) 93

Cescon, P., *see* Krachler, M., (458) (2002) 387

Cessna, A.J., *see* Waite, D.T., (467) (2002) 245

Cha, G.S., *see* Choi, S.H., (461) (2002) 251

Cha, G.S., *see* Lvova, L., (468) (2002) 303

Chad Harrell, C., *see* Lipe, L.L., (455) (2002) 287

Chai, X.S., *see* Yang, X.T., (474) (2002) 69

Chaim, W., *see* Karpas, Z., (474) (2002) 115

Chalk, S.J., *see* Lipe, L.L., (455) (2002) 287

Chan, W.-H., Yang, R.-H., Mo, T. and Wang, K.-M., Lead-selective fluorescent optode membrane based on 3,3',5,5'-tetramethyl-N-(9-anthrylmethyl)benzidine, (460) (2002) 123

Chandler, D.P., *see* Bruckner-Lea, C.J., (469) (2002) 129

Chang, H.-C., *see* Cheng, T.-J., (462) (2002) 261

Chang, P.-H., *see* Liu, H.-M., (459) (2002) 161

Chang, S.-M., *see* Nakamura, C., (469) (2002) 183

Chang, W.B., *see* Zheng, N., (452) (2002) 277

Chaniotakis, N.A., *see* Dimakis, V.T., (467) (2002) 217

Chaniotakis, N.A., *see* Perdikaki, K., (467) (2002) 197

Chao, J.-B., *see* Liu, J.-F., (455) (2002) 93

Chapin, T.P., Jannasch, H.W. and Johnson, K.S., In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, (463) (2002) 265

Charles, P.T., *see* Goldman, E.R., (457) (2002) 13

Charles, P.T., *see* Lin, H.J., (457) (2002) 97

Chauumont, J.P., *see* Courderot, C.M., (457) (2002) 149

Chaussadeut, T., *see* Farcas, F., (472) (2002) 37

Chávez, G., *see* Márquez, N., (452) (2002) 129

Chen, B.T., *see* Schwerha, D.J., (457) (2002) 257

Chen, C.-Y., *see* Chou, S.-F., (453) (2002) 181

Chen, F., *see* Wang, C., (464) (2002) 57

Chen, G., Chu, Q., Zhang, L. and Ye, J., Separation of six purine bases by capillary electrophoresis with electrochemical detection, (457) (2002) 225

Chen, G., *see* Tang, H., (468) (2002) 27

Chen, H., *see* Ma, Y., (464) (2002) 289

Chen, H.-Y., *see* Wang, H.-S., (461) (2002) 243

Chen, H.-Y., *see* Xu, J.-J., (463) (2002) 239

Chen, H.-Y., *see* Zhou, G.-J., (463) (2002) 257

Chen, J., Gorton, L. and Åkesson, B., Electrochemical studies on antioxidants in bovine milk, (474) (2002) 137

Chen, J., *see* Zhu, M., (455) (2002) 199

Chen, K.-L. and Jiang, S.-J., Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, (470) (2002) 223

Chen, Q., Hou, X., Yu, Y., Dahlgaard, H. and Nielsen, S.P., Separation of Sr from Ca, Ba and Ra by means of $\text{Ca}(\text{OH})_2$ and $\text{Ba}(\text{Ra})\text{Cl}_2$ or $\text{Ba}(\text{Ra})\text{SO}_4$ for the determination of radiostrontium, (466) (2002) 109

Chen, S., *see* Li, W., (471) (2002) 61

Chen, S., *see* Ni, Y., (463) (2002) 305

Chen, S., Zhang, Z., Yu, H., Liu, W. and Sun, M., Determination of trace lead by hydride generation-inductively coupled plasma-mass spectrometry, (463) (2002) 177

Chen, S.-H. and Chuang, Y.-J., Analysis of fatty acids by column liquid chromatography, (465) (2002) 145

Chen, S.-T., *see* Tokamolthom, J., (465) (2002) 299

Chen, S.-Y., *see* Liu, H.-M., (459) (2002) 161

Chen, W., *see* Mulchandani, P., (470) (2002) 79

Chen, W., *see* Wang, J., (469) (2002) 197

Chen, X., *see* Dong, L., (459) (2002) 313

Chen, X., Yi, C., Li, M., Lu, X., Li, Z., Li, P. and Wang, X., Determination of sophoridine and related lupin alkaloids using tris(2,2'-bipyridine)ruthenium electrogenerated chemiluminescence, (466) (2002) 79

Chen, X.-g., *see* Zhang, J.-y., (471) (2002) 203

Chen, X.-L., *see* Zheng, H., (461) (2002) 235

Chen, Y.C., *see* Jan, S.S., (469) (2002) 205

Cheng, A., *see* Li, X.-F., (457) (2002) 165

Cheng, C.C., *see* Jan, S.S., (469) (2002) 205

Cheng, J.-K., *see* Liu, E.-B., (456) (2002) 177

Cheng, J.-T., *see* Deng, A.-P., (461) (2002) 49

Cheng, T.-J., Lin, T.-M. and Chang, H.-C., Physical adsorption of protamine for heparin assay using a quartz crystal microbalance and electrochemical impedance spectroscopy, (462) (2002) 261

Cherlet, M., De Baere, S., Croubels, S. and De Backer, P., Quantitation of tylosin in swine tissues by liquid chromatography combined with electrospray ionization mass spectrometry, (473) (2002) 167

Cheynier, V., *see* Atanasova, V., (458) (2002) 15

Chiang, J.L., *see* Jan, S.S., (469) (2002) 205

Chicharro, M., Zapardiel, A., Berméjo, E. and Sánchez, A., Simultaneous UV and electrochemical determination of the herbicide asulam in tap water samples by micellar electrokinetic capillary chromatography, (469) (2002) 243

Chikuma, T., Shimabukuro, Y., Iguchi, T., Tanaka, A., Taguchi, K., Kato, T., Yamaguchi, M. and Hojo, H., Fluorimetric assay for measuring Dns-His-Lys-Arg-His-Lys cleaving enzyme using high-performance liquid chromatography, (457) (2002) 157

Chimenti, P., *see* Gagliardi, L., (457) (2002) 187

Chimuka, L., *see* Jung, V., (474) (2002) 49

Chimuka, L., *see* Soko, L., (474) (2002) 59

Chisti, Y., *see* Fernández-Alba, A.R., (451) (2002) 195

Chisti, Y., *see* Fernández-Alba, A.R., (456) (2002) 303

Chisvert, A., *see* Townshend, A., (462) (2002) 209

Chisvert, A., Vidal, M.T. and Salvador, A., Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonate acid in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, (464) (2002) 295

Chiu, N.H.L., *see* Tannous, B.A., (459) (2002) 169

Cho, E.J. and Bright, F.V., Integrated chemical sensor array platform based on a light emitting diode, xerogel-derived sensor elements, and high-speed pin printing, (470) (2002) 101

Cho, Y.A., *see* Kim, Y.J., (475) (2003) 85

Choi, H.N., *see* Lim, S.M., (453) (2002) 81

Choi, H.-S., *see* Park, S.M., (459) (2002) 75

Choi, K.S., *see* Lee, C.H., (475) (2003) 171

Choi, S.H., Lee, S.D., Shin, J.H., Ha, J., Nam, H. and Cha, G.S., Amperometric biosensors employing an insoluble oxidant as an interference-removing agent, (461) (2002) 251

Chomchoei, R., Shiowatana, J. and Pongsakul, P., Continuous-flow system for reduction of metal readsoption during sequential extraction of soil, (472) (2002) 147

Chou, J.C., *see* Jan, S.S., (469) (2002) 205

Chou, S.-F., Hsu, W.-L., Hwang, J.-M. and Chen, C.-Y., Development of an immunosensor for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, (453) (2002) 181

Chovelon, J.-M., *see* Dzyadovych, S.V., (459) (2002) 33

Chow, C.-F., Lam, M.H.W. and Leung, M.K.P., Fluorescent sensing of homocysteine by molecular imprinting, (466) (2002) 17

Chris Le, X., *see* Lam, M.T., (457) (2002) 21

Christoph, N., *see* Hoenicke, K., (458) (2002) 29

Christopher Hall, J., *see* Churchill, R.L., (468) (2002) 185

Christopoulos, T.K., *see* Tannous, B.A., (459) (2002) 169

Chu, C., *see* Ma, L., (469) (2002) 273

Chu, Q., *see* Cao, Y., (452) (2002) 123

Chu, Q., *see* Chen, G., (457) (2002) 225

Chuang, Y.-J., *see* Chen, S.-H., (465) (2002) 145

Chung, H., Yang, H., Kim, W. and Park, J., Nickel oxide-modified composite electrode for electrochemical detection of polyhydroxyl compounds in liquid chromatographic analysis, (471) (2002) 195

Chung, H.J., *see* Lim, S.M., (453) (2002) 81

Churchill, R.L., Sheedy, C., Yau, K.Y.F. and Christopher Hall, J., Evolution of antibodies for environmental monitoring: from mice to plants, (468) (2002) 185

Churilla, A.M., *see* Lin, H.J., (457) (2002) 97

Cimerman, Z., *see* Miljanic, S., (468) (2002) 13

Cladera, A., *see* de Armas, G., (455) (2002) 149

Clarke, W., *see* Oates, M.R., (470) (2002) 37

Clímaco, M.C., *see* Caldeira, I., (458) (2002) 55

Cloarec, O., Gonzalez, C., Touraud, E. and Thomas, O., Improvement of UV spectrophotometry methodology for the determination of total polycyclic aromatic compounds in contaminated soils, (453) (2002) 245

Clonis, Y.D., *see* Andreou, V.G., (460) (2002) 151

Cobbaert, E., *see* Courtheyn, D., (473) (2002) 71

Coelho, N.M.M., Cósman da Silva, A. and Moraes da Silva, C., Determination of As(III) and total inorganic arsenic by flow injection hydride generation atomic absorption spectrometry, (460) (2002) 227

Cohen, A., *see* Persson, P., (460) (2002) 1

Cohen, M., Fruittier-Arnaudin, I., Garreau-Balandier, I. and Piot, J.M., Quantification of hemorphin-7 peptides by enzyme linked immunosorbent assay with secondary antibody, (461) (2002) 229

Çökeliler, D. and Mutlu, M., Performance of amperometric alcohol electrodes prepared by plasma polymerization technique, (469) (2002) 217

Colamonti, C., *see* Amendola, L., (475) (2003) 125

Colino Gandarillas, C.I., *see* Martínez Martínez, M.S., (459) (2002) 143

Collins, G.E., *see* Lu, Q., (469) (2002) 253

Colvin, J., *see* Allan Butterfield, D., (470) (2002) 29

Comas, E., Ana Gimeno, R., Ferré, J., Marcé, R.M., Borrull, F. and Xavier Rius, F., Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, (470) (2002) 163

Conneely, A., Smyth, W.F. and McMullan, G., Study of the white-rot fungal degradation of selected phthalocyanine dyes by capillary electrophoresis and liquid chromatography, (451) (2002) 259

Contado, C., *see* Blo, G., (470) (2002) 253

Coradeghini, R., *see* Stella, A., (461) (2002) 201

Corbo, D., *see* Paixão, T.R., (472) (2002) 123

Correia, P.R.M., Oliveira, E. and Oliveira, P.V., Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, (458) (2002) 321

Cortina, J.L., *see* Castillo, E., (464) (2002) 15

Cortina, J.L., *see* Castillo, E., (464) (2002) 197

Cósman da Silva, A., *see* Coelho, N.M.M., (460) (2002) 227

Cosnier, S., Novoa, A., Mousty, C. and Marks, R.S., Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose, (453) (2002) 71

Costa García, A., *see* José Bengoechea Álvarez, M., (462) (2002) 31

Costa, F.S., *see* Esteves da Silva, J.C.G., (453) (2002) 105

Costa-Fernández, J.M., *see* de la Riva, B.S.V., (455) (2002) 179

Costa-Fernández, J.M., *see* San Vicente de la Riva, B., (451) (2002) 203

Costa-García, A., *see* Abad-Villar, E.M., (453) (2002) 63

Coughanowr, C., *see* Bruder-Hubscher, V., (451) (2002) 285

Coulomb, B., *see* Brach-Papa, C., (457) (2002) 311

Courderot, C.M., Perrin, F.X., Guillaume, Y.-C., Truong, T.-T., Millet, J., Thomassin, M., Chaumont, J.P. and Nicod, L., Chiral discrimination of dansyl-amino-acid enantiomers on teicoplanin phase: sucrose-perchlorate anion dependence, (457) (2002) 149

Courtheyn, D., Le Bizec, B., Brambilla, G., De Brabander, H.F., Cobbaert, E., Van de Wiele, M., Vercammen, J. and De Wasch, K., Recent developments in the use and abuse of growth promoters, (473) (2002) 71

Courtheyn, D., *see* Impens, S., (473) (2002) 53

Courtheyn, D., *see* Poelmans, S., (473) (2002) 39

Cozzi, G., *see* Krachler, M., (458) (2002) 387

Crawley, C.D., *see* Little, M.K., (464) (2002) 25

Creaser, C., dos Santos, L.F., Lamarca, D.G., New, A. and Wolff, J.-C., Biodegradation studies of 4-fluorobenzoic acid and 4-fluorocinnamic acid: an evaluation of membrane inlet mass spectrometry as an alternative to high performance liquid chromatography and ion chromatography, (454) (2002) 137

Crooks, S.R.H., *see* Situ, C., (473) (2002) 143

Croot, P.L. and Laan, P., Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection, (466) (2002) 261

Crossan, A.N., Lee, N., Sharma, R., Kennedy, I.R. and Beckett, R., Assessment of the distribution of pesticides on soil particle fractions in simulated irrigation run-off using centrifugal SPLITT fractionation and ELISA, (468) (2002) 199

Croubels, S., *see* Cherlet, M., (473) (2002) 167

Croubels, S., Wassink, P. and De Backer, P., Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, (473) (2002) 183

Cruces-Blanco, C., *see* Fernández-Sánchez, J.F., (462) (2002) 217

Cruces-Blanco, C., *see* Segura Carretero, A., (474) (2002) 91

Csöregi, E., *see* Niculescu, M., (463) (2002) 39

Cuadros-Rodríguez, L., Hernández Torres, M.E., Almansa López, E., Egea González, F.J., Arrebola Liébanas, F.J. and Martínez Vidal, J.L., Assessment of uncertainty in pesticide multiresidue analytical methods: main sources and estimation, (454) (2002) 297

Cubuk, O., *see* Tinkilic, N., (452) (2002) 29

Cui, D., *see* Hu, S., (464) (2002) 209

Cui, H., *see* Li, F., (471) (2002) 187

Cukrowska, E., *see* Soko, L., (474) (2002) 59

Currie, J.W., *see* Hewitt, S.A., (473) (2002) 99

Curto, S.L., *see* Saitta, M., (466) (2002) 335

D

da Rocha, J.R.C., Angnes, L., Bertotti, M., Araki, K. and Toma, H.E., Amperometric detection of nitrite and nitrate at tetraruthenated porphyrin-modified electrodes in a continuous-flow assembly, (452) (2002) 23

da Silva, J.B.B., *see* Magalhães, C.G., (464) (2002) 323

D'Agostino, P.A., *see* Hancock, J.R., (457) (2002) 71

Dahlgaard, H., *see* Chen, Q., (466) (2002) 109

Dahlqvist, R., Zhang, H., Ingri, J. and Davison, W., Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, (460) (2002) 247

Damiani, P.C., Borracetti, M.D. and Olivieri, A.C., Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, (471) (2002) 87

D'Amico, A., *see* Di Natale, C., (459) (2002) 107

Danapel, C., *see* Yacoub-George, E., (457) (2002) 3

Daniele, P.G., *see* Prenesti, E., (459) (2002) 323

Daniele, S., *see* Abdelsalam, M.E., (452) (2002) 65

Daniele, S., *see* Antonietta Baldo, M., (464) (2002) 217

Danielson, N.D., *see* Numana, A., (460) (2002) 49

Danielsson, B., *see* Mecklenburg, M., (459) (2002) 25

Danielsson, L.-G., *see* Yang, X.T., (474) (2002) 69

Danielsson, R., Bylund, D. and Markides, K.E., Matched filtering with background suppression for improved quality of base peak chromatograms and mass spectra in liquid chromatography-mass spectrometry, (454) (2002) 167

Danilova, T.V., *see* Zavarzina, A.G., (452) (2002) 95

Dankwardt, A., *see* Ballesteros, B., (475) (2003) 105

D'Annibale, A., *see* Favero, G., (460) (2002) 23

Daszykowski, M., Walczak, B. and Massart, D.L., Representative subset selection, (468) (2002) 91

Davison, W., *see* Dahlqvist, R., (460) (2002) 247

Daxenberger, A., *see* Lange, I.G., (473) (2002) 27

De Acutis, R., *see* Armanino, C., (454) (2002) 315

de Alda, M.J.L., *see* Farré, M., (456) (2002) 19

de Andrade, J.C., *see* Fidêncio, P.H., (453) (2002) 125

de Armas, G., Miró, M., Cladera, A., Estela, J.M. and Cerdà, V., Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, (455) (2002) 149

de Armas, G., Miró, M., Estela, J.M. and Cerdà, V., Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, (467) (2002) 13

Simultaneous determination of fluorophores with overlapped spectra by sequential injection analysis coupled to variable angle scanning fluorescence spectrometry and multivariate linear regression algorithms, (471) (2002) 173

de Armas, G., *see* Pizá, N., (467) (2002) 155

De Backer, P., *see* Cherlet, M., (473) (2002) 167

De Backer, P., *see* Croubels, S., (473) (2002) 183

De Baere, S., *see* Cherlet, M., (473) (2002) 167

De Bièvre, P., *see* Wolff Brache, C.S.J., (460) (2002) 41

De Boni, A., *see* Ugo, P., (474) (2002) 147

De Brabander, H.F., *see* Courtheyn, D., (473) (2002) 71

De Brabander, H.F., *see* De Wasch, K., (473) (2002) 59

De Brabander, H.F., *see* Impens, S., (473) (2002) 53

De Brabander, H.F., *see* Poelmans, S., (473) (2002) 39

De Giglio, A., *see* Brescia, M.A., (458) (2002) 177

de Goeij, J.J.M., *see* van Doornmalen, J., (464) (2002) 141

de Groot, P.J., Postma, G.J., Melssen, W.J. and Buydens, L.M.C., Validation of remote, on-line, near-infrared measurements for the classification of demolition waste, (453) (2002) 117

de Jager, L. and Andrews, A.R.J., Development of a screening method for cocaine and cocaine metabolites in saliva using hollow fiber membrane solvent microextraction, (458) (2002) 311

de Jong, S., *see* Pravdova, V., (462) (2002) 133

de Jong, S., *see* Questier, F., (466) (2002) 311

de la Guardia, M., *see* Armenta, S., (468) (2002) 81

de la Riva, B.S.V., Costa-Fernández, J.M., Jin, W.J., Pereiro, R. and Sanz-Medel, A., Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer, (455) (2002) 179

de la Torre, X., *see* Jiménez, C., (460) (2002) 289

De Leva, I., *see* Laganà, A., (462) (2002) 187

de los Santos, P.C., Gonçalves, F. and De Pinho, M.N., Optimisation of the method for determination of the temperature of saturation in wines, (458) (2002) 257

de los Santos-Álvarez, N., Lobo-Castañón, M.J., Miranda-Ordieres, A.J. and Tuñón-Blanco, P., Amperometric determination of serum lactate dehydrogenase activity using an ADP-modified graphite electrode, (457) (2002) 275

De Orsi, D., *see* Gagliardi, L., (457) (2002) 187

De Pinho, M.N., *see* dos Santos, P.C., (458) (2002) 257

de Rijke, E., Joshi, H.C., Sanderse, H.R., Ariese, F., Brinkman, U.A.Th. and Gooijer, C., Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, (468) (2002) 3

de Rooij, N.F., *see* Reichmuth, P., (464) (2002) 79

de Saja, J.A., *see* Guadarrama, A., (455) (2002) 41

De Wasch, K., Poelmans, S., Verslycke, T., Janssen, C., Van Hoof, N. and De Brabander, H.F., Alternative to vertebrate animal experiments in the study of metabolism of illegal growth promoters and veterinary drugs, (473) (2002) 59

De Wasch, K., *see* Courteyn, D., (473) (2002) 71

De Wasch, K., *see* Impens, S., (473) (2002) 53

De Wasch, K., *see* Poelmans, S., (473) (2002) 39

De Wasch, K., *see* Van Merris, V., (468) (2002) 237

DeBono, R.F., *see* Vinopal, R.T., (457) (2002) 83

Deffieux, G., *see* Vitrac, X., (458) (2002) 103

Defrenne, L., *see* dos Santos, L.F., (456) (2002) 41

defur, P., *see* Vinopal, R.T., (457) (2002) 83

DeGrandpre, M.D., *see* French, C.R., (453) (2002) 13

del Castillo, B., *see* Muñoz-Botella, S., (468) (2002) 161

Del Pilar Taboada Sotomayor, M., Tanaka, A.A. and Kubota, L.T., Development of an enzymeless biosensor for the determination of phenolic compounds, (455) (2002) 215

del Valle, M., *see* Martínez-Barrachina, S., (454) (2002) 217

Delahaut, P., *see* Poelmans, S., (473) (2002) 39

Delattre, L., *see* Otte, X., (459) (2002) 337

Delépée, R. and Pouliquen, H., Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination of oxytetracycline in the bryophyte *Fontinalis antipyretica*, (475) (2003) 117

Delerue-Matos, C.M., *see* Oliva-Teles, M.T., (467) (2002) 97

Dell'Acqua, L., *see* Gambaro, V., (468) (2002) 245

Demars, A.L., *see* Vinopal, R.T., (457) (2002) 83

Demchenko, A.P., *see* Erceen, S., (464) (2002) 273

Demertzis, P.G., *see* Triantafyllou, V.I., (467) (2002) 253

Demin, V.V., *see* Zavarzina, A.G., (452) (2002) 95

Dempsey, E., *see* Walsh, D.A., (459) (2002) 187

Deng, A.-P., Cheng, J.-T. and Huang, H.-J., Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal I protein, (461) (2002) 49

Deng, A.-P., Liu, H.-T., Jiang, S.-J., Huang, H.-J. and Ong, C.-W., Reaction cell inductively coupled plasma mass spectrometry-based immunoassay using ferrocene tethered hydroxysuccinimide ester as label for the determination of 2,4-dichlorophenoxyacetic acid, (472) (2002) 55

Denuault, G., *see* Abdelsalam, M.E., (452) (2002) 65

Depledge, M.H., *see* Fillmann, G., (461) (2002) 75

Dey, E., *see* Mecklenburg, M., (459) (2002) 25

Deyrup, C.L., *see* Hoffman, M.K., (473) (2002) 49

Di Natale, C., Zude-Sasse, M., Macagnano, A., Paolesse, R., Herold, B. and D'Amico, A., Outer product analysis of electronic nose and visible spectra: application to the measurement of peach fruit characteristics, (459) (2002) 107

Di Pietra, A.M., *see* Gatti, R., (474) (2002) 111

Dias, A.C.B., *see* Carneiro, J.M.T., (455) (2002) 327

Díaz-Plaza, E.M., Reyero, J.R., Pardo, F. and Salinas, M.R., Comparison of wine aromas with different tannic content aged in French oak barrels, (458) (2002) 139

Dickson, L.C., MacNeil, J.D., Reid, J., Neiser, C.D. and Fesser, A.C., Internal validation of screening methodology for residues of epi-trenbolone, trenbolone, epi-nortestosterone and nortestosterone in bovine urine using immunoaffinity cartridges for sample clean-up, (473) (2002) 111

Dillon, P.J., *see* Wu, F.C., (452) (2002) 85

Dillon, P.J., *see* Wu, F.C., (464) (2002) 47

Dimakis, V.T., Gavalas, V.G. and Chaniotakis, N.A., Polyelectrolyte-stabilized biosensors based on macroporous carbon electrode, (467) (2002) 217

Dimotikali, D., *see* Papadopoulos, K., (464) (2002) 135

Ding, M.-Y., *see* Tanaka, K., (474) (2002) 31

Dionisi, F., Golay, P.A. and Fay, L.B., Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, (465) (2002) 395

Divrikli, Ü. and Elçi, L., Determination of some trace metals in water and sediment samples by flame atomic absorption spectrometry after coprecipitation with cerium (IV) hydroxide, (452) (2002) 231

Djingova, R., *see* Kovacheva, P., (464) (2002) 7

Dmitrienko, S.G., Medvedeva, O.M., Ivanov, A.A., Shpigun, O.A. and Zolotov, Y., Determination of gallic acid with 4-nitrobenzenediazonium tetrafluoroborate by diffuse reflectance spectrometry on polyurethane foam, (469) (2002) 295

do Nascimento, P.C., *see* Bohrer, D., (459) (2002) 267

Dobčník, D., *see* Brodnjak-Vončina, D., (462) (2002) 87

Dockendorff, B., *see* Bruckner-Lea, C.J., (469) (2002) 129

Domb, A.J., *see* Kumar, N., (465) (2002) 257

Doménech, A. and Alarcón, J., Determination of hydrogen peroxide using glassy carbon and graphite/polyester composite electrodes modified by vanadium-doped zirconias, (452) (2002) 11

Domingo, C., García-Carmona, J., Fanovich, M.A. and Saurina, J., Study of adsorption processes of model drugs at supercritical conditions using partial least squares regression, (452) (2002) 311

Dominguez, C., Guillén, D.A. and Barroso, C.G., Determination of volatile phenols in fino sherry wines, (458) (2002) 95

Domínguez, O. and Julia Arcos, M., Simultaneous determination of chromium(VI) and chromium(III) at trace levels by adsorptive stripping voltammetry, (470) (2002) 241

Dondi, F., *see* Blo, G., (470) (2002) 253

Dong, C., *see* Zhang, G., (474) (2002) 189

Dong, H., *see* Tong, A., (466) (2002) 31

Dong, L., Jia, R., Li, Q., Chen, X. and Hu, Z., Quantitative determination of proteins by the Rayleigh light-scattering technique after optimization of the derivation reaction with Arsenazo-DBS, (459) (2002) 313

Dong, S., *see* Li, Y., (459) (2002) 93

Dong, Z., *see* Zhang, G., (474) (2002) 189

dos Santos, L.F., Defrenne, L. and Krebs-Brown, A., Comparison of three microbial assay procedures for measuring toxicity of

chemical compounds: ToxAlert™ 10, CellSense and Biolog MT2 microplates, (456) (2002) 41

dos Santos, L.F., *see* Creaser, C., (454) (2002) 137

Dotsikas, Y., L.Loukas, Y. and Siafaka, I., Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, (459) (2002) 177

Dougherty, E.M., *see* French, C.R., (453) (2002) 13

Douglas, K.M., *see* Young, D., (453) (2002) 231

Dressler, V.L., Pozebon, D., Flores, E.L.M., Paniz, J.N.G. and Flores, E.M.M., Potentiometric determination of fluoride in geological and biological samples following pyrohydrolytic decomposition, (466) (2002) 117

Dressler, V.L., *see* Martins, P., (470) (2002) 195

Drost, S., *see* Yacoub-George, E., (457) (2002) 3

Duarte, A., *see* Fangueiro, D., (459) (2002) 245

Duarte, A.C., *see* Antunes, M.C., (459) (2002) 291

Dubois, M., *see* Poelmans, S., (473) (2002) 39

Ducauze, C.J. and Rutledge, D.N., In Vino Analytica Scientia 2001, (458) (2002) 1

Dugas, J.E., *see* Vinopal, R.T., (457) (2002) 83

Dugo, G., *see* Saitta, M., (466) (2002) 335

Dumonceau, J., *see* Merdy, P., (459) (2002) 133

Dumoulin, F., *see* Van den hauwe, O., (473) (2002) 127

Duran, N., *see* Freire, R.S., (463) (2002) 229

Duvaneck, G.L., Abel, A.P., Bopp, M.A., Kresbach, G.M. and Ehrat, M., Planar waveguides for ultra-high sensitivity of the analysis of nucleic acids, (469) (2002) 49

Dyson, G.A., *see* Bos, R., (454) (2002) 147

Dyson, R., *see* Maeder, M., (464) (2002) 249

Dzantiev, B.B., *see* Eremin, S.A., (468) (2002) 229

Dzyadevych, S.V., Soldatkin, A.P. and Chovelon, J.-M., Assessment of the toxicity of methyl parathion and its photodegradation products in water samples using conductometric enzyme biosensors, (459) (2002) 33

E

Economou, A., Bolis, S.D., Efstratiou, C.E. and Volikakis, G.J., A "virtual" electroanalytical instrument for square wave voltammetry, (467) (2002) 179

Economou, A., Themelis, D.G., Theodoridis, G. and Tzanavaras, P.D., Sensitive determination of captopril by flow injection analysis with chemiluminescence detection based on the enhancement of the luminol reaction, (463) (2002) 249

Edlund, P.-O., *see* Björkman, H.T., (468) (2002) 263

Efremenko, E.N., *see* Simonian, A.L., (458) (2002) 425

Efstratiou, C.E., *see* Economou, A., (467) (2002) 179

Efta, C., *see* Lipe, L.L., (455) (2002) 287

Egea González, F.J., *see* Cuadros-Rodríguez, L., (454) (2002) 297

Ehrat, M., *see* Duvaneck, G.L., (469) (2002) 49

Eiceman, G.A., *see* Young, D., (453) (2002) 231

Eiceman, G.A., *see* Young, D., (463) (2002) 143

Eidson, L.A.K., *see* French, C.R., (453) (2002) 13

Elbergali, A., *see* Ghasemi, J., (455) (2002) 335

Elçi, L., *see* Divrikli, Ü., (452) (2002) 231

Elçi, L., *see* Saracoğlu, S., (452) (2002) 77

El-Khateeb, S.Z., *see* El-Ragehy, N.A., (461) (2002) 155

Elkind, J., *see* Simonian, A.L., (466) (2002) 201

Ellington, A.D., *see* Hall, B., (475) (2003) 67

Elliott, C., *see* Van den hauwe, O., (473) (2002) 127

Elliott, C.T., *see* Meenagh, S.A., (462) (2002) 149

Elliott, C.T., *see* Situ, C., (473) (2002) 143

Elliott, C.T., *see* Yakkundi, S., (473) (2002) 177

Ellwood, M.J., *see* Tukai, R., (457) (2002) 173

El-Ragehy, N.A., Abbas, S.S. and El-Khateeb, S.Z., Stability indicating spectrophotometric methods for determination of glafenine using first derivative of ratio spectra and chemometric techniques, (461) (2002) 155

El-Saharty, Y.S. and Bary, A.A., High-performance liquid chromatographic determination of neutraceuticals, glucosamine sulphate and chitosan, in raw materials and dosage forms, (462) (2002) 125

Eman, M.R., *see* van Dam, J.C., (460) (2002) 209

Emnœus, J., *see* Nistor, C., (456) (2002) 3

Emons, H., *see* Krachler, M., (458) (2002) 387

Enguehard, F., *see* Bruder-Hubscher, V., (451) (2002) 285

Ensafi, A.A., *see* Mazloum Ardakani, M., (462) (2002) 25

Epstein, J.R., Biran, I. and Walt, D.R., Fluorescence-based nucleic acid detection and microarrays, (469) (2002) 3

Epstein, R.L., *see* Hoffman, M.K., (473) (2002) 49

Ercelen, S., Klymenko, A.S. and Demchenko, A.P., Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, (464) (2002) 273

Eremin, S., *see* Botchkareva, A.E., (453) (2002) 43

Eremin, S.A., Ryabova, I.A., Yakovleva, J.N., Yazynina, E.V., Zherdev, A.V. and Dzantiev, B.B., Development of a rapid, specific fluorescence polarization immunoassay for the herbicide chlorsulfuron, (468) (2002) 229

Erichsen, T., *see* Niculescu, M., (463) (2002) 39

Erkoma, K., *see* Rapala, J., (466) (2002) 213

Ermolenko, Y., Yoshinobu, T., Mourzina, Y., Furuchi, K., Levichev, S., Vlasov, Y., Schöning, M.J. and Iwasaki, H., Lithium sensor based on the laser scanning semiconductor transducer, (459) (2002) 1

Ernepeleva, A., *see* Kazantseva, N.N., (456) (2002) 105

Ertegul, M., Measurement of K shell radiative transition probabilities and K, L₂ and L₃ shell/subshell fluorescence yields of some elements in the atomic number range 30 ≤ Z ≤ 40, (454) (2002) 327

Erustes, J.A., *see* Andrade-Eiroa, A., (467) (2002) 25

Escalona, H., Birkmyre, L., Piggott, J.R. and Paterson, A., Effect of maturation in small oak casks on the volatility of red wine aroma compounds, (458) (2002) 45

Escandar, G.M., Bystol, A.J. and Campiglia, A.D., Spectrofluorimetric method for the determination of piroxicam and pyridoxine, (466) (2002) 275

Escarpa, A., Morales, M.D. and González, M.C., Analytical performance of commercially available and unavailable phenolic compounds using real samples by high-performance liquid chromatography-diode-array detection, (460) (2002) 61

Eskola, J., *see* Kulmala, S., (458) (2002) 271

Espinosa, S., Bosch, E. and Rosés, M., Acid-base constants of neutral bases in acetonitrile-water mixtures, (454) (2002) 157

Espinosa-Mansilla, A., *see* Muñoz de la Peña, A., (463) (2002) 75

Es-Sbai, H., *see* Luthe, G., (459) (2002) 53

Esteban, M., *see* Antunes, M.C., (459) (2002) 291

Estela, J.M., *see* de Armas, G., (455) (2002) 149

Estela, J.M., *see* de Armas, G., (467) (2002) 13

Estela, J.M., *see* de Armas, G., (471) (2002) 173

Estela, J.M., *see* Pizà, N., (467) (2002) 155

Esteve-Romero, J., *see* Capella-Péiró, M.-E., (454) (2002) 125

Esteves da Silva, J.C.G., Leitão, J.M.M., Costa, F.S. and Ribeiro, J.L.A., Detection of verapamil drug by fluorescence and trilinear decomposition techniques, (453) (2002) 105

Eurard, B., *see* Otte, X., (451) (2002) 323

Evangelou, A., *see* Yao, D., (458) (2002) 281

Evans, M., *see* Hu, S.J., (454) (2002) 31

Evans, R.D., *see* Wu, F.C., (452) (2002) 85

Evans, R.D., *see* Wu, F.C., (464) (2002) 47

Evmiridis, N.P., *see* Yao, D., (458) (2002) 281

Evmiridis, N.P., *see* Yao, D., (462) (2002) 199

Evmiridis, N.P., *see* Yao, D., (467) (2002) 133

Evmiridis, N.P., *see* Yao, D., (467) (2002) 145

Evrard, B., *see* Otte, X., (459) (2002) 337

F

Faber, N.M., *see* Boqué, R., (451) (2002) 313

Fabri, A., *see* Laganà, A., (462) (2002) 187

Fabre, H., *see* Baalbaki, B., (463) (2002) 15

Fabricant, D., *see* Li, W., (471) (2002) 61

Fagioli, F., *see* Blo, G., (470) (2002) 253

Fago, G., *see* Laganà, A., (462) (2002) 187

Fakhari, A.R., Shamsipur, M. and Ghanbari, Kh., Zn(II)-selective membrane electrode based on tetra(2-aminophenyl) porphyrin, (460) (2002) 177

Fan, B., *see* Wang, Y., (463) (2002) 89

Fan, B., *see* Yao, X., (462) (2002) 101

Fan, J., *see* Feng, S., (455) (2002) 187

Fan, M.K., Huang, C.Z. and Li, Y.F., Fluorescent microscopic determination of cadmium in water samples with the self-ordered ring of $\alpha,\beta,\gamma,\delta$ -tetra(5-sulfophenyl)porphine formed on the solid support of glass slides, (453) (2002) 97

Fan, M.K., *see* Huang, C.Z., (466) (2002) 193

Fang, C., *see* Li, J.-P., (455) (2002) 53

Fang, N., *see* Ren, J., (470) (2002) 129

Fang, Y., *see* Cai, H., (469) (2002) 165

Fang, Y., *see* Cao, Y., (452) (2002) 123

Fang, Y., *see* Yang, M., (461) (2002) 141

Fang, Z.-L., *see* Huang, X.-J., (456) (2002) 167

Fanguero, D., Bermond, A., Santos, E., Carapuça, H. and Duarte, A., Heavy metal mobility assessment in sediments based on a kinetic approach of the EDTA extraction: search for optimal experimental conditions, (459) (2002) 245

Fanizzi, F.P., *see* Brescia, M.A., (458) (2002) 177

Fanovich, M.A., *see* Domingo, C., (452) (2002) 311

Farcas, F., Chaussadent, T., Fiaud, C. and Mabille, I., Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, (472) (2002) 37

Farè, F., *see* Gambaro, V., (468) (2002) 245

Farková, M., *see* Bocaz-Beneventi, G., (452) (2002) 47

Farnsworth, N.R., *see* Li, W., (471) (2002) 61

Farré, M., Klöter, G., Petrovic, M., Alonso, M.C., de Alda, M.J.L. and Barceló, D., Identification of toxic compounds in wastewater treatment plants during a field experiment, (456) (2002) 19

Farré, M., *see* Nistor, C., (456) (2002) 3

Favero, G., D'Annibale, A., Campanella, L., Santucci, R. and Ferri, T., Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, (460) (2002) 23

Fay, L.B., *see* Dionisi, F., (465) (2002) 395

Feller, K.A., *see* Yacoub-George, E., (457) (2002) 3

Fell Jr., N.F., *see* Pellegrino, P.M., (455) (2002) 167

Feng, S., Tang, A., Jiang, J. and Fan, J., Spectrofluorimetric determination of tannins based on their activative effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide, (455) (2002) 187

Feng, Y., *see* Zhao, S., (470) (2002) 155

Feng, Z.Z., *see* Nan, C.G., (452) (2002) 245

Fente, C., *see* Iglesias, Y., (468) (2002) 43

Ferguson, J., *see* Situ, C., (473) (2002) 143

Fernández Gutiérrez, A., *see* Segura Carretero, A., (474) (2002) 91

Fernández Laespada, M.E., *see* Cerrato Oliveros, M.C., (459) (2002) 219

Fernández Ramos, M.D., *see* Capitán-Vallvey, L.F., (451) (2002) 231

Fernández, M., *see* Blasco, C., (461) (2002) 109

Fernández-Alba, A.R., Hernando Guil, M.D., López, G.D. and Chisti, Y., Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, (451) (2002) 195

Fernández-Alba, A.R., Hernando, M.D., Piedra, L. and Chisti, Y., Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays, (456) (2002) 303

Fernández-Fernández, E., *see* Moreda-Piñeiro, J., (460) (2002) 111

Fernández-Fernández, E., *see* Moreda-Piñeiro, J., (461) (2002) 261

Fernandez-González, R., García-Falcón, M.S. and Simal-Gándara, J., Quantitative analysis for oxytetracycline in medicated premixes and feeds by second-derivative synchronous spectrofluorimetry, (455) (2002) 143

Fernández-Gutiérrez, A., *see* Fernández-Sánchez, J.F., (462) (2002) 217

Fernández-Romero, J.M., *see* García-Ayuso, L.E., (457) (2002) 247

Fernández-Sánchez, J.F., Segura-Carretero, A., Cruces-Blanco, C. and Fernández-Gutiérrez, A., Room-temperature luminescence optosensings based on immobilized active principles actives. Application to naftonyl and naproxen determination in pharmaceutical preparations and biological fluids, (462) (2002) 217

Ferrari, G., *see* Lablanquie, O., (458) (2002) 191

Ferré, J., *see* Boqué, R., (451) (2002) 313

Ferré, J., *see* Comas, E., (470) (2002) 163

Ferreira, E.C., *see* Rocha, I., (462) (2002) 293

Ferri, T., *see* Favero, G., (460) (2002) 23

Fesser, A.C., *see* Dickson, L.C., (473) (2002) 111

Fiamegos, Y., Stalikas, C. and Pilidis, G., 4-Aminoantipyrine spectrophotometric method of phenol analysis. Study of the reaction

products via liquid chromatography with diode-array and mass spectrometric detection, (467) (2002) 105

Fiamigos, Y.C., *see* Pappas, A.C., (455) (2002) 305

Fiaud, C., *see* Farcas, F., (472) (2002) 37

Fidêncio, P.H., Poppi, R.J. and de Andrade, J.C., Determination of organic matter in soils using radial basis function networks and near infrared spectroscopy, (453) (2002) 125

Filella, M., *see* Quentel, F., (452) (2002) 237

Filella, M., *see* Town, R.M., (466) (2002) 285

Filgueiras, A.V., Lavilla, I. and Bendicho, C., Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electro-thermal atomic absorption spectrometry following sequential extraction, (466) (2002) 303

Filippo, G.D., *see* Shamsipur, M., (462) (2002) 225

Fillmann, G., Galloway, T.S., Sanger, R.C., Depledge, M.H. and Readman, J.W., Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, (461) (2002) 75

Fini, F., *see* Botchkareva, A.E., (453) (2002) 43

Fischer, K., Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, (465) (2002) 157

Fisher, M., *see* Bulatov, V., (466) (2002) 1

Fitzloff, J.F., *see* Li, W., (471) (2002) 61

Flanagan, D.R., *see* Kumar, N., (465) (2002) 257

Fletcher, K.A., Pandey, S., Storey, I.K., Hendricks, A.E. and Pandey, S., Selective fluorescence quenching of polycyclic aromatic hydrocarbons by nitromethane within room temperature ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate, (453) (2002) 89

Flora, K.K., Keeling-Tucker, T., Hogue, C.W. and Brennan, J.D., Screening of antagonists based on induced dissociation of a calmodulin-melittin interaction entrapped in a sol-gel derived matrix, (470) (2002) 19

Flores, E.L.M., *see* Dressler, V.L., (466) (2002) 117

Flores, E.M.M., *see* Dressler, V.L., (466) (2002) 117

Fojta, M., *see* Paleček, E., (469) (2002) 73

Follansbee, J.C., *see* Bruckner-Lea, C.J., (469) (2002) 129

Fong, C.-C., Wong, M.-S., Fong, W.-F. and Yang, M., Effect of hydrogel matrix on binding kinetics of protein-protein interactions on sensor surface, (456) (2002) 201

Fong, H.H.S., *see* Li, W., (471) (2002) 61

Fong, W.-F., *see* Fong, C.-C., (456) (2002) 201

Fonrodona, G., *see* Marquéz, I., (471) (2002) 145

Font, G., *see* Blasco, C., (461) (2002) 109

Fontal, O.I., *see* González, J.C., (466) (2002) 233

Forina, M., Armanino, C. and Raggio, V., Clustering with dendograms on interpretation variables, (454) (2002) 13

Forina, M., *see* Cerrato Oliveros, M.C., (459) (2002) 219

Forteza, R., *see* Andrade-Eiroa, A., (467) (2002) 25

Forteza, R., *see* Semenova, N.V., (455) (2002) 277

Forzani, E.S., Bernardi, M.E., Sisti, A.M., Zarzur, J.A. and Solis, V.M., Indirect determination of pepsin activity in human seric protein samples by polyphenol oxidase electrodes, (460) (2002) 163

Fotopoulou, M.A. and Ioannou, P.C., Post-column terbium complexation and sensitized fluorescence detection for the determination of norepinephrine, epinephrine and dopamine using high-performance liquid chromatography, (462) (2002) 179

Foulds, I.V., *see* Almadidy, A., (461) (2002) 37

Francis, P.S., *see* Lewis, S.W., (461) (2002) 131

Franco, C., *see* Iglesias, Y., (468) (2002) 43

François, J.-M., *see* Scippo, M.-L., (473) (2002) 135

Frank, D., *see* Sauvage, L., (458) (2002) 223

Frank, J., *see* van Dam, J.C., (460) (2002) 209

Franko, M., *see* Luterotti, S., (460) (2002) 193

Franks, R.P., *see* Beck, N.G., (455) (2002) 11

Freire, R.S., Duran, N. and Kubota, L.T., Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent, (463) (2002) 229

French, C.R., Carr, J.J., Dougherty, E.M., Eidson, L.A.K., Reynolds, J.C. and DeGrandpre, M.D., Spectrophotometric pH measurements of freshwater, (453) (2002) 13

French, M.T., *see* Hu, S.J., (454) (2002) 31

Fritz, J.S., *see* Tanaka, K., (474) (2002) 31

Frkanec, L., *see* Miljanic, S., (468) (2002) 13

Froldi, R., *see* Gambaro, V., (468) (2002) 245

Frossard, M., *see* Neckel, U., (463) (2002) 199

Fruitier-Arnaudin, I., *see* Cohen, M., (461) (2002) 229

Fu, Y., Wu, T., Li, B. and Sun, C., Fabrication of a covalently attached multilayer film electrode containing cobalt phthalocyanine and its application as a potentiometric sensor of iodide ion, (455) (2002) 61

Fu, Y., Yu, B.-B., Li, L.-D. and Liu, J.-M., Solid substrate room temperature phosphorescence immunoassay based on an antibody labeled with tetramethylrhodamine B isothiocyanate, (470) (2002) 121

Fujimoto, S., *see* Matsunaga, T., (475) (2003) 75

Fujiwara, Y., Okura, I., Miyashita, T. and Amao, Y., Optical oxygen sensor based on fluorescence change of pyrene-1-butyric acid chemisorption film on an anodic oxidation aluminium plate, (471) (2002) 25

Fulcrand, H., *see* Atanasova, V., (458) (2002) 15

Fung, Y.S. and Wong, C.C.W., Determination of carbon monoxide in ambient air using piezoelectric crystal sorption detection, (456) (2002) 227

Fung, Y.S., *see* Sun, X., (470) (2002) 137

Furuichi, K., *see* Ermolenko, Y., (459) (2002) 1

Furusaki, S., *see* Araki, K., (469) (2002) 173

G

Gagliardi, L., De Orsi, D., Giudice, M.R.D., Gatta, F., Porrà, R., Chimenti, P. and Tonelli, D., Development of a tandem thin-layer chromatography-high-performance liquid chromatography method for the identification and determination of corticosteroids in cosmetic products, (457) (2002) 187

Gal, Y., *see* Hur, Y., (460) (2002) 133

Gallego, M., *see* González, M., (464) (2002) 237

Gallego, M., *see* Nascentes, C.C., (462) (2002) 275

Gallo, B., *see* Korta, E., (475) (2003) 97

Galloway, M., *see* Soper, S.A., (470) (2002) 87

Galloway, T.S., *see* Fillmann, G., (461) (2002) 75

Galve, R., Sanchez-Baeza, F., Camps, F. and Pilar Marco, M., Indirect competitive immunoassay for trichlorophenol determination. Rational evaluation of the competitor heterology effect, (452) (2002) 191

Gambiro, V., Dell'Acqua, L., Farè, F., Froldi, R., Saligari, E. and Tassoni, G., Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization detection and high-performance liquid chromatography/UV detection, (468) (2002) 245

Gammeter, W.B., *see* Shriver-Lake, L.C., (470) (2002) 71

Gan, N., Cai, R. and Lin, Z., Determination of ascorbic acid based on a peroxidase oscillator reaction, (466) (2002) 257

Gang, J., *see* Mecklenburg, M., (459) (2002) 25

Ganjali, M.R., Hosseini, M., Basiripour, F., Javanbakht, M., Hashemi, O.R., Rastegar, M.F., Shamsipur, M. and Buchanan, G.W., Novel coated-graphite membrane sensor based on *N,N'*-dimethylcyanodiazia-18-crown-6 for the determination of ultratrace amounts of lead, (464) (2002) 181

Ganjali, M.R., Naji, L., Poursaberi, T., Shamsipur, M. and Haghgoor, S., Ytterbium(III)-selective membrane electrode based on cefixime, (475) (2003) 59

Ganjali, M.R., *see* Shamsipur, M., (462) (2002) 225

Gao, F., *see* Wang, L.-Y., (466) (2002) 87

Gao, H.-W. and Xu, W.-Q., Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, (458) (2002) 417

Gao, J., Zhang, X., Yang, W. and Kang, J., Highly sensitive spectrofluorimetric kinetic determination of ultratrace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate, (455) (2002) 159

Gao, M.X., *see* Jiang, C.Q., (452) (2002) 185

Gao, Y., *see* Wang, Y., (463) (2002) 89

Gapes, J.R., *see* Grube, M., (471) (2002) 127

Garau, A., *see* Shamsipur, M., (462) (2002) 225

García Pinto, C., *see* Cerrato Oliveros, M.C., (459) (2002) 219

García, J.F., *see* Tarancón, A., (463) (2002) 125

García, J.F., *see* Tarancón, A., (471) (2002) 135

García-Alvarez-Coque, M.C., *see* Ruiz-Angel, M.J., (454) (2002) 109

García-Ayuso, L.E., Amador-Hernández, J., Fernández-Romero, J.M. and Luque de Castro, M.D., Characterization of jewellery products by laser-induced breakdown spectroscopy, (457) (2002) 247

García-Carmona, J., *see* Domingo, C., (452) (2002) 311

García-Falcón, M.S., *see* Fernandez-González, R., (455) (2002) 143

García-Vargas, M., *see* Mendiguchía, C., (460) (2002) 35

García-Vargas, M., *see* Tovar, A., (469) (2002) 235

Gardiner, P.H.E., *see* Morton, J., (455) (2002) 23

Garland, J.E., Assiongbon, K.A., Pettit, C.M. and Roy, D., Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode, (475) (2003) 47

Garreau-Balandier, I., *see* Cohen, M., (461) (2002) 229

Garrido, J.L. and Medina, I., Identification of minor fatty acids in mussels (*Mytilus galloprovincialis*) by GC-MS of their 2-alkenyl-4,4-dimethoxyazoline derivatives, (465) (2002) 409

Garrigues, S., *see* Armenta, S., (468) (2002) 81

Gastine, V., *see* Monje, M.-C., (458) (2002) 111

Gatta, F., *see* Gagliardi, L., (457) (2002) 187

Gatti, R., Gioia, M.G. and Di Pietra, A.M., Phanquinone: a useful fluorescent pre-chromatographic derivatization reagent for liquid chromatographic analyses of amino acid dosage forms, (474) (2002) 11

Gauglitz, G., *see* Kröger, K., (469) (2002) 37

Gaus, K. and Hall, E.A.H., Low density lipoprotein interaction with amino acid-modified self assembled monolayers on surface plasmon resonance surfaces, (470) (2002) 3

Gavalas, V.G., *see* Dimakis, V.T., (467) (2002) 217

Gdalevsky, R., *see* Karpas, Z., (463) (2002) 155

Gdalevsky, R., *see* Karpas, Z., (474) (2002) 115

Ge, B. and Lisdat, F., Superoxide sensor based on cytochrome c immobilized on mixed-thiol SAM with a new calibration method, (454) (2002) 53

Gee, S.J., *see* Kim, Y.J., (475) (2003) 85

Gee, S.J., *see* Shelver, W.L., (457) (2002) 199

Gee, S.J., *see* Zurek, G., (466) (2002) 247

Geldyev, O.A., *see* Kazantseva, N.N., (456) (2002) 105

Gemperline, P.J., *see* Nordon, A., (472) (2002) 133

Geßner, M., *see* Hoenicke, K., (458) (2002) 29

Gentilomi, G., *see* Girotti, S., (471) (2002) 113

Ghanbari, Kh., *see* Fakhari, A.R., (460) (2002) 177

Ghasemi, J., Niazi, A., Kubista, M. and Elbergali, A., Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol-water mixtures, (455) (2002) 335

Gil-Agustí, M., *see* Capella-Peiró, M.-E., (454) (2002) 125

Gillespie, J.B., *see* Pellegrino, P.M., (455) (2002) 167

Giné, M.F., *see* Miranda, C.E.S., (453) (2002) 301

Gioia, M.G., *see* Gatti, R., (474) (2002) 11

Giokas, D.L., *see* Paleologos, E.K., (458) (2002) 241

Giokas, D.L., *see* Paleologos, E.K., (467) (2002) 205

Giovannoli, C., *see* Anfossi, L., (468) (2002) 315

Giraudi, G., *see* Anfossi, L., (468) (2002) 315

Girotti, S., Bolelli, L., Roda, A., Gentilomi, G. and Musiani, M., Improved detection of toxic chemicals using bioluminescent bacteria, (471) (2002) 113

Girotti, S., *see* Botchkareva, A.E., (453) (2002) 43

Giudice, M.R.D., *see* Gagliardi, L., (457) (2002) 187

Goda, Y., *see* Matsunaga, T., (475) (2003) 75

Godlewska-Żyłkiewicz, B. and Zaleska, M., Preconcentration of palladium in a flow-through electrochemical cell for determination by graphite furnace atomic absorption spectrometry, (462) (2002) 305

Goicoechea, H.C. and Olivieri, A.C., Chemometric assisted simultaneous spectrophotometric determination of four-component nasal solutions with a reduced number of calibration samples, (453) (2002) 289

Goicoechea, H.C., *see* Muñoz de la Peña, A., (463) (2002) 75

Golay, P.A., *see* Dionisi, F., (465) (2002) 395

Goldman, E.R., Paziranbeh, M.P., Charles, P.T., Balighian, E.D. and Anderson, G.P., Selection of phage displayed peptides for the detection of 2,4,6-trinitrotoluene in seawater, (457) (2002) 13

Gómez-Hens, A., *see* Aguilar-Caballos, M.P., (460) (2002) 271

Gómez-Hens, A., *see* Casas-Hernández, A.M., (452) (2002) 169

Gonçalves, F., *see* dos Santos, P.C., (458) (2002) 257

Gonçalves, M.L.S.S., *see* Botelho, C.M.S., (462) (2002) 73

Gong, H.F., *see* Wu, X.H., (453) (2002) 311

Gonzalez, C., *see* Cloarec, O., (453) (2002) 245

González, J.C., Leira, F., Fontal, O.I., Vieytes, M.R., Arévalo, F.F., Vieites, J.M., Bermúdez-Puente, M., Muñiz, S., Salgado, C., Yasumoto, T. and Botana, L.M., Inter-laboratory validation of the fluorescent protein phosphatase inhibition assay to determine diarrhetic shellfish toxins: intercomparison with liquid chromatography and mouse bioassay, (466) (2002) 233

González, M., Gallego, M. and Valcárcel, M., Automatic screening method for the rapid and simple discrimination between synthetic and natural colorants in foods, (464) (2002) 237

González, M.C., *see* Escarpa, A., (460) (2002) 61

González-Martín, I., González-Pérez, C., Hernández-Méndez, J. and Alvarez-García, N., Mineral analysis (Fe, Zn, Ca, Na, K) of fresh Iberian pork loin by near infrared reflectance spectrometry. Determination of Fe, Na and K with a remote fibre-optic reflectance probe, (468) (2002) 293

González-Martín, I., González-Pérez, C., Hernández-Méndez, J., Alvarez-García, N. and Andaluz, J.L.H., On-line non-destructive determination of proteins and infiltrated fat in Iberian pork loin by near infrared spectrometry with a remote reflectance fibre optic probe, (453) (2002) 281

González-Pérez, C., *see* González-Martín, I., (453) (2002) 281

González-Pérez, C., *see* González-Martín, I., (468) (2002) 293

González-Rodríguez, J., Pérez-Juan, P. and Luque de Castro, M.D., Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, (471) (2002) 105

González-San José, M.L., *see* Pérez-Magariño, S., (458) (2002) 187

González-San José, M.L., *see* Rivero-Pérez, M.D., (458) (2002) 169

González-SanJosé, M.L., *see* Ortega-Heras, M., (458) (2002) 85

Goodpaster, J.V., *see* Howerton, S.B., (459) (2002) 61

Gooijer, C., *see* de Rijke, E., (468) (2002) 3

Gooijer, C., *see* Luthe, G., (459) (2002) 53

Goring, G.L.G., *see* Gulcev, M.D., (457) (2002) 47

Górski, Ł., *see* Malinowska, E., (468) (2002) 133

Gorton, L., *see* Chen, J., (474) (2002) 137

Gorton, L., *see* Nistor, C., (456) (2002) 3

Gorton, L., *see* Persson, P., (460) (2002) 1

Goryacheva, O., *see* Legin, A., (457) (2002) 297

Goswami, A. and Singh, A.K., Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for their flame atomic absorption spectrometric determination, (454) (2002) 229

Goto, C., *see* Ito, T., (456) (2002) 325

Goto, M., *see* Araki, K., (469) (2002) 173

Granados, M., *see* Castillo, E., (464) (2002) 15

Granados, M., *see* Castillo, E., (464) (2002) 197

Grandi, D., *see* Blo, G., (470) (2002) 253

Green, C., *see* Vinopal, R.T., (457) (2002) 83

Groot, D.R., *see* Billing, C., (453) (2002) 201

Grube, M., Gapes, J.R. and Schuster, K.C., Application of quantitative IR spectral analysis of bacterial cells to acetone-butanol-ethanol fermentation monitoring, (471) (2002) 127

Grün, A., *see* Kunsági-Máté, S., (461) (2002) 273

Guadarrama, A., Rodríguez-Méndez, M.L. and de Saja, J.A., Conducting polymer-based array for the discrimination of odours from trim plastic materials used in automobiles, (455) (2002) 41

Gübitz, G., *see* Silvaich, H., (463) (2002) 5

Guchardi, R., *see* Knake, R., (475) (2003) 17

Guedes de Pinho, P., *see* Moreira, N., (458) (2002) 157

Guilbault, G.G., *see* O'Regan, T.M., (460) (2002) 141

Guilbault, G.G., *see* Tang, A.X.J., (471) (2002) 33

Guillaume, Y.-C., *see* Courderot, C.M., (457) (2002) 149

Guillén, D.A., *see* Domínguez, C., (458) (2002) 95

Guillon, E., *see* Merdy, P., (459) (2002) 133

Guiteras, J., *see* Marqués, I., (471) (2002) 145

Gulcev, M.D., Goring, G.L.G., Rakic, M. and Brennan, J.D., Reagentless pH-based biosensing using a fluorescently-labelled dextran co-entrapped with a hydrolytic enzyme in sol-gel derived nanocomposite films, (457) (2002) 47

Guliy, O.I., Ignatov, O.V., Shchyogolev, S.Yu., Bunin, V.D. and Ignatov, V.V., Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, (462) (2002) 165

Gunata, Y., *see* Baumes, R., (458) (2002) 3

Guo, N., *see* Ma, Y., (464) (2002) 289

Guo, S.Y., *see* Zhang, H.R., (463) (2002) 135

Guo, W., *see* Song, J., (470) (2002) 229

Guo, X.-Q., *see* Yang, X.-F., (456) (2002) 121

Gustavsson, E., Bjurling, P. and Sternsjö, Å., Biosensor analysis of penicillin G in milk based on the inhibition of carboxypeptidase activity, (468) (2002) 153

Gutiérrez Hurtado, B., *see* Martínez Martínez, M.S., (459) (2002) 143

Guzmán, A., *see* Agúil, L., (461) (2002) 65

H

Ha, J., *see* Choi, S.H., (461) (2002) 251

Haapakka, K., *see* Ala-Kleme, T., (472) (2002) 83

Haddad, P.R., *see* Tanaka, K., (474) (2002) 31

Hage, D.S., *see* Oates, M.R., (470) (2002) 37

Haghgoor, S., *see* Ganjali, M.R., (475) (2003) 59

Haizhou, W., *see* Jingyu, H., (451) (2002) 329

Hajková, R., Solich, P., Pospišilová, M. and Šicha, J., Simultaneous determination of methylparaben, propylparaben, sodium diclofenac and its degradation product in a topical emulsion by reversed-phase liquid chromatography, (467) (2002) 91

Hajšlová, J., *see* Prokůpková, G., (457) (2002) 211

Håkansson, M., *see* Canty, P., (453) (2002) 269

Håkansson, M., *see* Helin, M., (454) (2002) 193

Håkansson, M., *see* Kulmala, S., (453) (2002) 253

Håkansson, M., *see* Kulmala, S., (458) (2002) 271

Halko, R. and Huttu, M., Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, (466) (2002) 325

Hall, B. and Ellington, A.D., Survival and polymerase chain reaction-based detection of nucleic acid taggant markers during bacterial growth and sterilization, (475) (2003) 67

Hall, E.A.H., *see* Gaus, K., (470) (2002) 3
 Hall, E.A.H., *see* Tzoris, A., (460) (2002) 257
 Halliwell, C.M., Simon, E., Toh, C.-S., Bartlett, P.N. and Cass, A.E.G., Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphonate) films for use in a lactate biosensor, (453) (2002) 191
 Halstead, M.J., *see* Sangi, M.R., (456) (2002) 241
 Hamlaoui, M.L., Reybier, K., Marrakchi, M., Jaffrezic-Renault, N., Martelet, C., Kherrat, R. and Walcarus, A., Development of a urea biosensor based on a polymeric membrane including zeolite, (466) (2002) 39
 Hammock, B.D., *see* Kim, Y.J., (475) (2003) 85
 Hammock, B.D., *see* Shelver, W.L., (457) (2002) 199
 Hammock, B.D., *see* Zurek, G., (466) (2002) 247
 Hamoir, T., *see* Poelmans, S., (473) (2002) 39
 Hamosfakidi, P.G., *see* Mazonakis, N.E., (467) (2002) 261
 Han, F., *see* Tang, B., (459) (2002) 83
 Hanada, M., Koda, H., Onaga, K., Tanaka, K., Okabayashi, T., Itoh, T. and Miyazaki, H., Portable oral malodor analyzer using highly sensitive In_2O_3 gas sensor combined with a simple gas chromatography system, (475) (2003) 27
 Hanai, T., Koseki, A., Yoshikawa, R., Ueno, M., Kinoshita, T. and Homma, H., Prediction of human serum albumin-drug binding affinity without albumin, (454) (2002) 101
 Hancock, J.R. and D'Agostino, P.A., Mass spectrometric identification of toxins of biological origin, (457) (2002) 71
 Hansen, Å.M., *see* Nikolajsen, R.P.H., (475) (2003) 137
 Hansen, E.H. and Wang, J., Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, (467) (2002) 3
 Hansen, E.H., *see* Som-Aum, W., (463) (2002) 99
 Hansen, E.H., *see* Wang, J., (456) (2002) 283
 Harada, K., *see* Nakayama, M., (453) (2002) 135
 Haratake, M., *see* Nakayama, M., (453) (2002) 135
 Härmä, H., *see* Aguilar-Caballlos, M.P., (460) (2002) 271
 Hartonen, K., *see* Andersson, T., (466) (2002) 93
 Hasebe, K., *see* Tanaka, K., (474) (2002) 31
 Haseley, S.R., Carbohydrate recognition: a nascent technology for the detection of bioanalytes, (457) (2002) 39
 Hashemi, O.R., *see* Ganjali, M.R., (464) (2002) 181
 Hassan, S.S.M., Marzouk, S.A.M. and Sayour, H.E.M., Methylen blue potentiometric sensor for selective determination of sulfide ions, (466) (2002) 47
 Hasselbaink, D.M., Roemen, T.H.M. and Van der Vusse, G.J., Determination of long-chain fatty acids in heart and skeletal muscle by capillary gas chromatography, (465) (2002) 351
 Haugen, J.-E., *see* Tomic, O., (472) (2002) 99
 Haupt, K., *see* Zhu, Q.-Z., (468) (2002) 217
 Hauser, P.C., *see* Knake, R., (459) (2002) 199
 Hauser, P.C., *see* Knake, R., (475) (2003) 17
 Havel, E., *see* Bláha, V., (467) (2002) 125
 Havel, J., *see* Bocaz-Beneventi, G., (452) (2002) 47
 Havran, L., *see* Paleček, E., (469) (2002) 73
 He, D., *see* Ma, M., (456) (2002) 157
 He, J.X., *see* Jiang, C.Q., (452) (2002) 185
 He, P., *see* Cai, H., (469) (2002) 165
 He, P., *see* Yang, M., (461) (2002) 141
 He, X.-W., *see* Wang, C., (464) (2002) 57
 He, Y., Zheng, Y. and Locke, D.C., Differential pulse cathodic stripping voltammetric determination of nanomolar levels of dissolved sulfide applicable to field analysis of groundwater, (459) (2002) 209
 Hedborg, E., *see* Mecklenburg, M., (459) (2002) 25
 Heijnen, S.J., *see* van Dam, J.C., (460) (2002) 209
 Helaleh, M.I.H., *see* Tanaka, K., (474) (2002) 31
 Held, A., *see* Wolff Briche, C.S.J., (460) (2002) 41
 Helin, M., Häkansson, M., Cantz, P., Spehar, A.-M. and Kulmala, S., Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution, (454) (2002) 193
 Hemmateenejad, B., *see* Shamsipur, M., (461) (2002) 147
 Hendricks, A.E., *see* Fletcher, K.A., (453) (2002) 89
 Henry, A.C., *see* Soper, S.A., (470) (2002) 87
 Hernández Torres, M.E., *see* Cuadros-Rodríguez, L., (454) (2002) 297
 Hernández, J., *see* Sánchez-Pedreño, C., (459) (2002) 11
 Hernández-Cassou, S., *see* Saurina, J., (464) (2002) 89
 Hernández-Méndez, J., *see* González-Martín, I., (453) (2002) 281
 Hernández-Méndez, J., *see* González-Martín, I., (468) (2002) 293
 Hernando Guil, M.D., *see* Fernández-Alba, A.R., (451) (2002) 195
 Hernando, M.D., *see* Fernández-Alba, A.R., (456) (2002) 303
 Herold, B., *see* Di Natale, C., (459) (2002) 107
 Herrera, M.C., Prados-Rosales, R.C., Luque-García, J.L. and de Castro Luque, M.D., Static-dynamic pressurized hot water extraction coupled to on-line filtration-solid-phase extraction-high-performance liquid chromatography-post-column derivatization-fluorescence detection for the analysis of *N*-methylcarbamates in foods, (463) (2002) 189
 Hewitt, S.A., Kearney, M., Currie, J.W., Young, P.B. and Kennedy, D.G., Screening and confirmatory strategies for the surveillance of anabolic steroid abuse within Northern Ireland, (473) (2002) 99
 Hill, A.S., *see* Wang, S., (468) (2002) 209
 Hilliard, L.R., Zhao, X. and Tan, W., Immobilization of oligonucleotides onto silica nanoparticles for DNA hybridization studies, (470) (2002) 51
 Hill Jr., H.H., *see* Matz, L.M., (457) (2002) 235
 Hiltunen, R., *see* Seppänen-Laakso, T., (465) (2002) 39
 Himmelsbach, M., *see* Klampfl, C.W., (454) (2002) 185
 Hindson, B.J., *see* Barnett, N.W., (451) (2002) 181
 Hiraide, M., *see* Saitoh, T., (454) (2002) 203
 Hirano, Y., *see* Kasai, S., (458) (2002) 263
 Hirayama, N., Taga, J., Oshima, S. and Honjo, T., Sulfonamide-type di-Schiff base ligands as chelate extraction reagents for divalent metal cations, (466) (2002) 295
 Ho, J., Future of biological aerosol detection, (457) (2002) 125
 Hoenicke, K., Simat, T.J., Steinhart, H., Christoph, N., Geßner, M. and Köhler, H.-J., 'Unusual aging off-flavor' in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors, (458) (2002) 29
 Hoffman, M.K., Yoffe, A., Deyrup, C.L., Epstein, R.L., Shishani, E. and Aznar, G., An odyssey meeting European Union analytical

criteria for residues from afar: experiences from North America, (473) (2002) 49

Hofstetter, O., *see* Silvaieh, H., (463) (2002) 5

Hogan, M.E., *see* Mitra, R., (469) (2002) 141

Hogg, T., *see* Moreira, N., (458) (2002) 157

Hogue, C.W., *see* Flora, K.K., (470) (2002) 19

Hojo, H., *see* Chikuma, T., (457) (2002) 157

Hoke, S.H., Hydrogen fluoride analyzer for gases and aerosols, (460) (2002) 219

Holadová, K., *see* Prokúpková, G., (457) (2002) 211

Holcombe, J.A., *see* Miller, T.C., (454) (2002) 37

Holcombe, J.A., *see* Miller, T.C., (455) (2002) 233

Holmberg, M., *see* Artursson, T., (452) (2002) 255

Holmin, S., *see* Winquist, F., (471) (2002) 159

Homma, H., *see* Hanai, T., (454) (2002) 101

Hong, J.X., *see* Wu, X.H., (453) (2002) 311

Honjo, T., *see* Hirayama, N., (466) (2002) 295

Honorato, R.S., *see* Carneiro, J.M.T., (455) (2002) 327

Hooijerink, H., *see* van Bennekom, E.O., (473) (2002) 151

Hook, J.M., *see* Saed Al Deen, T., (474) (2002) 125

Horgen, P.A., *see* Almadid, A., (461) (2002) 37

Horneck, G., *see* Rabbow, E., (456) (2002) 31

Hosick, T.J., Ingamells, R.L. and Machemer, S.D., Determination of tin in soil by continuous hydride generation and inductively coupled plasma mass spectrometry, (456) (2002) 263

Hosseini, M., *see* Ganjali, M.R., (464) (2002) 181

Hou, Q.X., *see* Yang, X.T., (474) (2002) 69

Hou, X., *see* Chen, Q., (466) (2002) 109

Howerton, S.B., Goodpaster, J.V. and McGuffin, V.L., Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, (459) (2002) 61

Hsu, W.-L., *see* Chou, S.-F., (453) (2002) 181

Hu, B., *see* Zhu, X., (471) (2002) 121

Hu, M.-H., *see* Zheng, H., (461) (2002) 235

Hu, S., Wu, K., Yi, H. and Cui, D., Voltammetric behavior and determination of estrogens at Nafion-modified glassy carbon electrode in the presence of cetyltrimethylammonium bromide, (464) (2002) 209

Hu, S.J., French, M.T., Palmer, D.A., Evans, M., Zhou, S.M., Hussain Sarpara, G. and Miller, J.N., A compact long-wavelength fluorescence detection system and its application to flow injection immunoassay, (454) (2002) 31

Hu, S.-Q., Wu, Z.-Y., Zhou, Y.-M., Cao, Z.-X., Shen, G.-L. and Yu, R.-Q., Capacitive immunosensor for transferrin based on an *o*-aminobenzothiol oligomer layer, (458) (2002) 297

Hu, W., *see* Tanaka, K., (474) (2002) 31

Hu, X., *see* Yang, M., (461) (2002) 141

Hu, Z., *see* Dong, L., (459) (2002) 313

Hu, Z., *see* Wang, Y., (463) (2002) 89

Hu, Z., *see* Yao, X., (462) (2002) 101

Hu, Z.-d., *see* Zhang, J.-y., (471) (2002) 203

Huaming, Y., *see* Shuyu, C., (451) (2002) 305

Huang, C.Y., Lee, N.-Ming, Lin, S.-Y. and Liu, C.-Y., Determination of vanadium, molybdenum and tungsten in complex matrix samples by chelation ion chromatography and on-line detection with inductively coupled plasma mass spectrometry, (466) (2002) 161

Huang, C.Z., Fan, M.K. and Li, Y.F., Fluorescence microscopic quantification of DNA with $\alpha,\beta,\gamma,\delta$ -tetrakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique, (466) (2002) 193

Huang, C.Z., *see* Fan, M.K., (453) (2002) 97

Huang, C.Z., *see* Li, Y.F., (452) (2002) 285

Huang, C.Z., *see* Lu, W., (475) (2003) 151

Huang, G., Ouyang, J., Baeyens, W.R.G., Yang, Y. and Tao, C., High-performance liquid chromatographic assay of dichlorvos, isocarbophos and methyl parathion from plant leaves using chemiluminescence detection, (474) (2002) 21

Huang, H.-J., *see* Deng, A.-P., (461) (2002) 49

Huang, H.-J., *see* Deng, A.-P., (472) (2002) 55

Huang, J.F., *see* Lu, T.H., (454) (2002) 93

Huang, W.Y., *see* Maher, W., (463) (2002) 283

Huang, X., *see* Pan, Z., (466) (2002) 141

Huang, X.-J., Wang, S.-L. and Fang, Z.-L., Combination of flow injection with capillary electrophoresis. 8. Miniaturized capillary electrophoresis system with flow injection sample introduction and electrogenerated chemiluminescence detection, (456) (2002) 167

Hund, E., Luc Massart, D. and Smeyers-Verbeke, J., Robust regression and outlier detection in the evaluation of robustness tests with different experimental designs, (463) (2002) 53

Hunter, K.A., *see* Sangi, M.R., (456) (2002) 241

Hur, Y., Ock, K., Kim, K., Jin, S., Gal, Y., Kim, J., Kim, S. and Koh, K., Surface plasmon resonance study on enhanced refractive index change of an Ag^+ ion-sensing membrane containing dithiosquarylium dye, (460) (2002) 133

Hurtubise, R.J., *see* Ackerman, A.H., (474) (2002) 77

Hušek, P., Šimek, P. and Tvrzická, E., Simple and rapid procedure for the determination of individual free fatty acids in serum, (465) (2002) 433

Hussain Sarpara, G., *see* Hu, S.J., (454) (2002) 31

Hutta, M., *see* Halko, R., (466) (2002) 325

Hwang, J.-M., *see* Chou, S.-F., (453) (2002) 181

Hyötyläinen, T., *see* Andersson, T., (466) (2002) 93

Hyšpler, R., *see* Bláha, V., (467) (2002) 125

I

Ibañez, E., *see* Señoráns, F.J., (465) (2002) 131

Ibarreta, D., *see* Lange, I.G., (473) (2002) 27

Iglesias, Y., Fente, C., Vázquez, B.I., Franco, C., Cepeda, A. and Mayo, S., Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids, (468) (2002) 43

Ignatov, O.V., *see* Gulyi, O.I., (462) (2002) 165

Ignatov, V.V., *see* Gulyi, O.I., (462) (2002) 165

Iguchi, T., *see* Chikuma, T., (457) (2002) 157

Iida, T., *see* Aoki, K., (471) (2002) 3

Ikeda, M., *see* Toda, K., (463) (2002) 219

Impens, S., De Brabander, H.F., Bergwerff, A.A., Van Ginkel, L.A., Schilt, R., Stephany, R.W., De Wasch, K., Courthayn, D. and Van Peteghem, C., Database dedicated to information published during the Benelux conferences on hormone and veterinary drug residue analyses, (473) (2002) 53

Impens, S., *see Poelmans, S.*, (473) (2002) 39
 Imura, H., *see Ishimori, K.*, (454) (2002) 241
 Ingamells, R.L., *see Hosick, T.J.*, (456) (2002) 263
 Ingrı, J., *see Dahlqvist, R.*, (460) (2002) 247
 Ioannou, P.C., *see Fotopoulou, M.A.*, (462) (2002) 179
 Ion, A.C., Bakker, E. and Pretsch, E., Erratum to "Potentiometric Cd²⁺-selective electrode with a detection limit in the low ppt range" [Analytica Chimica Acta 440 (2001) 71–79], (452) (2002) 329
 Ishibashi, O., *see Nakayama, M.*, (453) (2002) 135
 Ishimaru, Y., *see Aoki, K.*, (471) (2002) 3
 Ishimori, K., Imura, H. and Ohashi, K., Effect of 1,10-phenanthroline on the extraction and separation of lithium(I), sodium(I) and potassium(I) with thienyltrifluoroacetone, (454) (2002) 241
 Isildak, I., *see Tinkilic, N.*, (452) (2002) 29
 Ito, N., *see Matsumoto, T.*, (462) (2002) 253
 Ito, T., Goto, C. and Noguchi, K., Erratum to "Lanthanoid ion-selective solvent polymeric membrane electrode based on 1-phenyl-3-methyl-4-octadecanoyl-5-pyrazolone" [Analytica Chimica Acta 443 (2001) 41–51], (456) (2002) 325
 Itoh, T., *see Hanada, M.*, (475) (2003) 27
 Ivanov, A.A., *see Dmitrienko, S.G.*, (469) (2002) 295
 Ivanova, E., *see Tsakovski, S.*, (453) (2002) 143
 Ivansson, D., Bayer, K. and Mandenius, C.-F., Quantitation of intracellular recombinant human superoxide dismutase using surface plasmon resonance, (456) (2002) 193
 Iwańska, B., *see Wierchowski, J.*, (472) (2002) 63
 Iwasaki, H., *see Ermolenko, Y.*, (459) (2002) 1
 Iwase, H., Simultaneous sample preparation for high-performance liquid chromatographic determination of Vitamin A and β-carotene in emulsified nutritional supplements after solid-phase extraction, (463) (2002) 21

J

Jaborek, S., *see Leitner, A.*, (453) (2002) 33
 Jacobsson, S.P., *see Björkman, H.T.*, (468) (2002) 263
 Jadamec, J.R., *see Vinopal, R.T.*, (457) (2002) 83
 JadHAV, P.R., *see Sajeev, C.*, (463) (2002) 207
 Jaffrezic-Renault, N., *see Hamlaoui, M.L.*, (466) (2002) 39
 Jäger, W., *see Neckel, U.*, (463) (2002) 199
 Jakubielski, S., *see Vinopal, R.T.*, (457) (2002) 83
 Jan, S.S., Chiang, J.L., Chen, Y.C., Chou, J.C. and Cheng, C.C., Characteristics of the hydrogen ion-sensitive field effect transistors with sol-gel-derived lead titanate gate, (469) (2002) 205
 Jannasch, H.W., *see Chapin, T.P.*, (463) (2002) 265
 Jansen, B., Nierop, K.G. and Verstraten, J.M., Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, (454) (2002) 259
 Janssen, C., *see De Wasch, K.*, (473) (2002) 59
 Järnberg, U., *see Rozenbaha, I.*, (452) (2002) 105
 Javanbakht, M., *see Ganjali, M.R.*, (464) (2002) 181
 Javanbakht, M., *see Shamsipur, M.*, (462) (2002) 225
 Jenkins, G.E., *see Lewis, S.W.*, (461) (2002) 131

Jeyashoke, N., *see Tokamolthom, J.*, (465) (2002) 299
 Jia, R., *see Dong, L.*, (459) (2002) 313
 Jian, T., *see Zaijun, L.*, (452) (2002) 303
 Jiang, C.Q., Gao, M.X. and He, J.X., Study of the interaction between terazosin and serum albumin. Synchronous fluorescence determination of terazosin, (452) (2002) 185
 Jiang, G.-B., *see Liu, J.-F.*, (455) (2002) 93
 Jiang, J., *see Feng, S.*, (455) (2002) 187
 Jiang, L., *see Jin, W.*, (461) (2002) 117
 Jiang, S.-J., *see Chen, K.-L.*, (470) (2002) 223
 Jiang, S.-J., *see Deng, A.-P.*, (472) (2002) 55
 Jiang, Z., *see Zhu, X.*, (471) (2002) 121
 Jiang, Z., Wang, H. and Locke, D.C., Determination of ethambutol by ion-pair reversed phase liquid chromatography with UV detection, (456) (2002) 189
 Jiaomai, P., *see Zaijun, L.*, (452) (2002) 303
 Jiménez, C., Ventura, R., de la Torre, X. and Segura, J., Strategies for internal quality control in antidoping analyses, (460) (2002) 289
 Jiménez-Lozano, E., Marqués, I., Barrón, D., Beltrán, J.L. and Barbosa, J., Determination of pK_a values of quinolones from mobility and spectroscopic data obtained by capillary electrophoresis and a diode array detector, (464) (2002) 37
 Jin, J., *see Zhu, M.*, (455) (2002) 199
 Jin, L., *see Zhang, W.*, (458) (2002) 337
 Jin, L., *see Zhang, W.*, (472) (2002) 27
 Jin, L., *see Zhu, M.*, (455) (2002) 199
 Jin, P., *see Yamaguchi, A.*, (468) (2002) 143
 Jin, S., *see Hur, Y.*, (460) (2002) 133
 Jin, W. and Brennan, J.D., Properties and applications of proteins encapsulated within sol-gel derived materials, (461) (2002) 1
 Jin, W. and Jiang, L., Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection, (461) (2002) 117
 Jin, W., *see Li, X.*, (461) (2002) 123
 Jin, W.J., *see de la Riva, B.S.V.*, (455) (2002) 179
 Jin, X., *see Ma, Y.*, (464) (2002) 289
 Jing, Z.-Z., *see Zhao, Y.Y.*, (468) (2002) 255
 Jingguo, Y., *see Yuanqian, L.*, (461) (2002) 181
 Jinghao, P., *see Shaomin, S.*, (458) (2002) 305
 Jingmei, H., *see Yuanqian, L.*, (461) (2002) 181
 Jingyu, H., Zheng, L. and Haizhou, W., Determination of trace silver in superalloys and steels by inductively coupled plasma-mass spectrometry, (451) (2002) 329
 John, H. and Schlegel, W., Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, (465) (2002) 441
 John, R., *see Li, W.*, (464) (2002) 331
 Johnson, K.S., *see Chapin, T.P.*, (463) (2002) 265
 Johnston, M.V., *see Young, D.*, (453) (2002) 231
 Jones, P., *see Barnett, N.W.*, (451) (2002) 181
 Jones, P., *see Barnett, N.W.*, (458) (2002) 291
 Jönsson, J.-Å., *see Jung, V.*, (474) (2002) 49
 José Bengoechea Álvarez, M., Teresa Fernández Abedul, M. and Costa García, A., Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, (462) (2002) 31
 Joshi, H.C., *see de Rijke, E.*, (468) (2002) 3

Joukhadar, C., *see* Neckel, U., (463) (2002) 199
 Jover, E., *see* Moldovan, Z., (465) (2002) 359
 Ju, H., *see* Zhang, S., (475) (2003) 163
 Ju, H.-X., *see* Wang, H.-S., (461) (2002) 243
 Julia Arcos, M., *see* Domínguez, O., (470) (2002) 241
 Jung, A., *see* Kröger, K., (469) (2002) 37
 Jung, D.-W., Lee, J.M. and Sung, C.K., Enzyme-linked immunosorbent assay for the determination of 20(S)-protopanaxatriol, (462) (2002) 157
 Jung, V., Chimuka, L., Jönsson, J.-Å., Niedack, N., Bowens, P. and Alsanius, B., Supported liquid membrane extraction for identification of phenolic compounds in the nutrient solution of closed hydroponic growing systems for tomato, (474) (2002) 49
 Jurkschat, K., *see* Perdikaki, K., (467) (2002) 197
 Justin Gooding, J., *see* Kerman, K., (462) (2002) 39

K

Kai, M., *see* Lu, J., (455) (2002) 193
 Kainrath, P., *see* Ringmann, S., (452) (2002) 207
 Kaltenbacher, E.A., *see* Byrne, R.H., (451) (2002) 221
 Kamaledin Setarehdan, S., Soraghan, J.J., Littlejohn, D. and Sadler, D.A., Maintenance of a calibration model for near infrared spectrometry by a combined principal component analysis-partial least squares approach, (452) (2002) 35
 Kamyabi, M.A., *see* Abbaspour, A., (455) (2002) 225
 Kan, X., *see* Wang, L., (468) (2002) 35
 Kaneko, M., Kurihara, M., Nakano, S. and Kawashima, T., Flow-injection determination of chromium(III) by its catalysis on the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3-methoxyaniline, (474) (2002) 167
 Kanemitsu, M., *see* Arakawa, H., (472) (2002) 75
 Kang, J., *see* Gao, J., (455) (2002) 159
 Kang, X., *see* Song, J., (470) (2002) 229
 Kankare, J., *see* Canty, P., (453) (2002) 269
 Kankare, J., *see* Kulmala, S., (458) (2002) 271
 Kara, P., *see* Kerman, K., (462) (2002) 39
 Karathanassi, P.H., *see* Mazonakis, N.E., (467) (2002) 261
 Karayannis, M.I., Foreword to IMA 2001, (467) (2002) 1
 Karayannis, M.I., *see* Konidari, C.N., (453) (2002) 163
 Karayannis, M.I., *see* Paleologos, E.K., (458) (2002) 241
 Karayannis, M.I., *see* Paleologos, E.K., (467) (2002) 205
 Karayannis, M.I., *see* Pappas, A.C., (455) (2002) 305
 Karayannis, M.I., *see* Pappas, A.C., (467) (2002) 225
 Karimi, M.A., *see* Safavi, A., (468) (2002) 53
 Karjalainen, T., *see* Boenke, A., (473) (2002) 161
 Karkabounas, S., *see* Yao, D., (458) (2002) 281
 Karlberg, B., *see* Tzanavaras, P.D., (462) (2002) 119
 Karliček, R., *see* Šatinský, D., (455) (2002) 103
 Karousos, N.G., Aouabdi, S., Way, A.S. and Reddy, S.M., Quartz crystal microbalance determination of organophosphorus and carbamate pesticides, (469) (2002) 189
 Karpas, Z., Chaim, W., Gdalevsky, R., Tilman, B. and Lorber, A., Novel application for ion mobility spectrometry: diagnosing vaginal infections through measurement of biogenic amines, (474) (2002) 115
 Karpas, Z., Tilman, B., Gdalevsky, R. and Lorber, A., Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, (463) (2002) 155
 Kasai, S., Hirano, Y., Motochi, N., Shiku, H., Nishizawa, M. and Matsue, T., Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, (458) (2002) 263
 Kato, T., *see* Chikuma, T., (457) (2002) 157
 Katsume, T., *see* Aoki, K., (471) (2002) 3
 Kavaklı, C., Özvatan, N., Ali Tunçel, S. and Salih, B., 1,4,8,11-Tetraazacyclotetradecane bound to poly(*p*-chloromethylstyrene-ethylene glycol dimethacrylate) microbeads for selective gold uptake, (464) (2002) 313
 Kawashima, T., *see* Kaneko, M., (474) (2002) 167
 Kazantseva, N.N., Ernepesova, A., Khodjamamedov, A., Geldyev, O.A. and Krungalz, B.S., Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, (456) (2002) 105
 Kearney, M., *see* Hewitt, S.A., (473) (2002) 99
 Keeling-Tucker, T., *see* Flora, K.K., (470) (2002) 19
 Kemiciki, G.A., *see* Martins, P., (470) (2002) 195
 Kenndler, E., *see* Bugamelli, F., (472) (2002) 1
 Kennedy, D.G., *see* Hewitt, S.A., (473) (2002) 99
 Kennedy, D.G., *see* Yakkundi, S., (473) (2002) 177
 Kennedy, I.R., *see* Crossan, A.N., (468) (2002) 199
 Kennedy, I.R., *see* Wang, S., (468) (2002) 209
 Kerényi, Z., *see* Niculescu, M., (463) (2002) 39
 Kerman, K., Ozkan, D., Kara, P., Meric, B., Justin Gooding, J. and Ozsoz, M., Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, (462) (2002) 39
 Ketamo, H., *see* Kulmala, S., (453) (2002) 253
 Keusgen, M., *see* Krest, I., (469) (2002) 155
 Kherrat, R., *see* Hamlaoui, M.L., (466) (2002) 39
 Khodjamamedov, A., *see* Kazantseva, N.N., (456) (2002) 105
 Khoo, S.B. and Ye, R., Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, (453) (2002) 209
 Kido, Y., *see* Watanabe, H., (472) (2002) 45
 Kidrić, J., *see* Košir, I.J., (458) (2002) 77
 Kihara, S., *see* Yoshida, Y., (452) (2002) 149
 Kilikoglou, V., *see* Tsolakidou, A., (474) (2002) 177
 Kim, H.-S., *see* Yoon, H.C., (456) (2002) 209
 Kim, J., *see* Hur, Y., (460) (2002) 133
 Kim, J.S., *see* Lee, C.H., (475) (2003) 171
 Kim, K., *see* Hur, Y., (460) (2002) 133
 Kim, S., *see* Hur, Y., (460) (2002) 133
 Kim, S.S., *see* Lvova, L., (468) (2002) 303
 Kim, W., *see* Chung, H., (471) (2002) 195
 Kim, W.H., *see* Lee, C.H., (475) (2003) 171
 Kim, Y.J., Cho, Y.A., Lee, H.S., Lee, Y.T., Gee, S.J. and Hammock, B.D., Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, (475) (2003) 85
 Kimura, K., *see* Yajima, S., (463) (2002) 31

Kingsley, M.T., *see* Bruckner-Lea, C.J., (469) (2002) 129

Kinoshita, T., *see* Hanai, T., (454) (2002) 101

Kirowa-Eisner, E., *see* Bonfil, Y., (457) (2002) 285

Kirowa-Eisner, E., *see* Bonfil, Y., (464) (2002) 99

Kirsanov, D., *see* Legin, A., (457) (2002) 297

Kitatsuji, Y., *see* Yoshida, Y., (452) (2002) 149

Kizek, R., *see* Paleček, E., (469) (2002) 73

Klampfl, C.W., Himmelsbach, M., Buchberger, W. and Klein, H., Determination of purines and pyrimidines in beer samples by capillary zone electrophoresis, (454) (2002) 185

Klavins, M., *see* Rozenbaha, I., (452) (2002) 105

Kleimann, M., *see* Šašić, S., (460) (2002) 73

Klein, H., *see* Klampfl, C.W., (454) (2002) 185

Klimant, I., *see* Mayr, T., (462) (2002) 1

Klockenkämper, R., *see* von Bohlen, A., (451) (2002) 279

Klöter, G., *see* Farré, M., (456) (2002) 19

Klymchenko, A.S., *see* Ercelen, S., (464) (2002) 273

Knake, R. and Hauser, P.C., Sensitive electrochemical detection of ozone, (459) (2002) 199

Knake, R., Guchardi, R. and Hauser, P.C., Quantitative analysis of gas mixtures by voltammetric sensing, (475) (2003) 17

Knapp, G., *see* Queiroz, Z.F., (463) (2002) 275

Knopp, D., *see* Zhu, Q.-Z., (468) (2002) 217

Ko, W.K., *see* Shen, Y.L., (460) (2002) 201

Koda, H., *see* Hanada, M., (475) (2003) 27

Koh, K., *see* Hur, Y., (460) (2002) 133

Köhler, H.-J., *see* Hoenicke, K., (458) (2002) 29

Koiso, T., *see* Nakayama, M., (453) (2002) 135

Kokot, S., *see* Ni, Y., (463) (2002) 305

Kollár, L., *see* Kunsagi-Máté, S., (461) (2002) 273

Kompany-Zareh, M., Mansourian, M. and Ravaee, F., Simple method for colorimetric spot-test quantitative analysis of Fe(III) using a computer controlled hand-scanner, (471) (2002) 97

Kompany-Zareh, M., Tavallali, H. and Sajjadi, M., Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II), (469) (2002) 303

Kondo, T., Yang, Y. and Lamm, L., Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, (460) (2002) 185

Kong, X., *see* Li, L., (452) (2002) 321

Konidari, C.N., Stalikas, C.D. and Karayannis, M.I., Erratum to "Gas chromatographic method for the sensitive determination of 2,5-hexanedione using electron capture and mass-selective detection" [Analytica Chimica Acta 442 (2001) 231–239], (453) (2002) 163

Koppi, A., *see* Yacoub-George, E., (457) (2002) 3

Korri-Youssoufi, H. and Makrouf, B., Electrochemical biosensing of DNA hybridization by ferrocenyl groups functionalized poly-pyrrole, (469) (2002) 85

Korta, E., Bakali, A., Berrueta, L.A., Gallo, B., Vicente, F. and Bogdanov, S., Determination of amitraz and other acaricide residues in beeswax, (475) (2003) 97

Kościelna, H., *see* Szczepaniak, W., (470) (2002) 263

Kościelnia, P. and Kozak, J., Calibration by the gradient ratio-standard addition method in flow injection flame atomic absorption spectrometry, (460) (2002) 235

Koseki, A., *see* Hanai, T., (454) (2002) 101

Koshikawa, H., *see* Numata, M., (455) (2002) 1

Košir, I.J. and Kidrič, J., Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, (458) (2002) 77

Kotani, A., Kusu, F. and Takamura, K., New electrochemical detection method in high-performance liquid chromatography for determining free fatty acids, (465) (2002) 199

Kotegawa, K., *see* Yao, T., (462) (2002) 283

Kou, H.-S., *see* Lin, F.-M., (455) (2002) 111

Koupparis, M.A., *see* Tzouganaki, Z.D., (467) (2002) 115

Kovacheva, P. and Djingova, R., Ion-exchange method for separation and concentration of platinum and palladium for analysis of environmental samples by inductively coupled plasma atomic emission spectrometry, (464) (2002) 7

Kozak, J., *see* Kościelniak, P., (460) (2002) 235

Koziel, K., *see* Wagner, K., (455) (2002) 69

Krachler, M., Emons, H., Barbante, C., Cozzi, G., Cescon, P. and Shotyk, W., Inter-method comparison for the determination of antimony and arsenic in peat samples, (458) (2002) 387

Kramer, J.K.G., *see* Roach, J.A., (465) (2002) 207

Krantz-Rücker, C., *see* Winquist, F., (471) (2002) 159

Krause, R., *see* Wang, J., (469) (2002) 197

Krebs-Brown, A., *see* dos Santos, L.F., (456) (2002) 41

Kresbach, G.M., *see* Duvaneck, G.L., (469) (2002) 49

Krest, I. and Keusgen, M., Biosensoric flow-through method for the determination of cysteine sulfoxides, (469) (2002) 155

Krikowa, F., *see* Maher, W., (463) (2002) 283

Krishnan, M., *see* Kumar, N., (465) (2002) 257

Krisnangkura, K., *see* Tokamolthom, J., (465) (2002) 299

Kröger, K., Jung, A., Reder, S. and Gauglitz, G., Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors, (469) (2002) 37

Krug, F.J., *see* Queiroz, Z.F., (463) (2002) 275

Krull, U., *see* Almadidy, A., (461) (2002) 37

Krull, U.J., Foreword, (470) (2002) 1

Krull, U.J., *see* Piunno, P.A., (469) (2002) 1

Krull, U.J., *see* Wang, X., (470) (2002) 57

Krull, U.J., *see* Watterson, J., (469) (2002) 115

Krull, U.J., *see* Watterson, J.H., (457) (2002) 29

Krungalz, B.S., *see* Kazantsseva, N.N., (456) (2002) 105

Kubista, M., *see* Ghasemi, J., (455) (2002) 335

Kubo, H., *see* Watanabe, E., (460) (2002) 99

Kubota, L.T., *see* Del Pilar Taboada Sotomayor, M., (455) (2002) 215

Kubota, L.T., *see* Freire, R.S., (463) (2002) 229

Kukkonen, J., *see* Rapala, J., (466) (2002) 213

Kulmala, A., *see* Kulmala, S., (453) (2002) 253

Kulmala, S., Häkansson, M., Spehar, A.-M., Nyman, A., Kankare, J., Loikas, K., Ala-Kleme, T. and Eskola, J., Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, (458) (2002) 271

Kulmala, S., Mătăchescu, C., Kulmala, A., Papkovsky, D., Häkansson, M., Ketamo, H. and Carty, P., Chemiluminescence of luminol induced by dissolution of oxide-covered aluminum in alkaline aqueous solution, (453) (2002) 253

Kulmala, S., *see* Canty, P., (453) (2002) 269
 Kulmala, S., *see* Helin, M., (454) (2002) 193
 Kumar, A.S., *see* Zen, J.M., (464) (2002) 229
 Kumar, N., Krishnan, M., Azzam, T., Magora, A., Ravikumar, M.N.V., Flanagan, D.R. and Domb, A.J., Analysis of fatty acid anhydrides and polyanhydrides, (465) (2002) 257
 Kunsagi-Máté, S., Bitter, I., Grün, A., Nagy, G. and Kollár, L., Solvent effect on the complex formation of distally dialkylated calix[4]arenes with 1-chloro-4-(trifluoromethyl)benzene, (461) (2002) 273
 Kuo, C.Y., Wu, H.L. and Wu, S.M., Enantiomeric analysis of methotrexate in pharmaceuticals by cyclodextrin-modified capillary electrophoresis, (471) (2002) 211
 Kurihara, K., *see* Nagashima, K., (454) (2002) 271
 Kurihara, M., *see* Kaneko, M., (474) (2002) 167
 Kuroda, N., *see* Ohba, Y., (465) (2002) 101
 Kusu, F., *see* Kotani, A., (465) (2002) 199
 Kvásník, F., *see* Thompson, M., (463) (2002) 1

L

L'Loukas, Y., *see* Dotsikas, Y., (459) (2002) 177
 Laakso, I., *see* Seppänen-Laakso, T., (465) (2002) 39
 Laaksonen, P., *see* Ala-Kleme, T., (472) (2002) 83
 Laan, P., *see* Croot, P.L., (466) (2002) 261
 Lablanquie, O., Snakkars, G., Cantagrel, R. and Ferrari, G., Characterisation of young Cognac spirit aromatic quality, (458) (2002) 191
 Laganà, A., Bacaloni, A., De Leva, I., Faberi, A., Fago, G. and Marino, A., Occurrence and determination of herbicides and their major transformation products in environmental waters, (462) (2002) 187
 Lagarde, F., *see* Bruder-Hubscher, V., (451) (2002) 285
 Lahti, K., *see* Rapala, J., (466) (2002) 213
 Lake, D.A., *see* Young, D., (453) (2002) 231
 Lam, M.H.W., *see* Chow, C.-F., (466) (2002) 17
 Lam, M.T., Boulet, C.A. and Chris Le, X., Development of a tetramethylrhodamine-labeled probe for a capillary electrophoresis-based competitive immunoassay of staphylococcal enterotoxin B, (457) (2002) 21
 Lamarca, D.G., *see* Creaser, C., (454) (2002) 137
 Lambropoulou, D.A., Sakkas, V.A. and Albanis, T.A., Headspace solid phase microextraction for the analysis of the new antifouling agents Irgarol 1051 and Sea Nine 211 in natural waters, (468) (2002) 171
 Lambropoulou, D.A., *see* Sakkas, V.A., (467) (2002) 233
 Lamm, L., *see* Kondo, T., (460) (2002) 185
 Lange, H.C., *see* van Dam, J.C., (460) (2002) 209
 Lange, I.G., Daxenberger, A., Schiffer, B., Witters, H., Ibarreta, D. and Meyer, H.H., Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, (473) (2002) 27
 Lanteri, S., *see* Stella, A., (461) (2002) 201
 Lapa, R.A.S., Lima, J.L.F.C., Reis, B.F., Santos, J.L.M. and Zagatto, E.A.G., Multi-pumping in flow analysis: concepts, instrumentation, potentialities, (466) (2002) 125
 Lapa, R.A.S., *see* Rocha, F.R.P., (468) (2002) 119
 Latorre, R., *see* Bocaz-Beneventi, G., (452) (2002) 47
 Lau, C., *see* Lu, J., (455) (2002) 193
 Laurant, E.H.M., *see* van Bennekom, E.O., (473) (2002) 151
 Lavilla, I., *see* Filgueiras, A.V., (466) (2002) 303
 Lavilla, I., *see* Méndez, H., (452) (2002) 217
 Le Bizec, B., Antignac, J.-P., Monteau, F. and Andre, F., Ecdysteroids: one potential new anabolic family in breeding animals, (473) (2002) 89
 Le Bizec, B., *see* Courteyn, D., (473) (2002) 71
 Le Moal, A., *see* Saurina, J., (464) (2002) 89
 Leal, L.O., *see* Semenova, N.V., (455) (2002) 277
 Leardi, R., Seasholtz, M.B. and Pell, R.J., Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, (461) (2002) 189
 LeBlanc, M.H., *see* Zhao, S., (470) (2002) 155
 Lee, C.-H., *see* Lim, S.M., (453) (2002) 81
 Lee, C.H., Suh, M.Y., Choi, K.S., Kim, J.S., Park, Y.J. and Kim, W.H., Determination of Ru, Rh, Pd, Te, Mo and Zr in spent pressurized water reactor fuels by ion exchange and extraction chromatographic separations and inductively coupled plasma atomic emission spectrometric analysis, (475) (2003) 171
 Lee, D., *see* Yoon, H.C., (456) (2002) 209
 Lee, D.W., *see* Park, Y.-J., (471) (2002) 51
 Lee, F.S., *see* Wu, X.H., (453) (2002) 311
 Lee, H.-S., *see* Kim, Y.J., (475) (2003) 85
 Lee, J.M., *see* Jung, D.-W., (462) (2002) 157
 Lee, M.A., Siddle, A.L. and Page, R.H., ResonSense[®]: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, (457) (2002) 61
 Lee, M.K., *see* Lu, J., (455) (2002) 193
 Lee, N., *see* Crossan, A.N., (468) (2002) 199
 Lee, N.-Ming, *see* Huang, C.-Y., (466) (2002) 161
 Lee, S.D., *see* Choi, S.H., (461) (2002) 251
 Lee, W.E., Preface, (457) (2002) 1
 Lee, W.-Y., *see* Lim, S.M., (453) (2002) 81
 Lee, W.-Y., *see* Park, Y.-J., (471) (2002) 51
 Lee, Y.T., *see* Kim, Y.J., (475) (2003) 85
 Legin, A., Makarychev-Mikhailov, S., Goryacheva, O., Kirsanov, D. and Vlasov, Y., Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, (457) (2002) 297
 Legin, A., *see* Lvova, L., (468) (2002) 303
 Lehtonen, T., *see* Peuravuori, J., (471) (2002) 219
 Lei, Y., *see* Mulchandani, P., (470) (2002) 79
 Leira, F., *see* González, J.C., (466) (2002) 233
 Leitão, J.M.M., *see* Esteves da Silva, J.C.G., (453) (2002) 105
 Leitner, A., Zöllner, P., Paolillo, A., Stroka, J., Papadopoulou-Bouraoui, A., Jaborek, S., Anklam, E. and Lindner, W., Comparison of methods for the determination of ochratoxin A in wine, (453) (2002) 33
 Lelis, K.L.A., *see* Magalhães, C.G., (464) (2002) 323
 Lemus Gallego, J.M. and Pérez Arroyo, J., Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, (460) (2002) 85
 León-González, M.E., *see* Rosales-Conrado, N., (470) (2002) 147

Lerner, D.A., *see* Muñoz-Botella, S., (468) (2002) 161
 Leroy, M.J.F., *see* Bruder-Hubscher, V., (451) (2002) 285
 Leung, M.K.P., *see* Chow, C.-F., (466) (2002) 17
 Lev, O., *see* Rajan Premkumar, J., (462) (2002) 11
 Levichev, S., *see* Ermolenko, Y., (459) (2002) 1
 Lewis, S.W., Francis, P.S., Lim, K.F. and Jenkins, G.E., Monitoring urea levels during haemodialysis with a pulsed-flow chemiluminescence analyser, (461) (2002) 131
 Lewis, S.W., *see* Barnett, N.W., (458) (2002) 291
 Li, B., *see* Fu, Y., (455) (2002) 61
 Li, B., Zhang, Z. and Zhao, L., Flow-injection chemiluminescence detection for studying protein binding for drug with ultrafiltration sampling, (468) (2002) 65
 Li, B., Zhang, Z., Zhao, L. and Xu, C., Chemiluminescence flow-through sensor for pipemidic acid using solid sodium bismuthate as an oxidant, (459) (2002) 19
 Li, D.-H., *see* Zheng, H., (461) (2002) 235
 Li, F., Cui, H. and Lin, X.Q., Determination of adrenaline by using inhibited Ru(bpy)₃²⁺ electrochemiluminescence, (471) (2002) 187
 Li, J., *see* Shi, J., (466) (2002) 69
 Li, J.-P., Peng, T.-Z. and Fang, C., Screen-printable sol-gel ceramic carbon composite pH sensor with a receptor zeolite, (455) (2002) 53
 Li, K., *see* Yang, R., (469) (2002) 285
 Li, K.A., *see* Bo, T., (458) (2002) 345
 Li, K.A., *see* Bo, T., (474) (2002) 37
 Li, L., Liu, F., Kong, X., Su, S. and An Li, K., Investigation of a liquid-liquid extraction system based on non-ionic surfactant-salt-H₂O and mechanism of drug extraction, (452) (2002) 321
 Li, L., *see* Tong, A., (466) (2002) 31
 Li, L., *see* Zhang, H.R., (463) (2002) 135
 Li, L.-D., *see* Fu, Y., (470) (2002) 121
 Li, M., *see* Chen, X., (466) (2002) 79
 Li, M., *see* Li, Y.F., (452) (2002) 285
 Li, N., *see* Yang, R., (469) (2002) 285
 Li, N.B., Liu, S.P. and Luo, H.Q., Frequency doubling scattering and second-order scattering technology as novel methods for the determination of the inclusion constant of procaine hydrochloride to β-cyclodextrin, (472) (2002) 89
 Li, N.B., *see* Luo, H.Q., (468) (2002) 275
 Li, P., *see* Chen, X., (466) (2002) 79
 Li, Q., *see* Dong, L., (459) (2002) 313
 Li, T.H., *see* Zhu, Z.L., (454) (2002) 21
 Li, T.J., *see* Zheng, N., (452) (2002) 277
 Li, W., Chen, S., Fabricant, D., Angerhofer, C.K., Fong, H.H.S., Farnsworth, N.R. and Fitzloff, J.F., High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, (471) (2002) 61
 Li, W., Zhao, H., Teasdale, P.R., John, R. and Zhang, S., Application of a cellulose phosphate ion exchange membrane as a binding phase in the diffusive gradients in thin films technique for measurement of trace metals, (464) (2002) 331
 Li, W.X., *see* Nan, C.G., (452) (2002) 245
 Li, X., Jin, W. and Weng, Q., Separation and determination of homovanillic acid and vanillylmandelic acid by capillary electrophoresis with electrochemical detection, (461) (2002) 123
 Li, X.-F., Ma, M., Cheng, A., Zheng, J. and Tam, Y.K., Determination of testosterone and its metabolites using liquid chromatography with elevated column temperature and flow-rate gradient, (457) (2002) 165
 Li, Y., Liu, X., Dong, S., Van Espen, P. and Adams, F., Investigation on the geometric and matrix effects and quantitative determination of K, Cl and S atomic fraction for biomass burning particles by Monte Carlo simulation, (459) (2002) 93
 Li, Y.F., Huang, C.Z. and Li, M., Study of the interaction of Azur B with DNA and the determination of DNA based on resonance light scattering measurements, (452) (2002) 285
 Li, Y.F., *see* Fan, M.K., (453) (2002) 97
 Li, Y.F., *see* Huang, C.Z., (466) (2002) 193
 Li, Y.F., *see* Lu, W., (475) (2003) 151
 Li, Y.-S., Muo, Y. and Xie, H.-M., Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, (455) (2002) 315
 Li, Y.-X., *see* Wang, L.-Y., (466) (2002) 87
 Li, Y.Z., *see* Zheng, N., (452) (2002) 277
 Li, Z., *see* Chen, X., (466) (2002) 79
 Liang, S.C., Wang, H., Zhang, Z.M., Zhang, X. and Zhang, H.S., Direct spectrofluorimetric determination of glutathione in biological samples using 5-maleimidyl-2-(*m*-methylphenyl) benzoxazole, (451) (2002) 211
 Liao, S., *see* Ma, M., (456) (2002) 157
 Liawruangrath, S., *see* Som-Aum, W., (463) (2002) 99
 Liebich, H.M., *see* Shan, Y., (471) (2002) 77
 Lim, K.F., *see* Lewis, S.W., (461) (2002) 131
 Lim, S.M., Chung, H.J., Paeng, K.J., Lee, C.-H., Choi, H.N. and Lee, W.-Y., Calix[2]furano[2]pyrrole and related compounds as the neutral carrier in silver ion-selective electrode, (453) (2002) 81
 Lima, E.S. and Abdalla, D.S.P., High-performance liquid chromatography of fatty acids in biological samples, (465) (2002) 81
 Lima, J.L.F.C., Prior, J.A., Reis, B.F., Santos, J.L.M. and Zagatto, E.A.G., Automated spectrophotometric determination of clomipramine on a multicommutated flow system, (467) (2002) 75
 Lima, J.L.F.C., *see* Lapa, R.A., (466) (2002) 125
 Lima, J.L.F.C., *see* Rocha, F.R.P., (468) (2002) 119
 Lima, J.L.F.C., *see* Andrade-Eiroa, A., (467) (2002) 25
 Lima, J.L.F.C., *see* Carneiro, J.M.T., (474) (2002) 161
 Lin, F.-M., Wu, H.-L., Kou, H.-S. and Lin, S.-J., Ultratrace analysis for *trans,trans*-muconic acid by electrophoretic derivatization and capillary gas chromatography, (455) (2002) 111
 Lin, H.J., Charles, P.T., Andreadis, J.D., Churilla, A.M., Stenger, D.A. and Pancrazio, J.J., Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, (457) (2002) 97
 Lin, J.-M., *see* Lu, C., (474) (2002) 107
 Lin, S.-J., *see* Lin, F.-M., (455) (2002) 111
 Lin, S.-Y., *see* Huang, C.-Y., (466) (2002) 161
 Lin, T.-M., *see* Cheng, T.-J., (462) (2002) 261
 Lin, X.-Q., *see* Li, F., (471) (2002) 187
 Lin, Z., *see* Gan, N., (466) (2002) 257
 Lindner, W., *see* Leitner, A., (453) (2002) 33

Lipe, L.L., Purinton, S.M., Mederios, E., Chad Harrell, C., Efta, C., Murray, M., Wood, M., Portier, R.-B. and Chalk, S.J., Development of the continuously variable volume reactor for flow injection analysis. Part 1. Design, capabilities and testing, (455) (2002) 287

Lippolis, V., *see* Shamsipur, M., (462) (2002) 225

Lisdat, F., *see* Ge, B., (454) (2002) 53

Little, M.K. and Crawley, C.D., On-line pre-concentration of atrazine by antibody immobilization capillary electrophoresis, (464) (2002) 25

Littlejohn, D., *see* Nordon, A., (472) (2002) 133

Littlejohn, D., *see* Kamaledin Setarehdan, S., (452) (2002) 35

Liu, C., *see* Yang, M., (461) (2002) 141

Liu, C.-Y., *see* Huang, C.-Y., (466) (2002) 161

Liu, E.-B., Liu, Y.-M. and Cheng, J.-K., Ultrasensitive chemiluminescence detection of aM vanadium(IV) by capillary electrophoresis, (456) (2002) 177

Liu, F., *see* Bo, T., (474) (2002) 37

Liu, F., *see* Li, L., (452) (2002) 321

Liu, F., *see* Yang, R., (469) (2002) 285

Liu, H., *see* Bo, T., (458) (2002) 345

Liu, H., *see* Bo, T., (474) (2002) 37

Liu, H.-M., Chen, S.-Y., Chang, P.-H. and Tsai, S.-J.J., Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry with ascorbic acid preruption and cupferron chelation-extraction, (459) (2002) 161

Liu, H.-T., *see* Deng, A.-P., (472) (2002) 55

Liu, J., *see* Allan Butterfield, D., (470) (2002) 29

Liu, J., *see* Sun, X., (470) (2002) 137

Liu, J.-F., Chao, J.-B. and Jiang, G.-B., Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid-liquid extraction combined with supported liquid membrane, (455) (2002) 93

Liu, J.-M., *see* Fu, Y., (470) (2002) 121

Liu, M., *see* Wang, Y., (463) (2002) 89

Liu, M., *see* Xie, Q., (464) (2002) 65

Liu, M., *see* Yao, X., (462) (2002) 101

Liu, M., *see* Zhu, M., (455) (2002) 199

Liu, P., *see* Zhang, S., (452) (2002) 223

Liu, S.P., *see* Li, N.B., (472) (2002) 89

Liu, S.P., *see* Luo, H.Q., (468) (2002) 275

Liu, W., *see* Chen, S., (463) (2002) 177

Liu, W., *see* Qin, W., (468) (2002) 287

Liu, X., *see* Byrne, R.H., (451) (2002) 221

Liu, X., *see* Li, Y., (459) (2002) 93

Liu, Y., *see* Tang, B., (459) (2002) 83

Liu, Y.-M., *see* Liu, E.-B., (456) (2002) 177

Liu, Y.M., *see* Zhao, S., (470) (2002) 155

Liu, Z.F., *see* Luo, H.Q., (468) (2002) 275

Lizondo-Sabater, J., Martínez-Máñez, R., Sancenón, F., Seguí, M.J. and Soto, J., Cobalt(II) and nickel(II) complexes of a cyclam derivative as carriers in iodide-selective electrodes, (459) (2002) 229

Llaurodó, M., *see* Mellado, J., (458) (2002) 367

Lobnik, A., *see* Cajlakovic, M., (455) (2002) 207

Lobo-Castañón, M.J., *see* de los Santos-Álvarez, N., (457) (2002) 275

Locke, D.C., *see* He, Y., (459) (2002) 209

Locke, D.C., *see* Jiang, Z., (456) (2002) 189

Loikas, K., *see* Kulmala, S., (458) (2002) 271

Longo, D., *see* Amendola, L., (461) (2002) 97

López, G.D., *see* Fernández-Alba, A.R., (451) (2002) 195

López-Aviles, E., *see* Saurina, J., (464) (2002) 89

López-Mahía, P., *see* Moreda-Piñeiro, J., (460) (2002) 111

López-Mahía, P., *see* Moreda-Piñeiro, J., (461) (2002) 261

Lorber, A., *see* Karpas, Z., (463) (2002) 155

Lorber, A., *see* Karpas, Z., (474) (2002) 115

Lou, C., *see* Cao, Y., (452) (2002) 123

Louie, H., *see* Maher, W., (463) (2002) 283

Lövgren, T., *see* Aguilar-Caballos, M.P., (460) (2002) 271

Lowe, C.R., *see* Tisi, L.C., (457) (2002) 115

Lu, C., Qu, F., Lin, J.M. and Yamada, M., Flow-injection chemiluminescent determination of nitrite in water based on the formation of peroxyxinitrite from the reaction of nitrite and hydrogen peroxide, (474) (2002) 107

Lu, J., Lau, C., Lee, M.K. and Kai, M., Simple and convenient chemiluminescence method for the determination of melatonin, (455) (2002) 193

Lu, Q., Collins, G.E., Smith, M. and Wang, J., Sensitive capillary electrophoresis microchip determination of trinitroaromatic explosives in nonaqueous electrolyte following solid phase extraction, (469) (2002) 253

Lu, T.H., Huang, J.F. and Sun, I.-W., Perfluorinated anion-exchange polymer mercury film electrode for anodic stripping voltammetric determination of zinc(II): effect of model organic compounds, (454) (2002) 93

Lu, W., Huang, C.Z. and Li, Y.F., Novel assay of thiamine based on its enhancement of total internal reflected resonance light scattering signals of sodium dodecylbenzene sulfonate at the water/tetrachloromethane interface, (475) (2003) 151

Lu, X., *see* Chen, X., (466) (2002) 79

Lu, Y., *see* Sun, H., (457) (2002) 305

Lu, Y., *see* Zhang, L., (468) (2002) 105

Lucarelli, F., Marrazza, G., Palchetti, I., Cesaretti, S. and Mascini, M., Coupling of an indicator-free electrochemical DNA biosensor with polymerase chain reaction for the detection of DNA sequences related to the apolipoprotein E, (469) (2002) 93

Lue Massart, D., *see* Hund, E., (463) (2002) 53

Lundström, I., *see* Mecklenburg, M., (459) (2002) 25

Lundström, I., *see* Winquist, F., (471) (2002) 159

Luo, H.Q., Liu, S.P., Li, N.B. and Liu, Z.F., Resonance Rayleigh scattering, frequency doubling scattering and second-order scattering spectra of the heparin-crystal violet system and their analytical application, (468) (2002) 275

Luo, H.Q., *see* Li, N.B., (472) (2002) 89

Luque de Castro, M.D., *see* García-Ayuso, L.E., (457) (2002) 247

Luque de Castro, M.D., *see* González-Rodríguez, J., (471) (2002) 105

Luque de Castro, M.D., *see* Herrera, M.C., (463) (2002) 189

Luque de Castro, M.D., *see* Prados-Rosales, R.C., (461) (2002) 169

Luque-García, J.L., *see* Herrera, M.C., (463) (2002) 189

Luque-García, J.L., *see* Prados-Rosales, R.C., (461) (2002) 169

Luterotti, S., Franko, M., Šíkovec, M. and Bicanic, D., Ultrasensitive assays of *trans*- and *cis*-β-carotenes in vegetable oils by

high-performance liquid chromatography-thermal lens detection, (460) (2002) 193

Luthe, G., Es-Shai, H., Gooijer, C., Brinkman, U.A.Th. and Ariese, F., Monofluorinated polycyclic aromatic hydrocarbons as internal standards in Shpol'skii spectroscopy: 1-fluoropyrene as an example, (459) (2002) 53

Lvova, L., Kim, S.S., Legin, A., Vlasov, Y., Yang, J.S., Cha, G.S. and Nam, H., All-solid-state electronic tongue and its application for beverage analysis, (468) (2002) 303

Ly, C., *see* Valletlonga, P., (453) (2002) 1

M

Ma, L., Tang, B. and Chu, C., Spectrofluorimetric study of the β -cyclodextrin-dapsone-linear alcohol supramolecular system and determination of dapsone, (469) (2002) 273

Ma, M., He, D., Liao, S., Zeng, Y., Xie, Q. and Yao, S., Kinetic study of L-isoleucine transport through a liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, (456) (2002) 157

Ma, M., *see* Li, X.-F., (457) (2002) 165

Ma, X., *see* Zhang, J.-y., (471) (2002) 203

Ma, Y., Zhou, M., Jin, X., Zhang, B., Chen, H. and Guo, N., Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, (464) (2002) 289

Mabille, I., *see* Farcas, F., (472) (2002) 37

Macagnano, A., *see* Di Natale, C., (459) (2002) 107

Maccà, C., pH-stat techniques in titrimetric analysis. Part 3. The principles of pH-stat chelatometric titrations, (456) (2002) 313

Maccà, C., Soldà, L. and Zancato, M., pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, (470) (2002) 203

Machemer, S.D., *see* Hosick, T.J., (456) (2002) 263

Mackey, D.J., *see* Valletlonga, P., (453) (2002) 1

MacNeil, J.D., *see* Dickson, L.C., (473) (2002) 111

Maeda, M., *see* Arakawa, H., (472) (2002) 75

Maeder, M., Neuhold, Y.M., Olsen, A., Puxty, G., Dyson, R. and Zilian, A., Rank annihilation correction for the amendment of instrumental inconsistencies, (464) (2002) 249

Magalhães, C.G., Lelis, K.L.A., Rocha, C.A. and da Silva, J.B.B., Direct determination of aluminium in serum and urine by electrothermal atomic absorption spectrometry using ruthenium as permanent modifier, (464) (2002) 323

Magearu, V., *see* Rotariu, L., (458) (2002) 215

Maghnu-Rogister, G., *see* Scippo, M.L., (473) (2002) 135

Maghnu-Rogister, G., *see* Willemsen, P., (473) (2002) 119

Magora, A., *see* Kumar, N., (465) (2002) 257

Maher, W., Krikowa, F., Wruck, D., Louie, H., Nguyen, T. and Huang, W.Y., Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, (463) (2002) 283

Maher, W.A., *see* Tukai, R., (457) (2002) 173

Majid, S., Rhazi, M.E., Amine, A. and Brett, C.M.A., An amperometric method for the determination of trace mercury(II) by formation of complexes with L-tyrosine, (464) (2002) 123

Maj-Żurawska, M., *see* Zielińska, R., (451) (2002) 243

Makarychev-Mikhailov, S., *see* Legin, A., (457) (2002) 297

Mäki, R., *see* Ala-Kleme, T., (472) (2002) 83

Makino, T., *see* Yoshimura, Y., (458) (2002) 331

Makrouf, B., *see* Korri-Yousoufi, H., (469) (2002) 85

Malinovsky, D., Rodushkin, I., Baxter, D. and Öhlander, B., Simplified method for the Re-Os dating of molybdenite using acid digestion and isotope dilution ICP-MS, (463) (2002) 111

Malinowska, E., Górska, Ł. and Meyerhoff, M.E., Zirconium(IV)-porphyrins as novel ionophores for fluoride-selective polymeric membrane electrodes, (468) (2002) 133

Mandenić, C.-F., *see* Ivansson, D., (456) (2002) 193

Mandrioli, R., *see* Bugamelli, F., (472) (2002) 1

Mañes, J., *see* Blasco, C., (461) (2002) 109

Manganiello, L., Vega, C., Ríos, A. and Valcárcel, M., Use of wavelet transform to enhance piezoelectric signals for analytical purposes, (456) (2002) 93

Mansourian, M., *see* Kompany-Zareh, M., (471) (2002) 97

Máñuel-Vez, M.P., *see* Tovar, A., (469) (2002) 235

Manzoori, J.L. and Bavili-Tabrizi, A., Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, (470) (2002) 215

Maqueira, Å., *see* Noguera, P., (460) (2002) 279

Mar Carramillo, M^a., *see* Noguera, P., (460) (2002) 279

Marcé, R.M., *see* Comas, E., (470) (2002) 163

Marco, M.-P., *see* Ballesteros, B., (475) (2003) 105

Marino, A., *see* Laganà, A., (462) (2002) 187

Mariotti, E., Minunni, M. and Mascini, M., Surface plasmon resonance biosensor for genetically modified organisms detection, (453) (2002) 165

Marisa Almeida, C. and Vasconcelos, M.T.S.D., Advantages and limitations of the semi-quantitative operation mode of an inductively coupled plasma-mass spectrometer for multi-element analysis of wines, (463) (2002) 165

Markides, K.E., *see* Danielsson, R., (454) (2002) 167

Marks, R.S., *see* Cosnier, S., (453) (2002) 71

Marquardt, W., *see* Ringmann, S., (452) (2002) 207

Marqué, I., Fonrodona, G., Baró, A., Guiteras, J. and Beltrán, J.L., Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile-water mixtures using hard-modelling and soft-modelling approaches, (471) (2002) 145

Marqué, I., *see* Jiménez-Lozano, E., (464) (2002) 37

Márquez, N., Bravo, B., Chávez, G., Ysambert, F. and Salager, J.L., Analysis of polyethoxylated surfactants in microemulsion-oil-water systems. Part II, (452) (2002) 129

Marrakchi, M., *see* Hamlaoui, M.L., (466) (2002) 39

Marrazza, G., *see* Lucarelli, F., (469) (2002) 93

Martelet, C., *see* Hamlaoui, M.L., (466) (2002) 39

Martial, J.A., *see* Scippo, M.L., (473) (2002) 135

Martial, J.A., *see* Willemsen, P., (473) (2002) 119

Martins, P., Pozebon, D., Dressler, V.L. and Kemieciki, G.A., Determination of trace elements in biological materials using

tetramethylammonium hydroxide for sample preparation, (470) (2002) 195

Martins, P., *see* Bohrer, D., (459) (2002) 267

Martín, M.A., *see* Muñoz-Botella, S., (468) (2002) 161

Martín, Y., Influence of the storage conditions on the concentration of clenbuterol in cattle urine samples, (452) (2002) 115

Martínez Lanao, J., *see* Martínez Martínez, M.S., (459) (2002) 143

Martínez Martínez, M.S., Gutiérrez Hurtado, B., Colino Gandarillas, C.I., Martínez Lanao, J. and Sánchez Navarro, A., In vitro study of experimental factors affecting the microdialysis results, (459) (2002) 143

Martínez Vidal, J.L., *see* Cuadros-Rodríguez, L., (454) (2002) 297

Martínez-Barrachina, S., del Valle, M., Matia, L., Prats, R. and Alonso, J., Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems.. Improvement of the detection limits employing an on-line pre-concentration stage, (454) (2002) 217

Martínez-Máñez, R., *see* Lizondo-Sabater, J., (459) (2002) 229

Martínez-Ruiz, P., *see* Mena, M.L., (451) (2002) 297

Marty, J.-L., *see* Andreescu, S., (464) (2002) 171

Marty, J.-L., *see* Avramescu, A., (458) (2002) 203

Marzouk, S.A.M., *see* Hassan, S.S.M., (466) (2002) 47

Mascini, M., *see* Lucarelli, F., (469) (2002) 93

Mascini, M., *see* Mariotti, E., (453) (2002) 165

Mashhadizadeh, M.H., Momeni, A. and Razavi, R., Cobalt(II)-selective membrane electrode using a recently synthesized mercapto compound, (462) (2002) 245

Masini, J.C., *see* Silva, M.S.P., (466) (2002) 345

Massart, D.L., *see* Daszykowski, M., (468) (2002) 91

Massart, D.L., *see* Pravdová, V., (456) (2002) 77

Massart, D.L., *see* Pravdová, V., (462) (2002) 133

Massart, D.L., *see* Questier, F., (466) (2002) 311

Massart, D.L., *see* Vander Heyden, Y., (458) (2002) 397

Massart, D.L., *see* Vannecke, C., (455) (2002) 117

Masuda, T., *see* Yamaguchi, A., (468) (2002) 143

Masujima, T., *see* Razee, S., (464) (2002) 1

Mătășescu, C., *see* Kulimala, S., (453) (2002) 253

Matia, L., *see* Martínez-Barrachina, S., (454) (2002) 217

Matos, C.D., *see* Ribeiro, C.M.F., (471) (2002) 41

Matsue, T., *see* Kasai, S., (458) (2002) 263

Matsuji, J., Tamaki, K. and Sugimoto, N., Molecular imprinting in alcohols: utility of a pre-polymer based strategy for synthesizing stereoselective artificial receptor polymers in hydrophilic media, (466) (2002) 11

Matsumoto, T., Ohashi, A. and Ito, N., Development of a microplanar Ag/AgCl quasi-reference electrode with long-term stability for an amperometric glucose sensor, (462) (2002) 253

Matsunaga, T., Ueki, F., Obata, K., Tajima, H., Tanaka, T., Takeyama, H., Goda, Y. and Fujimoto, S., Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, (475) (2003) 75

Matsuo, S., *see* Yamaguchi, A., (468) (2002) 143

Matz, L.M. and Hill Jr., H.H., Separation of benzodiazepines by electrospray ionization ion mobility spectrometry-mass spectrometry, (457) (2002) 235

Mayer, B.X., *see* Neckel, U., (463) (2002) 199

Maynard, P., *see* Tzoris, A., (460) (2002) 257

Mayo, S., *see* Iglesias, Y., (468) (2002) 43

Mayr, T., Klimant, I., Wolfbeis, O.S. and Werner, T., Dual lifetime referenced optical sensor membrane for the determination of copper(II) ions, (462) (2002) 1

Mazloum Ardakani, M., Ensafi, A.A., Salavati Niasari, M. and Mirhoseini Chahooki, S., Selective thiocyanate poly(vinyl chloride) membrane based on a 1,8-dibenzyl-1,3,6,8,10,13-hexaaza-cyclotetradecane-Ni(II) perchlorate, (462) (2002) 25

Mazonakis, N.E., Karathanassi, P.H., Panagiotopoulos, D.P., Hamosfakidi, P.G. and Melissos, D.A., Cleaning validation in the toiletries industry, (467) (2002) 261

Mazúr, M., Valko, M. and Morris, H., From a point-like to an arbitrarily shaped sample. A survey of equations for electron paramagnetic resonance signal intensity calculations, (456) (2002) 129

Radial and longitudinal profiles of the electron paramagnetic resonance signal intensity of a single TE₁₀₂ rectangular cavity. A three-dimensional surface plot for a point-like sample, (464) (2002) 163

Mazzarino, M., *see* Amendola, L., (475) (2003) 125

Mazzocchin, G.A., Agnoli, F. and Mazzocchin, S., Investigation of a Roman age "bulk pigment" found in Vicenza, (475) (2003) 181

Mazzocchin, G.A., *see* Antonietta Baldo, M., (464) (2002) 217

Mazzocchin, G.A., *see* Ugo, P., (474) (2002) 147

Mazzocchin, S., *see* Mazzocchin, G.A., (475) (2003) 181

McCarley, R.L., *see* Soper, S.A., (470) (2002) 87

McEvoy, J.D., *see* Meenagh, S.A., (462) (2002) 149

McEvoy, J.D.G., Contamination of animal feedingstuffs as a cause of residues in food: a review of regulatory aspects, incidence and control, (473) (2002) 3

McGuffin, V.L., *see* Howerton, S.B., (459) (2002) 61

McMullan, G., *see* Conneely, A., (451) (2002) 259

McNaught, I.J., *see* Tukai, R., (457) (2002) 173

Mecklenburg, M., Svitel, J., Winquist, F., Gang, J., Ornstein, K., Dey, E., Bin, X., Hedborg, E., Norrby, R., Arwin, H., Lundström, I. and Danielsson, B., Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, (459) (2002) 25

Mederios, E., *see* Lipe, L.L., (455) (2002) 287

Medina, B., *see* Barbaste, M., (472) (2002) 161

Medina, I., *see* Garrido, J.L., (465) (2002) 409

Medvedeva, O.M., *see* Dmitrienko, S.G., (469) (2002) 295

Meenagh, S.A., McEvoy, J.D. and Elliott, C.T., Determination of carazolol residues in porcine tissue by radioreceptor assay, (462) (2002) 149

Meier-Augenstein, W., Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, (465) (2002) 63

Meixner, L., *see* Yacoub-George, E., (457) (2002) 3

Melissos, D.A., *see* Mazonakis, N.E., (467) (2002) 261

Mellado, J., Llaurodó, M. and Rauret, G., Determination of actinides and strontium in fish samples by extraction chromatography, (458) (2002) 367

Melssen, W.J., *see* de Groot, P.J., (453) (2002) 117

Mena, M.L., Martínez-Ruiz, P., Reviejo, A.J. and Pingarrón, J.M., Molecularly imprinted polymers for on-line preconcentration by

solid phase extraction of pirimicarb in water samples, (451) (2002) 297

Mendes, F., *see* Moreira, N., (458) (2002) 157

Méndez, H., Alava, F., Lavilla, I. and Bendicho, C., Ultrasonic extraction combined with fast furnace analysis as an improved methodology for total selenium determination in seafood by electrothermal-atomic absorption spectrometry, (452) (2002) 217

Mendiguchía, C., Moreno, C. and García-Vargas, M., Determination of copper in seawater based on a liquid membrane preconcentration system, (460) (2002) 35

Menéndez, J.C., *see* Muñoz-Botella, S., (468) (2002) 161

Mercader, J.V., *see* Botchkareva, A.E., (453) (2002) 43

Merdy, P., Guillou, E., Dumonceau, J. and Aplincourt, M., Characterisation of a wheat straw cell wall residue by various techniques. A comparative study with a synthetic and an extracted lignin, (459) (2002) 133

Meric, B., *see* Kerman, K., (462) (2002) 39

Mériton, J.-M., *see* Vitrac, X., (458) (2002) 103

Messerschmidt, J., *see* von Bohlen, A., (451) (2002) 279

Meunier, C., *see* Nordon, A., (472) (2002) 133

Meyer, E., *see* Van Merris, V., (468) (2002) 237

Meyer, H.H.D., *see* Lange, I.G., (473) (2002) 27

Meyerhoff, M.E., *see* Malinowska, E., (468) (2002) 133

Michalska, A., *see* Zielińska, R., (451) (2002) 243

Mihalatos, A.M. and Calokerinos, A.C., Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence, (451) (2002) 189

Mikedi, K., *see* Statheropoulos, M., (461) (2002) 215

Mikkelsen, Ø. and Schröder, K.H., Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, (458) (2002) 249

Mikuška, P. and Večeřa, Z., Chemiluminescent flow-injection analysis of nitrates in water using on-line ultraviolet photolysis, (474) (2002) 99

Miljanić, S., Čimerman, Z., Frkanec, L. and Žinić, M., Lipophilic derivative of rhodamine 19: characterization and spectroscopic properties, (468) (2002) 13

Miller, J.N., *see* Hu, S.J., (454) (2002) 31

Miller, T.C. and Holcombe, J.A., Evaluation of electroless gold deposited on porous silica for ligand attachment for metal ion-exchange, (454) (2002) 37

Characterization of metal ion-exchange on modified surfaces of porous carbon, (455) (2002) 233

Millet, J., *see* Courderot, C.M., (457) (2002) 149

Millikan, M.B., *see* Sauvage, L., (458) (2002) 223

Minett, A.I., Barisci, J.N. and Wallace, G.G., Coupling conducting polymers and mediated electrochemical responses for the detection of *Listeria*, (475) (2003) 37

Minunni, M., *see* Mariotti, E., (453) (2002) 165

Miranda, C.E.S., Reis, B.F., Baccan, N., Packer, A.P. and Giné, M.F., Automated flow analysis system based on multicommutation for Cd, Ni and Pb on-line pre-concentration in a cationic exchange resin with determination by inductively coupled plasma atomic emission spectrometry, (453) (2002) 301

Miranda-Ordieres, A.J., *see* de los Santos-Álvarez, N., (457) (2002) 275

Mirhoseini Chahooki, S., *see* Mazloum Ardakani, M., (462) (2002) 25

Miró, M., *see* de Armas, G., (455) (2002) 149

Miró, M., *see* de Armas, G., (467) (2002) 13

Miró, M., *see* de Armas, G., (471) (2002) 173

Miró, M., *see* Pizà, N., (467) (2002) 155

Misawa, H., *see* Yamaguchi, A., (468) (2002) 143

Mishra, A.K., *see* Patra, D., (454) (2002) 209

Mitra, R., Powdrill, T. and Hogan, M.E., High throughput drug screening by direct RNA profiling on DNA sensors, (469) (2002) 141

Miwa, H., High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, (465) (2002) 237

Miyake, J., *see* Nakamura, C., (469) (2002) 183

Miyashita, T., *see* Fujiwara, Y., (471) (2002) 25

Miyazaki, H., *see* Hanada, M., (475) (2003) 27

Mladenova, B., *see* Yordanov, N.D., (453) (2002) 155

Mo, T., *see* Chan, W.-H., (460) (2002) 123

Mo, W., *see* Pan, Z., (466) (2002) 141

Mobley, J., *see* Song, J.M., (466) (2002) 187

Moemeni, A., *see* Alizadeh, N., (464) (2002) 187

Moldovan, Z., Jover, E. and Bayona, J.M., Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, (465) (2002) 359

Molina Díaz, A., *see* Ruedas Rama, M.J., (459) (2002) 235

Momeni, A., *see* Mashhadizadeh, M.H., (462) (2002) 245

Monferrer-Pons, L., *see* Capella-Peiró, M.-E., (454) (2002) 125

Monje, M.-C., Privat, C., Gastine, V. and Nepveu, F., Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection, (458) (2002) 111

Monteau, F., *see* Le Bizec, B., (473) (2002) 89

Montenegro, M.C.B.S.M., *see* Pimenta, A.M., (470) (2002) 185

Monti, J.-P., *see* Vitrac, X., (458) (2002) 103

Montoya, A., *see* Botchkareva, A.E., (453) (2002) 43

Moraes da Silva, C., *see* Coelho, N.M.M., (460) (2002) 227

Morales, M.D., *see* Escarpa, A., (460) (2002) 61

Moreda-Piñeiro, A., *see* Berméjo-Barrera, P., (455) (2002) 253

Moreda-Piñeiro, J., López-Mahía, P., Muniategui-Lorenzo, S., Fernández-Fernández, E. and Prada-Rodríguez, D., Direct mercury determination in aqueous slurries of environmental and biological samples by cold vapour generation-electrothermal atomic absorption spectrometry, (460) (2002) 111

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, (461) (2002) 261

Moreira, N., Mendes, F., Pereira, O., Guedes de Pinho, P., Hogg, T. and Vasconcelos, I., Volatile sulphur compounds in wines related to yeast metabolism and nitrogen composition of grape musts, (458) (2002) 157

Moreno Cordero, B., *see* Cerrato Oliveros, M.C., (459) (2002) 219

Moreno, C., *see* Mendiguchía, C., (460) (2002) 35

Moreno, C., *see* Tovar, A., (469) (2002) 235

Moreno-Arribas, M.V., Pueyo, E. and Polo, M.C., Analytical methods for the characterization of proteins and peptides in wines, (458) (2002) 63

Moretto, L.M., *see* Ugo, P., (474) (2002) 147

Morf, W.E., *see* Reichmuth, P., (464) (2002) 79

Morgan, V.I., *see* Burton, G.R., (469) (2002) 225

Morgan, V.I., *see* Vallelonga, P., (453) (2002) 1

Mori, M., *see* Tanaka, K., (474) (2002) 31

Moros, J., *see* Armenta, S., (468) (2002) 81

Morris, H., *see* Mazúr, M., (456) (2002) 129

Morris, H., *see* Mazúr, M., (464) (2002) 163

Morton, J., Carolan, V.A. and Gardiner, P.H.E., Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry, (455) (2002) 23

Mossoba, M.M., *see* Roach, J.A.G., (465) (2002) 207

Motochi, N., *see* Kasai, S., (458) (2002) 263

Mourzina, Y., *see* Ermolenko, Y., (459) (2002) 1

Mousty, C., *see* Cosnier, S., (453) (2002) 71

Moutoune, M., *see* Atanasova, V., (458) (2002) 15

Mulaudzi, L.V., *see* Stefan, R.I., (467) (2002) 189

Mulaudzi, L.V., van Staden, J.F. and Stefan, R.I., On-line determination of iron(II) and iron(III) using a spectrophotometric sequential injection system, (467) (2002) 35

Determination of chromium(III) and chromium(VI) by use of a spectrophotometric sequential injection system, (467) (2002) 51

Mulchandani, A., *see* Mulchandani, P., (470) (2002) 79

Mulchandani, A., *see* Wang, J., (469) (2002) 197

Mulchandani, P., Lei, Y., Chen, W., Wang, J. and Mulchandani, A., Microbial biosensor for *p*-nitrophenol using *Moraxella* sp., (470) (2002) 79

Mulchandani, P., *see* Wang, J., (469) (2002) 197

Mulik, E., *see* Zielińska, R., (451) (2002) 243

Müller, M., *see* Neckel, U., (463) (2002) 199

Muller, M., *see* Scippo, M.L., (473) (2002) 135

Muller, M., *see* Willemse, P., (473) (2002) 119

Muniategui-Lorenzo, S., *see* Moreda-Piñeiro, J., (460) (2002) 111

Muniategui-Lorenzo, S., *see* Moreda-Piñeiro, J., (461) (2002) 261

Muñiz, S., *see* González, J.C., (466) (2002) 233

Muñoz de la Peña, A., Espinosa-Mansilla, A., Acedo Valenzuela, M.I., Goicoechea, H.C. and Olivieri, A.C., Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxicillin and clavulanic acid by stopped-flow kinetic analysis, (463) (2002) 75

Muñoz-Botella, S., Martín, M.A., del Castillo, B., Lerner, D.A. and Menéndez, J.C., Differentiating geometrical isomers of retinoids and controlling their photo-isomerization by complexation with cyclodextrins, (468) (2002) 161

Muo, Y., *see* Li, Y.-S., (455) (2002) 315

Murakami, H., *see* Yamamoto, K., (455) (2002) 83

Murata, T., *see* Nagashima, K., (454) (2002) 271

Murphy, M.J., *see* Squirell, D.J., (457) (2002) 109

Murphy, M.J., *see* Tisi, L.C., (457) (2002) 115

Murray, J.A.H., *see* Tisi, L.C., (457) (2002) 115

Murray, M., *see* Lipe, L.L., (455) (2002) 287

Musameh, M., *see* Wang, J., (469) (2002) 197

Musiani, M., *see* Girotti, S., (471) (2002) 113

Mutihac, L., *see* Buschmann, H.-J., (466) (2002) 101

Mutlu, M., *see* Çökeliler, D., (469) (2002) 217

Mwatsetza, J., *see* Tarto, N., (456) (2002) 253

Nagashima, K., Murata, T. and Kurihara, K., Pretreatment of water samples using UV irradiation-peroxodisulfate for the determination of total mercury, (454) (2002) 271

Nagels, L.J., *see* Bazylak, G., (472) (2002) 11

Nagy, G., *see* Kunsági-Máté, S., (461) (2002) 273

Naji, L., *see* Ganjali, M.R., (475) (2003) 59

Nakai, S., *see* Nishio, Y., (456) (2002) 271

Nakamura, C., Song, S.-H., Chang, S.-M., Sugimoto, N. and Miyake, J., Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, (469) (2002) 183

Nakamura, N., *see* Numata, M., (455) (2002) 1

Nakano, S., *see* Kaneko, M., (474) (2002) 167

Nakashima, K., *see* Ohba, Y., (465) (2002) 101

Nakayama, H., *see* Nakayama, M., (453) (2002) 135

Nakayama, M., Haratake, M., Koiso, T., Ishibashi, O., Harada, K., Nakayama, H., Sugii, A., Yahara, S. and Arano, Y., Separation of ⁶⁸Ge from ⁶⁸Ga using a macroporous organic polymer containing *N*-methylglucamine groups, (453) (2002) 135

Nakazawa, H., *see* Watanabe, E., (460) (2002) 99

Nakazawa, H., *see* Yoshimura, Y., (458) (2002) 331

Nam, H., *see* Choi, S.H., (461) (2002) 251

Nam, H., *see* Lvova, L., (468) (2002) 303

Nan, C.G., Feng, Z.Z., Li, W.X., Ping, D.J. and Qin, C.H., Electrochemical behavior of tryptophan and its derivatives at a glassy carbon electrode modified with hemin, (452) (2002) 245

Nanjo, Y. and Yao, T., Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, (470) (2002) 175

Narinesingh, D. and Ngo, T.T., Immunochromatographic flow-injection method for detection of human serum immunoglobulin G antibodies to *Helicobacter pylori*, (453) (2002) 53

Nascentes, C.C., Cárdenas, S., Gallego, M. and Valcárcel, M., Continuous photometric method for the screening of human urines for phenothiazines, (462) (2002) 275

Navalón, A., Blanc, R., Reyes, L., Navas, N. and Vilchez, J.L., Determination of the antibacterial enrofloxacin by differential-pulse adsorptive stripping voltammetry, (454) (2002) 83

Navas, N., *see* Navalón, A., (454) (2002) 83

Neckel, U., Joukhadar, C., Frossard, M., Jäger, W., Müller, M. and Mayer, B.X., Simultaneous determination of levofloxacin and ciprofloxacin in microdialysates and plasma by high-performance liquid chromatography, (463) (2002) 199

Neiser, C.D., *see* Dickson, L.C., (473) (2002) 111

Nepveu, F., *see* Monje, M.-C., (458) (2002) 111

Nerín, C., Batlle, R., Sartaguda, M. and Pedrocchi, C., Supercritical fluid extraction of organochlorine pesticides and some metabolites in frogs from National Park of Ordesa and Monte Perdido, (464) (2002) 303

Neto, A.C. and Pasquini, C., Flow system for liquid-solid extraction and pre-concentration using a renewable extracting solid phase, (472) (2002) 141

Neuhold, Y.-M., *see* Maeder, M., (464) (2002) 249

N

New, A., *see Creaser, C.*, (454) (2002) 137

Ng, L.K., Analysis by gas chromatography/mass spectrometry of fatty acids and esters in alcoholic beverages and tobaccos, (465) (2002) 309

Ngo, T.T., *see Narinesingh, D.*, (453) (2002) 53

Nguyen, T., *see Maher, W.*, (463) (2002) 283

Ni, Y., Chen, S. and Kokot, S., Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, (463) (2002) 305

Niazi, A., *see Ghasemi, J.*, (455) (2002) 335

Nicod, L., *see Courderot, C.M.*, (457) (2002) 149

Nicolas-Debarnot, D. and Poncin-Epaillard, F., Polyaniline as a new sensitive layer for gas sensors, (475) (2003) 1

Niculescu, M., Erichsen, T., Sukharev, V., Kerenyi, Z., Csoregi, E. and Schuhmann, W., Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, (463) (2002) 39

Nie, L., *see Xie, Q.*, (464) (2002) 65

Nie, L., *see Yuan, J.*, (454) (2002) 65

Niedack, N., *see Jung, V.*, (474) (2002) 49

Nielson, M., *see Poelmans, S.*, (473) (2002) 39

Nielsen, M.W.F., *see van Bennekom, E.O.*, (473) (2002) 151

Nielsen, S.P., *see Chen, Q.*, (466) (2002) 109

Nierop, K.G., *see Jansen, B.*, (454) (2002) 259

Niessner, R., *see Zhu, Q.-Z.*, (468) (2002) 217

Nifant'eva, T.I., *see Zavarzina, A.G.*, (452) (2002) 95

Nikokavoura, A., *see Papadopoulos, K.*, (464) (2002) 135

Nikolaisen, R.P.H., Booksh, K.S., Hansen, Å.M. and Bro, R., Quantifying catecholamines using multi-way kinetic modelling, (475) (2003) 137

Nishio, Y. and Nakai, S., Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, (456) (2002) 271

Nishizawa, M., *see Kasai, S.*, (458) (2002) 263

Nistor, C., Rose, A., Farré, M., Stoica, L., Wollenberger, U., Ruzgas, T., Pfeiffer, D., Barceló, D., Gorton, L. and Emnéus, J., In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors, (456) (2002) 3

Noguchi, K., *see Ito, T.*, (456) (2002) 325

Noguer, T., *see Avramescu, A.*, (458) (2002) 203

Noguera, P., Maquieira, Á., Puchades, R., Brunet, E., Mar Carramolino, M^º. and Rodríguez-Ubis, J.C., Development of an enzyme-linked immunosorbent assay for pentachlorophenol, (460) (2002) 279

Nomura, M., *see Takahashi, Y.*, (468) (2002) 345

Nordon, A., Meunier, C., Carr, R.H., Gemperline, P.J. and Littlejohn, D., Determination of the ethylene oxide content of polyether polyols by low-field ¹H nuclear magnetic resonance spectrometry, (472) (2002) 133

Norrby, R., *see Mecklenburg, M.*, (459) (2002) 25

Novič, M., *see Brodnjak-Vončina, D.*, (462) (2002) 87

Novoa, A., *see Cosnier, S.*, (453) (2002) 71

Numan, A. and Danielson, N.D., On-line photo-derivatization with flow injection and liquid chromatography-atmospheric pressure electrospray mass spectrometry for the identification of indoles, (460) (2002) 49

Numata, M., Nakamura, N., Koshikawa, H. and Terashima, Y., Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry, (455) (2002) 1

Nyman, A., *see Kulmala, S.*, (458) (2002) 271

O

Oates, M.R., Clarke, W., Zimlich II, A. and Hage, D.S., Optimization and development of a high-performance liquid chromatography-based one-site immunometric assay with chemiluminescence detection, (470) (2002) 37

Obata, K., *see Matsunaga, T.*, (475) (2003) 75

Obata, T., Strategy and principles of the simultaneous analysis of prostanoids by gas chromatography/mass spectrometry/selected-ion monitoring, (465) (2002) 379

Ocampo, C., *see Bruckner-Lea, C.J.*, (469) (2002) 129

Ochsenkühn-Petropoulou, M. and Tsopelas, F., Speciation analysis of selenium using voltammetric techniques, (467) (2002) 167

Ock, K., *see Hur, Y.*, (460) (2002) 133

Odham, G., *see Rozenbaha, I.*, (452) (2002) 105

Oelattro, L., *see Otte, X.*, (451) (2002) 323

Ogiela, M., *see Wierzchowski, J.*, (472) (2002) 63

Ogorevc, B., *see Zhang, X.*, (452) (2002) 1

Ohashi, A., *see Matsumoto, T.*, (462) (2002) 253

Ohashi, K., *see Ishimori, K.*, (454) (2002) 241

Ohba, Y., Kuroda, N. and Nakashima, K., Liquid chromatography of fatty acids with chemiluminescence detection, (465) (2002) 101

Öhlander, B., *see Malinovsky, D.*, (463) (2002) 111

Oka, M., *see Yamamoto, K.*, (455) (2002) 83

Okabayashi, T., *see Hanada, M.*, (475) (2003) 27

Okuma, H., *see Sato, N.*, (456) (2002) 219

Okura, I., *see Fujiwara, Y.*, (471) (2002) 25

Olinga, A., *see Šašić, S.*, (452) (2002) 265

Oliva-Teles, M.T., Paiga, P., Delerue-Matos, C.M. and Alvim-Ferraz, M.C.M., Determination of free formaldehyde in foundry resins as its 2,4-dinitrophenylhydrazone by liquid chromatography, (467) (2002) 97

Oliveira, E., *see Correia, P.R.M.*, (458) (2002) 321

Oliveira, P.V., *see Correia, P.R.M.*, (458) (2002) 321

Olivieri, A.C., *see Damiani, P.C.*, (471) (2002) 87

Olivieri, A.C., *see Goicoechea, H.C.*, (453) (2002) 289

Olivieri, A.C., *see Muñoz de la Peña, A.*, (463) (2002) 75

Olsen, A., *see Maeder, M.*, (464) (2002) 249

Onaga, K., *see Hanada, M.*, (475) (2003) 27

Ong, C.-W., *see Deng, A.-P.*, (472) (2002) 55

O'Regan, T.M., O'Riordan, L.J., Pravda, M., O'Sullivan, C.K. and Guibault, G.G., Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, (460) (2002) 141

O'Riordan, L.J., *see O'Regan, T.M.*, (460) (2002) 141

Ornstein, K., *see Mecklenburg, M.*, (459) (2002) 25

Orr, C.S., *see Schwerha, D.J.*, (457) (2002) 257

Ortega-Heras, M., González-SanJosé, M.L. and Beltrán, S., Aroma composition of wine studied by different extraction methods, (458) (2002) 85

Ortega-Heras, M., *see Pérez-Magariño, S.*, (458) (2002) 187

Ortiz, M.C., *see* Barbaste, M., (472) (2002) 161
 Ortúñu, J.A., *see* Sánchez-Pedreño, C., (459) (2002) 11
 Oshima, S., *see* Hirayama, N., (466) (2002) 295
 O'Sullivan, C.K., *see* O'Regan, T.M., (460) (2002) 141
 Otte, X., Eurard, B., Oelattro, L. and Thunus, L., Development and validation of a new Fourier transform infrared spectrometric method for the quantification of urea in creams and ointments, (451) (2002) 323
 Otte, X., Evrard, B., Delattre, L. and Thunus, L., Erratum to "Development and validation of a new Fourier transform infrared spectrometric method for the quantification of urea in creams and ointments" [Analytica Chimica Acta 451 (2002) 323–328], (459) (2002) 337
 Ouyang, J., *see* Huang, G., (474) (2002) 21
 Ozaki, Y., *see* Šašić, S., (452) (2002) 265
 Ozaki, Y., *see* Šašić, S., (460) (2002) 73
 Ozkan, D., *see* Kerman, K., (462) (2002) 39
 Özkan, S.A., Özkan, Y. and Şentürk, Z., Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, (453) (2002) 221
 Özkan, S.A., *see* Uslu, B., (462) (2002) 49
 Özkan, S.A., *see* Uslu, B., (466) (2002) 175
 Özkan, S.A., Uslu, B. and Zuman, P., Electrochemical reduction and oxidation of the antibiotic cefepime at a carbon electrode, (457) (2002) 265
 Özkan, Y., *see* Özkan, S.A., (453) (2002) 221
 Ozsoz, M., *see* Kerman, K., (462) (2002) 39
 Özvatan, N., *see* Kavaklı, C., (464) (2002) 313

P

Packer, A.P., *see* Miranda, C.E.S., (453) (2002) 301
 Padarauskas, A., *see* Paliulionyte, V., (466) (2002) 133
 Padrón Sanz, C., Sosa Ferrera, Z. and Santana Rodríguez, J.J., Extraction and preconcentration of polychlorinated dibenzo-p-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, (470) (2002) 205
 Paeng, K.J., *see* Lim, S.M., (453) (2002) 81
 Paiga, P., *see* Oliva-Teles, M.T., (467) (2002) 97
 Page, R.H., *see* Lee, M.A., (457) (2002) 61
 Pagès, J., *see* Blanco, M., (463) (2002) 295
 Paixão, T.R., Corbo, D. and Bertotti, M., Amperometric determination of ethanol in beverages at copper electrodes in alkaline medium, (472) (2002) 123
 Palchetti, I., *see* Lucarelli, F., (469) (2002) 93
 Paleček, E., Kizek, R., Havran, L., Billova, S. and Fojta, M., Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, (469) (2002) 73
 Paleologos, E.K., Giokas, D.L., Tzouwara-Karayanni, S.M. and Karayannis, M.I., Micelle mediated methodology for the determination of free and bound iron in wines by flame atomic absorption spectrometry, (458) (2002) 241
 Paleologos, E.K., Prodromidis, M.I., Giokas, D.L., Pappas, A.C. and Karayannis, M.I., Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, (467) (2002) 205
 Paliulionyte, V. and Padarauskas, A., Single-run capillary electrophoretic speciation of iodide and iodine, (466) (2002) 133
 Palma, M. and Barroso, C.G., Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and wine-making by-products, (458) (2002) 119
 Palmer, D.A., *see* Hu, S.J., (454) (2002) 31
 Pan, J., *see* Zhang, G., (474) (2002) 189
 Pan, Z., Zou, H., Mo, W., Huang, X. and Wu, R., Protein A immobilized monolithic capillary column for affinity chromatography, (466) (2002) 141
 Panagiotopoulos, D.P., *see* Mazonakis, N.E., (467) (2002) 261
 Pancrazio, J.J., *see* Lin, H.J., (457) (2002) 97
 Pandey, S., *see* Fletcher, K.A., (453) (2002) 89
 Pandey, S., *see* Fletcher, K.A., (453) (2002) 89
 Paniz, J.N.G., *see* Dressler, V.L., (466) (2002) 117
 Paolesse, R., *see* Di Natale, C., (459) (2002) 107
 Paolillo, A., *see* Leitner, A., (453) (2002) 33
 Papadopoulos, K., Triantis, T., Tzikis, C.H., Nikokavoura, A. and Dimotikali, D., Investigations of the adulteration of extra virgin olive oils with seed oils using their weak chemiluminescence, (464) (2002) 135
 Papadopoulou-Bouraoui, A., *see* Leitner, A., (453) (2002) 33
 Papkovsky, D., *see* Carty, P., (453) (2002) 269
 Papkovsky, D., *see* Kulmala, S., (453) (2002) 253
 Pappa, A., *see* Statheropoulos, M., (461) (2002) 215
 Pappas, A.C., Prodromidis, M.I. and Karayannis, M.I., Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD⁺-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, (467) (2002) 225
 Pappas, A.C., *see* Paleologos, E.K., (467) (2002) 205
 Pappas, A.C., Stalikas, C.D., Fiamegos, Y.C. and Karayannis, M.I., Determination of hydrogen peroxide by using a flow injection system with immobilized peroxidase and long pathlength capillary spectrophotometry, (455) (2002) 305
 Pardo, F., *see* Díaz-Plaza, E.M., (458) (2002) 139
 Parham, H. and Zargar, B., Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current chronopotentiometry and square wave voltammetry, (464) (2002) 115
 Park, J., *see* Chung, H., (471) (2002) 195
 Park, S.M. and Choi, H.S., Sensitized spectrophotometric determination of trace Hg(II) in benzalkonium chloride media, (459) (2002) 75
 Park, Y.-J., Lee, D.W. and Lee, W.-Y., Determination of β-blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, (471) (2002) 51
 Park, Y.J., *see* Lee, C.H., (475) (2003) 171
 Pasquini, C., *see* Neto, A.C., (472) (2002) 141
 Paterson, A., *see* Escalona, H., (458) (2002) 45
 Patra, D. and Mishra, A.K., Study of diesel fuel contamination by excitation emission matrix spectral subtraction fluorescence, (454) (2002) 209

Paździoch-Czochra, M. and Widerńska, A., Spectrofluorimetric determination of hydrogen peroxide scavenging activity, (452) (2002) 177

Pazirandeh, M., *see* Shriner-Lake, L.C., (470) (2002) 71

Pazirandeh, M.P., *see* Goldman, E.R., (457) (2002) 13

Pedrochi, C., *see* Nerín, C., (464) (2002) 303

Pei, R., Yang, X. and Wang, E., Enhanced surface plasmon resonance immunoassay for human complement factor 4, (453) (2002) 173

Pell, R.J., *see* Leardi, R., (461) (2002) 189

Pellegrino, P.M., Fell Jr., N.F. and Gillespie, J.B., Enhanced spore detection using dipicolinate extraction techniques, (455) (2002) 167

Peng, T.-Z., *see* Li, J.P., (455) (2002) 53

Perdikaki, K., Tsagkatakis, I., Chaniotakis, N.A., Altmann, R., Jurkschat, K. and Reeske, G., Selective fluoride recognition and potentiometric properties of ion-selective electrodes based on bis(halodiphenylstannyl)alkanes, (467) (2002) 197

Pereira, O., *see* Moreira, N., (458) (2002) 157

Pereiro, R., *see* de la Riva, B.S.V., (455) (2002) 179

Pereiro, R., *see* Rodríguez-Fernández, J., (471) (2002) 13

Pereiro, R., *see* San Vicente de la Riva, B., (451) (2002) 203

Pérez Arroyo, J., *see* Lemus Gallego, J.M., (460) (2002) 85

Pérez Gilabert, M. and Carmona, F.G., Chromatographic analysis of lipoxygenase products, (465) (2002) 319

Pérez Pavón, J.L., *see* Cerrato Oliveros, M.C., (459) (2002) 219

Pérez-Arribas, L.V., *see* Rosales-Conrado, N., (470) (2002) 147

Pérez-Bendito, D., *see* Sicilia, D., (460) (2002) 13

Pérez-Coello, M.S., *see* Castro Vázquez, L., (458) (2002) 39

Pérez-Juan, P., *see* González-Rodríguez, J., (471) (2002) 105

Pérez-Magariño, S., Ortega-Heras, M. and González-San José, M.L., Multivariate classification of rosé wines from different Spanish protected designations of origin, (458) (2002) 187

Pérez-Magariño, S., *see* Rivero-Pérez, M.D., (458) (2002) 169

Pérez-Trujillo, J.P., *see* Barbaste, M., (472) (2002) 161

Peris, M., Present and future of expert systems in food analysis, (454) (2002) 1

Perrin, F.X., *see* Courderot, C.M., (457) (2002) 149

Persson, P., Barisic, Z., Cohen, A., Thörneby, L. and Gorton, L., Countercurrent supercritical fluid extraction of phenolic compounds from aqueous matrices, (460) (2002) 1

Petänen, T. and Romantschuk, M., Use of bioluminescent bacterial sensors as an alternative method for measuring heavy metals in soil extracts, (456) (2002) 55

Peter Yurawecz, M., *see* Roach, J.A.G., (465) (2002) 207

Petkov, P., *see* Yordanov, N.D., (453) (2002) 155

Petrovic, M., *see* Farré, M., (456) (2002) 19

Pettit, C.M., *see* Garland, J.E., (475) (2003) 47

Peuravuori, J., Lehtonen, T. and Pihlaja, K., Sorption of aquatic humic matter by DAX-8 and XAD-8 resins. Comparative study using pyrolysis gas chromatography, (471) (2002) 219

Pfeiffer, D., *see* Nistor, C., (456) (2002) 3

Piccardo, M.T., *see* Stella, A., (461) (2002) 201

Picó, Y., *see* Blasco, C., (461) (2002) 109

Piedra, L., *see* Fernández-Alba, A.R., (456) (2002) 303

Piggott, J.R., *see* Escalona, H., (458) (2002) 45

Pihlaja, K., *see* Peuravuori, J., (471) (2002) 219

Pilar Marco, M., *see* Galve, R., (452) (2002) 191

Piletsky, S., *see* Tang, A.X.J., (471) (2002) 33

Piletz, J.E., *see* Zhao, S., (470) (2002) 155

Pilidis, G., *see* Flamegos, Y., (467) (2002) 105

Pimenta, A.M., Araújo, A.N. and Montenegro, M.C.B.S.M., Simultaneous potentiometric and fluorimetric determination of diclofenac in a sequential injection analysis system, (470) (2002) 185

Pin, C., *see* Yang, X.J., (458) (2002) 375

Ping, D.J., *see* Nan, C.G., (452) (2002) 245

Pingarrón, J.M., *see* Agú, L., (461) (2002) 65

Pingarrón, J.M., *see* Mena, M.L., (451) (2002) 297

Piot, J.M., *see* Cohen, M., (461) (2002) 229

Pishko, M.V., *see* Simonian, A.L., (466) (2002) 201

Piunno, P.A. and Krull, U.J., Preface, (469) (2002) 1

Piunno, P.A.E., *see* Almadidy, A., (461) (2002) 37

Piunno, P.A.E., *see* Watterson, J., (469) (2002) 115

Piunno, P.A.E., *see* Watterson, J.H., (457) (2002) 29

Pizá, N., Miró, M., de Armas, G., Becerra, E., Estela, J.M. and Cerdà, V., Implementation of chemiluminescence detection in the multisyringe flow injection technique, (467) (2002) 155

Pletnev, I.V. and Zernov, V.V., Classification of metal ions according to their complexing properties: a data-driven approach, (455) (2002) 131

Poelmans, S., De Wasch, K., De Brabander, H.F., Van De Wiele, M., Courteyn, D., van Ginkel, L.A., Sterk, S.S., Delahaut, P., Dubois, M., Schilt, R., Nielen, M., Vercammen, J., Impens, S., Stephany, R., Hamoir, T., Pottie, G., VPoelmans, S., *see* De Wasch, K., (473) (2002) 39

Poelmans, S., *see* De Wasch, K., (473) (2002) 59

Pohl, P. and Zymicki, W., Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, (468) (2002) 71

Polo, M.C., *see* Moreno-Arribas, M.V., (458) (2002) 63

Polo-Díez, L.M., *see* Rosales-Conrado, N., (470) (2002) 147

Poncin-Epaillard, F., *see* Nicolas-Debarnot, D., (475) (2003) 1

Pongsakul, P., *see* Chomchoei, R., (472) (2002) 147

Poppi, R.J., *see* Fidencio, P.H., (453) (2002) 125

Porrà, R., *see* Gagliardi, L., (457) (2002) 187

Portier, R.-B., *see* Lipe, L.L., (455) (2002) 287

Pospíšilová, M., *see* Hájková, R., (467) (2002) 91

Postma, G.J., *see* de Groot, P.J., (453) (2002) 117

Pottie, G., *see* Poelmans, S., (473) (2002) 39

Pouliquen, H., *see* Delépée, R., (475) (2003) 117

Poursaberi, T., *see* Ganjali, M.R., (475) (2003) 59

Poustka, J., *see* Prokúpková, G., (457) (2002) 211

Powdrill, T., *see* Mitra, R., (469) (2002) 141

Pozebon, D., *see* Dressler, V.L., (466) (2002) 117

Pozebon, D., *see* Martins, P., (470) (2002) 195

Prada-Rodríguez, D., *see* Moreda-Piñeiro, J., (460) (2002) 111

Prada-Rodríguez, D., *see* Moreda-Piñeiro, J., (461) (2002) 261

Prados-Rosales, R.C., Luque-García, J.L. and Luque de Castro, M.D., Propelling devices: the heart of flow injection approaches, (461) (2002) 169

Prados-Rosales, R.C., *see* Herrera, M.C., (463) (2002) 189

Prats, R., *see* Martínez-Barrachina, S., (454) (2002) 217

Pravda, M., *see* O'Regan, T.M., (460) (2002) 141
 Pravda, M., *see* Tang, A.X.J., (471) (2002) 33
 Pravdova, V., Boucon, C., de Jong, S., Walczak, B. and Massart, D.L., Three-way principal component analysis applied to food analysis: an example, (462) (2002) 133
 Pravdova, V., *see* Vander Heyden, Y., (458) (2002) 397
 Pravdova, V., Walczak, B. and Massart, D.L., A comparison of two algorithms for warping of analytical signals, (456) (2002) 77
 Prenesti, E., Daniele, P.G. and Toso, S., Visible spectrophotometric determination of metal ions: the influence of structure on molar absorptivity value of copper(II) complexes in aqueous solution, (459) (2002) 323
 Pretsch, E., *see* Ion, A.C., (452) (2002) 329
 Pretsch, E., *see* Reichmuth, P., (464) (2002) 79
 Price, R.L., *see* Squirrell, D.J., (457) (2002) 109
 Prior, J.A.V., *see* Lima, J.L.F.C., (467) (2002) 75
 Privat, C., *see* Monje, M.-C., (458) (2002) 111
 Prodromidis, M.I., *see* Paleologos, E.K., (467) (2002) 205
 Prodromidis, M.I., *see* Pappas, A.C., (467) (2002) 225
 Prokůpková, G., Holadová, K., Poustka, J. and Hajšlová, J., Development of a solid-phase microextraction method for the determination of phthalic acid esters in water, (457) (2002) 211
 Pu, Q., *see* Zhang, S., (452) (2002) 223
 Puchades, R., *see* Noguera, P., (460) (2002) 279
 Pueyo, E., *see* Moreno-Arribas, M.V., (458) (2002) 63
 Pulido, A., Ruisánchez, I., Boqué, R. and Rius, F.X., Estimating the uncertainty of binary test results to assess their compliance with regulatory limits, (455) (2002) 267
 Püntener, M., *see* Reichmuth, P., (464) (2002) 79
 Purcell, S.D., *see* Barnett, N.W., (458) (2002) 291
 Purinton, S.M., *see* Lipe, L.L., (455) (2002) 287
 Puxty, G., *see* Maeder, M., (464) (2002) 249

Q

Qin, C.H., *see* Nan, C.G., (452) (2002) 245
 Qin, W., Liu, W. and Tan, M., Study on the new fluorescence enhancement system of Tb-1,10-bis(2'-carboxyphenyl)-1,4,7,10-tetraoxadecane in silver chloride collosol and its analytical application, (468) (2002) 287
 Qu, F., *see* Lu, C., (474) (2002) 107
 Queiroz, Z.F., Rocha, F.R.P., Knapp, G. and Krug, F.J., Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W-Rh permanent modifier for copper determination in seawater, (463) (2002) 275
 Quentel, F. and Filella, M., Determination of inorganic antimony species in seawater by differential pulse anodic stripping voltammetry: stability of the trivalent state, (452) (2002) 237
 Questier, F., *see* Vander Heyden, Y., (458) (2002) 397
 Questier, F., Walczak, B., Massart, D.L., Boucon, C. and de Jong, S., Feature selection for hierarchical clustering, (466) (2002) 311
 Quintás, G., *see* Armenta, S., (468) (2002) 81
 Quiring, D.V., *see* Waite, D.T., (467) (2002) 245

R

Rabbow, E., Rettberg, P., Baumstark-Khan, C. and Horneck, G., SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, (456) (2002) 31
 Raggi, M.A., *see* Bugamelli, F., (472) (2002) 1
 Raggio, V., *see* Forina, M., (454) (2002) 13
 Raha, S., *see* Almadid, A., (461) (2002) 37
 Rajan Premkumar, J., Rosen, R., Belkin, S. and Lev, O., Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, (462) (2002) 11
 Rakic, M., *see* Gulcev, M.D., (457) (2002) 47
 Ramos, L., *see* Bakhtiar, R., (469) (2002) 261
 Rangel, A.O.S.S., *see* Segundo, M.A., (458) (2002) 131
 Rapala, J., Erkoma, K., Kukkonen, J., Sivonen, K. and Lahti, K., Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography-UV detection and enzyme-linked immunosorbent assay. Comparison of methods, (466) (2002) 213
 Rastegar, M.F., *see* Ganjali, M.R., (464) (2002) 181
 Rauret, G., *see* Mellado, J., (458) (2002) 367
 Rauret, G., *see* Sastre, J., (462) (2002) 59
 Rauret, G., *see* Tarancón, A., (463) (2002) 125
 Rauret, G., *see* Tarancón, A., (471) (2002) 135
 Ravaee, F., *see* Kompany-Zareh, M., (471) (2002) 97
 Ravikumar, M.N.V., *see* Kumar, N., (465) (2002) 257
 RaviShankar, D., *see* Sajeev, C., (463) (2002) 207
 Razavi, R., *see* Mashhadizadeh, M.H., (462) (2002) 245
 Razee, S. and Masujima, T., Uptake monitoring of anilines and phenols using modified zeolites, (464) (2002) 1
 Razungles, A., *see* Baumes, R., (458) (2002) 3
 Readman, J.W., *see* Fillmann, G., (461) (2002) 75
 Redaelli, A., *see* Stella, A., (461) (2002) 201
 Reddy, S.M. and Vadgama, P., Entrapment of glucose oxidase in non-porous poly(vinyl chloride), (461) (2002) 57
 Reddy, S.M., *see* Karousos, N.G., (469) (2002) 189
 Reder, S., *see* Kröger, K., (469) (2002) 37
 Reeske, G., *see* Perdikaki, K., (467) (2002) 197
 Reichmuth, P., van der Wal, P.D., Püntener, M., Schöning-Hammer, A., Morf, W.E., de Rooij, N.F. and Pretsch, E., Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, (464) (2002) 79
 Reid, J., *see* Dickson, L.C., (473) (2002) 111
 Reis, B.F., *see* Lapa, R.A.S., (466) (2002) 125
 Reis, B.F., *see* Lima, J.L.F.C., (467) (2002) 75
 Reis, B.F., *see* Miranda, C.E.S., (453) (2002) 301
 Reis, B.F., *see* Rocha, F.R.P., (468) (2002) 119
 Ren, J., Fang, N. and Wu, D., Inverse-flow derivatization for capillary electrophoresis of DNA fragments with laser-induced fluorescence detection, (470) (2002) 129
 Rentier-Delrue, F.V., *see* Scippo, M.L., (473) (2002) 135
 Rettberg, P., *see* Rabbow, E., (456) (2002) 31
 Reviejo, A.J., *see* Mena, M.L., (451) (2002) 297
 Revzin, A., *see* Simonian, A.L., (466) (2002) 201

Reybier, K., *see* Hamlaoui, M.L., (466) (2002) 39

Reyero, J.R., *see* Díaz-Plaza, E.M., (458) (2002) 139

Reyes, L., *see* Navalón, A., (454) (2002) 83

Reynolds, J.C., *see* French, C.R., (453) (2002) 13

Rezanka, T. and Votruba, J., Chromatography of very long-chain fatty acids from animal and plant kingdoms, (465) (2002) 273

Rhazi, M.E., *see* Majid, S., (464) (2002) 123

Rhee, J.I., Yamashita, M. and Scheper, Th., Development of xylitol oxidase-based flow injection analysis for monitoring of xylitol concentrations, (456) (2002) 293

Ribeiro, C.M.E., Matos, C.D., Sales, M.G.F. and Vaz, M.C.V.F., Citrate selective electrodes for the flow injection analysis of soft drinks, beers and pharmaceutical products, (471) (2002) 41

Ribeiro, J.L.A., *see* Esteves da Silva, J.C.G., (453) (2002) 105

Riekkola, M.-L., *see* Andersson, T., (466) (2002) 93

Ringmann, S., Boch, K., Marquardt, W., Schuster, M., Schlemmer, G. and Kainrath, P., Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electrothermal atomic absorption spectrometry, (452) (2002) 207

Ríos, A., *see* Manganiello, L., (456) (2002) 93

Risse, C., *see* Boch, K., (459) (2002) 257

Rius, F.X., *see* Pulido, A., (455) (2002) 267

Rivas, G.A., *see* Rodríguez, M.C., (459) (2002) 43

Rivas-Gonzalo, J.C., *see* Vivar-Quintana, A.M., (458) (2002) 147

Rivero-Pérez, M.D., Pérez-Magariño, S. and González-San José, M.L., Role of melanoidins in sweet wines, (458) (2002) 169

Roach, J.A.G., Mossoba, M.M., Peter Yurawecz, M. and Kramer, J.K.G., Chromatographic separation and identification of conjugated linoleic acid isomers, (465) (2002) 207

Rocha, C.A., *see* Magalhães, C.G., (464) (2002) 323

Rocha, F.R.P., Reis, B.F., Zagatto, E.A.G., Lima, J.L.F.C., Lapa, R.A.S. and Santos, J.L.M., Multicommutation in flow analysis: concepts, applications and trends, (468) (2002) 119

Rocha, F.R.P., *see* Queiroz, Z.F., (463) (2002) 275

Rocha, I. and Ferreira, E.C., On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, (462) (2002) 293

Roda, A., *see* Girotti, S., (471) (2002) 113

Rodríguez, M.C. and Rivas, G.A., Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, (459) (2002) 43

Rodríguez-Fernández, J., Pereiro, R. and Sanz-Medel, A., Optical fibre sensor for hydrogen sulphide monitoring in mouth air, (471) (2002) 13

Rodríguez-Méndez, M.L., *see* Guadarrama, A., (455) (2002) 41

Rodríguez-Ubis, J.C., *see* Noguera, P., (460) (2002) 279

Rodushkin, I., *see* Malinovsky, D., (463) (2002) 111

Roemen, T.H.M., *see* Hasselbank, D.M., (465) (2002) 351

Romantschuk, M., *see* Petänen, T., (456) (2002) 55

Rosa Festa, M., *see* Armanino, C., (454) (2002) 315

Rosales-Conrado, N., León-González, M.E., Pérez-Arribas, L.V. and Polo-Díez, L.M., Determination of chlorophenoxy acid herbicides and their esters in soil by capillary high performance liquid chromatography with ultraviolet detection, using large volume injection and temperature gradient, (470) (2002) 147

Rose, A., *see* Nistor, C., (456) (2002) 3

Rosen, R., *see* Rajan Premkumar, J., (462) (2002) 11

Rosenfeld, J.M., Application of analytical derivatizations to the quantitative and qualitative determination of fatty acids, (465) (2002) 93

Rosés, M., *see* Canals, I., (458) (2002) 355

Rosés, M., *see* Espinosa, S., (454) (2002) 157

Rosman, K.J.R., *see* Burton, G.R., (469) (2002) 225

Rosman, K.J.R., *see* Vallelonga, P., (453) (2002) 1

Rotariu, L., Bala, C. and Magearu, V., Yeast cells sucrose bio-sensor based on a potentiometric oxygen electrode, (458) (2002) 215

Roy, D., *see* Garland, J.E., (475) (2003) 47

Rozenbakh, I., Odham, G., Järnberg, U., Alsborg, T. and Klavins, M., Characterisation of humic substances by acid catalysed transesterification, (452) (2002) 105

Rubio, S., *see* Sicilia, D., (460) (2002) 13

Ruedas Rama, M.J., Ruiz Medina, A. and Molina Díaz, A., Use of a solid sensing zone implemented with unsegmented flow analysis for simultaneous determination of thiabendazole and warfarin, (459) (2002) 235

Ruisánchez, I., *see* Pulido, A., (455) (2002) 267

Ruiz Medina, A., *see* Ruedas Rama M.J., (459) (2002) 235

Ruiz-Angel, M.J., Carda-Broch, S., Torres-Lapasió, J.R., Simó-Alfonso, E.F. and García-Alvarez-Coque, M.C., Micellar-organic versus aqueous-organic mobile phases for the screening of β-blockers, (454) (2002) 109

Russell, R.A., *see* Bos, R., (454) (2002) 147

Rutan, S., *see* Bezemer, E., (459) (2002) 277

Rutledge, D.N. and Barros, A.S., Durbin-Watson statistic as a morphological estimator of information content, (454) (2002) 277

Rutledge, D.N., *see* Ducauze, C.J., (458) (2002) 1

Ruzgas, T., *see* Nistor, C., (456) (2002) 3

Rybábova, I.A., *see* Eremin, S.A., (468) (2002) 229

Rydberg, E., *see* Winquist, F., (471) (2002) 159

Rykowska, I. and Wasik, W., Gas chromatography silica packings with chemically bonded complexes of Cu(II) and Cr(III), (451) (2002) 271

S

Sabbioni, C., *see* Bugamelli, F., (472) (2002) 1

Sacco, A., *see* Brescia, M.A., (458) (2002) 177

Sadler, D.A., *see* Kamaledin Setarehdan, S., (452) (2002) 35

Saed Al Deen, T., Brynn Hibbert, D., Hook, J.M. and Wells, R.J., Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-4-bromo-2-chlorophenyl) *O*-ethyl *S*-propyl phosphorothioate) measured by ¹H and ³¹P QNMR spectrometry, (474) (2002) 125

Safavi, A. and Karimi, M.A., Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, (468) (2002) 53

Safavi, A., Abdollahi, H. and Bagheri, M., Spectral curve deconvolution in micellar systems with H-point curve isolation and H-point standard addition methods, (459) (2002) 119

Saha, R.N., *see* Sajeev, C., (463) (2002) 207

Sahuquillo, A., *see* Sastre, J., (462) (2002) 59

Saitoh, T., Taguchi, K. and Hiraide, M., Evaluation of hydrophobic properties of sodium dodecylsulfate/ γ -alumina admicelles based on fluorescence spectra of *N*-phenyl-1-naphthylamine, (454) (2002) 203

Saitta, M., Curto, S.L., Salvo, F., Bella, G.D. and Dugo, G., Gas chromatographic-tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils, (466) (2002) 335

Sajeev, C., Jadhav, P.R., RaviShankar, D. and Saha, R.N., Determination of flurbiprofen in pharmaceutical formulations by UV spectrophotometry and liquid chromatography, (463) (2002) 207

Sajiki, J. and Yonekubo, J., Determination of free polyunsaturated fatty acids and their oxidative metabolites by high-performance liquid chromatography (HPLC) and mass spectrometry (MS), (465) (2002) 417

Sajjadi, M., *see* Kompany-Zareh, M., (469) (2002) 303

Sakami, H., *see* Takahashi, Y., (468) (2002) 345

Sakellarides, T.M., *see* Sakkas, V.A., (467) (2002) 233

Sakkas, V.A., Lambropoulou, D.A., Sakellarides, T.M. and Albanis, T.A., Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO_2 suspensions, (467) (2002) 233

Sakkas, V.A., *see* Lambropoulou, D.A., (468) (2002) 171

Salager, J.L., *see* Márquez, N., (452) (2002) 129

Sales, M.G.F., *see* Ribeiro, C.M.F., (471) (2002) 41

Salgado, C., *see* González, J.C., (466) (2002) 233

Saligari, E., *see* Gambaro, V., (468) (2002) 245

Salih, B., *see* Kavaklı, C., (464) (2002) 313

Salinas, M.R., *see* Díaz-Plaza, E.M., (458) (2002) 139

Salvador, A., *see* Chisvert, A., (464) (2002) 295

Salvador, A., *see* Townsend, A., (462) (2002) 209

Salavati Niasari, M., *see* Mazloum Ardakani, M., (462) (2002) 25

Salvo, F., *see* Saitta, M., (466) (2002) 335

San Vicente de la Riva, B., Costa-Fernández, J.M., Pereiro, R. and Sanz-Medel, A., Spectrofluorimetric method for the rapid screening of toxic heavy metals in water samples, (451) (2002) 203

Sancenón, F., *see* Lizondo-Sabater, J., (459) (2002) 229

Sánchez Navarro, A., *see* Martínez Martínez, M.S., (459) (2002) 143

Sánchez, A., *see* Chicharro, M., (469) (2002) 243

Sánchez-Baeza, F., *see* Galve, R., (452) (2002) 191

Sánchez-Pedreño, C., Ortuño, J.A. and Hernández, J., Chronocoulometric flow-injection analysis with solvent polymeric membrane ion sensors, (459) (2002) 11

Sánchez-Polo, M., *see* Segura Carretero, A., (474) (2002) 91

Sanderse, H.R., *see* de Rijke, E., (468) (2002) 3

Sandroni, V. and Smith, C.M.M., Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, (468) (2002) 335

Sanger, R.C., *see* Fillmann, G., (461) (2002) 75

Sangi, M.R., Halstead, M.J. and Hunter, K.A., Use of the diffusion gradient thin film method to measure trace metals in fresh waters at low ionic strength, (456) (2002) 241

Santana Rodríguez, J.J., *see* Padrón Sanz, C., (470) (2002) 205

Santos, E., *see* Fangueiro, D., (459) (2002) 245

Santos, J.L.M., *see* Lapa, R.A.S., (466) (2002) 125

Santos, J.L.M., *see* Lima, J.L.F.C., (467) (2002) 75

Santos, J.L.M., *see* Rocha, F.R.F.C., (468) (2002) 119

Santos, J.L.M., *see* Carneiro, J.M.T., (474) (2002) 161

Santos-Buelga, C., *see* Vivar-Quintana, A.M., (458) (2002) 147

Santucci, R., *see* Favero, G., (460) (2002) 23

Sanz-Medel, A., *see* de la Riva, B.S.V., (455) (2002) 179

Sanz-Medel, A., *see* Rodríguez-Fernández, J., (471) (2002) 13

Sanz-Medel, A., *see* San Vicente de la Riva, B., (451) (2002) 203

Sarabia, L., *see* Barbaste, M., (472) (2002) 161

Saraçoğlu, S. and Elçi, L., Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectroscopy, (452) (2002) 77

Sartaguda, M., *see* Nerín, C., (464) (2002) 303

Sarzanini, C., *see* Tanaka, K., (474) (2002) 31

Šašić, S., Ozaki, Y., Kleemann, M. and Siesler, H.W., On the ambiguity of self-modeling curve resolution: orthogonal projection approach analysis of the on-line Fourier transform-Raman spectra of styrene/1,3-butadiene block-copolymerization, (460) (2002) 73

Šašić, S., Ozaki, Y., Olinga, A. and Siesler, H.W., Comparison of various chemometric evaluation approaches for on-line FT-NIR transmission and FT-MIR/ATR spectroscopic data of methyl methacrylate solution polymerization, (452) (2002) 265

Sastre, J., Sahuquillo, A., Vidal, M. and Rauret, G., Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, (462) (2002) 59

Satake, A., *see* Watanabe, H., (472) (2002) 45

Šatinský, D., Karlický, R. and Svoboda, A., Using on-line solid phase extraction for flow-injection spectrophotometric determination of salbutamol, (455) (2002) 103

Sato, N., Usui, K. and Okuma, H., Development of a bienzyme reactor sensor system for the determination of ornithine, (456) (2002) 219

Saurina, J., López-Aviles, E., Le Moal, A. and Hernández-Cassou, S., Determination of calcium and total hardness in natural waters using a potentiometric sensor array, (464) (2002) 89

Saurina, J., *see* Domingo, C., (452) (2002) 311

Sauvage, L., Frank, D., Stearne, J. and Millikan, M.B., Trace metal studies of selected white wines: an alternative approach, (458) (2002) 223

Sawula, G., *see* Torto, N., (456) (2002) 253

Sayour, H.E.M., *see* Hassan, S.S.M., (466) (2002) 47

Scaccia, S. and Carewska, M., Determination of stoichiometry of $Li_{1+x}CoO_2$ materials by flame atomic absorption spectrometry and automated potentiometric titration, (455) (2002) 35

Šícha, J., *see* Hájková, R., (467) (2002) 91

Schechter, I., *see* Bulatov, V., (466) (2002) 1

Scheithauer, W., *see* Yacoub-George, E., (457) (2002) 3

Scheller, F., *see* Stöllner, D., (470) (2002) 111

Scheper, Th., *see* Rhee, J.I., (456) (2002) 293

Schiffer, B., *see* Lange, I.G., (473) (2002) 27

Schilt, R., *see* Impens, S., (473) (2002) 53

Schilt, R., *see* Poelmans, S., (473) (2002) 39

Schlegel, W., *see* John, H., (465) (2002) 441

Schlemmer, G., *see* Ringmann, S., (452) (2002) 207

Schmid, M.G., *see* Silvaeih, H., (463) (2002) 5

Schneider, P., *see* Ballesteros, B., (475) (2003) 105

Schöning, M.J., *see* Ermolenko, Y., (459) (2002) 1

Schöning, M.J., *see* Wang, J., (469) (2002) 197

Schöning-Hammer, A., *see* Reichmuth, P., (464) (2002) 79

Schröder, K.H., *see* Mikkelsen, Ø., (458) (2002) 249

Schuhmann, W., *see* Niculescu, M., (463) (2002) 39

Schurig, V., *see* Silvaeih, H., (463) (2002) 5

Schuster, K.C., *see* Grube, M., (471) (2002) 127

Schuster, M., *see* Boch, K., (459) (2002) 257

Schuster, M., *see* Ringmann, S., (452) (2002) 207

Schwarzer, M., *see* Boch, K., (459) (2002) 257

Schwerha, D.J., Orr, C.S., Chen, B.T. and Soderholm, S.C., Direct-on-filter analysis of crystalline silica using photoacoustic Fourier transform-infrared spectroscopy, (457) (2002) 257

Scippo, M.L., *see* Willemse, P., (473) (2002) 119

Scippo, M.L., Weerd, C.V.D., Willemse, P., François, J.M., Renter-Delrue, F.V., Muller, M., Martial, J.A. and Maghui-Rogister, G., Detection of illegal growth promoters in biological samples using receptor binding assays, (473) (2002) 135

Scopece, P., *see* Ugo, P., (474) (2002) 147

Scott, A., *see* Vander Heyden, Y., (458) (2002) 397

Scott Saavedra, S., *see* Skrdla, P.J., (455) (2002) 49

Searle, C., *see* Boenke, A., (473) (2002) 161

Seasholtz, M.B., *see* Leardi, R., (461) (2002) 189

Seguí, M.J., *see* Lizondo-Sabater, J., (459) (2002) 229

Segundo, M.A. and Rangel, A.O.S.S., Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, (458) (2002) 131

Segura Carretero, A., Cruces-Blanco, C., Sánchez-Polo, M., Ávila-Rosón, J.C. and Fernández Gutiérrez, A., Study of different normal-microemulsion compositions by room-temperature phosphorescence to determine benzo[a]pyrene in environmental samples, (474) (2002) 91

Segura, J., *see* Jiménez, C., (460) (2002) 289

Segura-Carretero, A., *see* Fernández-Sánchez, J.F., (462) (2002) 217

Sekiya, N., *see* Toda, K., (463) (2002) 219

Sell, K., *see* Byrne, R.H., (451) (2002) 221

Semenova, N.V., Leal, L.O., Fortea, R. and Cerdà, V., Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, (455) (2002) 277

Señoráns, F.J. and Ibañez, E., Analysis of fatty acids in foods by supercritical fluid chromatography, (465) (2002) 131

Şentürk, Z., *see* Özkan, S.A., (453) (2002) 221

Seppänen-Laakso, T., Laakso, I. and Hiltunen, R., Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, (465) (2002) 39

Shamsipur, M., Hemmateenejad, B. and Akhond, M., Multicomponent acid-base titration by principal component-artificial neural network calibration, (461) (2002) 147

Shamsipur, M., Javanbakht, M., Lippolis, V., Garau, A., Filippo, G.D., Ganjali, M.R. and Yari, A., Novel Ag⁺ ion-selective electrodes based on two new mixed azathioether crowns containing a 1,10-phenanthroline sub-unit, (462) (2002) 225

Shamsipur, M., *see* Alizadeh, N., (464) (2002) 187

Shamsipur, M., *see* Fakhari, A.R., (460) (2002) 177

Shamsipur, M., *see* Ganjali, M.R., (464) (2002) 181

Shamsipur, M., *see* Ganjali, M.R., (475) (2003) 59

Shan, G., *see* Shelver, W.L., (457) (2002) 199

Shan, Y., Zhao, R., Xu, G., Liebich, H.M. and Zhang, Y., Application of probabilistic neural network in the clinical diagnosis of cancers based on clinical chemistry data, (471) (2002) 77

Shang, X. and Yuan, Z., Determination of six components in Rhubarb by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium cholate and sodium taurocholate, (456) (2002) 183

Shaomin, S., Yu, Y. and Jinghao, P., Study on molecular recognition of para-aminobenzoic acid species by α-, β- and hydroxypropyl-β-cyclodextrin, (458) (2002) 305

Sharma, R., *see* Crossan, A.N., (468) (2002) 199

Shchyogolev, S.Yu., *see* Gulyi, O.I., (462) (2002) 165

Sheedy, C., *see* Churchill, R.L.T., (468) (2002) 185

Shelver, W.L., Shan, G., Gee, S.J., Stanker, L.H. and Hammock, B.D., Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-p-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies, (457) (2002) 199

Shen, G.-L., *see* Hu, S.-Q., (458) (2002) 297

Shen, W., *see* Yu, M., (456) (2002) 147

Shen, Y.L., Wu, H.L., Ko, W.K. and Wu, S.M., Simultaneous determination of clozapine, clozapine N-oxide, N-desmethylclozapine, risperidone, and 9-hydroxyrisperidone in plasma by high performance liquid chromatography with ultraviolet detection, (460) (2002) 201

Shi, F., Wolzman, S.J. and Weber, S.G., Kinetics of the post-column complexation reaction of Cu(II) with N-formylmethionyl chemotactant and chemotactic peptides, (474) (2002) 1

Shi, G., *see* Zhu, M., (455) (2002) 199

Shi, J., Li, J., Zhu, Y., Wei, F. and Zhang, X., Nanosized SrCO₃-based chemiluminescence sensor for ethanol, (466) (2002) 69

Shiku, H., *see* Kasai, S., (458) (2002) 263

Shimabukuro, Y., *see* Chikuma, T., (457) (2002) 157

Shin, J.H., *see* Choi, S.H., (461) (2002) 251

Shiowatana, J., *see* Chomchoei, R., (472) (2002) 147

Shishani, E., *see* Hoffman, M.K., (473) (2002) 49

Shkinev, V.M., *see* Zavarzina, A.G., (452) (2002) 95

Shotyk, W., *see* Krachler, M., (458) (2002) 387

Shipgun, O.A., *see* Dmitrienko, S.G., (469) (2002) 295

Shrago, E. and Woldegiorgis, G., Isolation and separation of individual long-chain acyl-coenzyme A esters, (465) (2002) 427

Shriver-Lake, L.C., Gammeter, W.B., Bang, S.S. and Pazirandeh, M., Covalent binding of genetically engineered microorganisms to porous glass beads, (470) (2002) 71

Shuang, S., *see* Zhang, G., (474) (2002) 189

Shugar, D., *see* Wierzchowski, J., (472) (2002) 63

Shuyu, C., Zhifeng, Z. and Huaming, Y., Dithione as chelator in the flow injection separation and pre-concentration system of trace metals in biological samples, (451) (2002) 305

Siafaka, I., *see* Dotsikas, Y., (459) (2002) 177

Sicilia, D., Rubio, S. and Pérez-Bendito, D., Evaluation of the factors affecting extraction of organic compounds based on the acid-induced phase cloud point approach, (460) (2002) 13

Siddle, A.L., *see* Lee, M.A., (457) (2002) 61

Siesler, H.W., *see* Šašić, S., (452) (2002) 265

Siesler, H.W., *see* Šašić, S., (460) (2002) 73

Šikovec, M., *see* Luterotti, S., (460) (2002) 193

Silva, M.S.P. and Masini, J.C., Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectrophotometric sequential injection procedures, (466) (2002) 345

Silvaeih, H., Wintersteiger, R., Schmid, M.G., Hofstetter, O., Schurig, V. and Gübitz, G., Enantioselective sequential-injection chemiluminescence immunoassays for 3,3',5-triodothyronine (T_3) and thyroxine (T_4), (463) (2002) 5

Simal-Gándara, J., *see* Fernández-González, R., (455) (2002) 143

Simão, J.E., *see* Antunes, M.C., (459) (2002) 291

Simat, T.J., *see* Hoenicke, K., (458) (2002) 29

Šimek, P., *see* Hušek, P., (465) (2002) 433

Simó-Alfonso, E.F., *see* Ruiz-Angel, M.J., (454) (2002) 109

Simon, E., *see* Halliwell, C.M., (453) (2002) 191

Simonian, A.L., Efremenko, E.N. and Wild, J.R., Erratum to "Discriminative detection of neurotoxins in multi-component samples" [Analytica Chimica Acta 444 (2001) 179–186], (458) (2002) 425

Simonian, A.L., Revzin, A., Wild, J.R., Elkind, J. and Pishko, M.V., Characterization of oxidoreductase–redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared–external reflection spectroscopy, (466) (2002) 201

Singh, A.K., *see* Goswami, A., (454) (2002) 229

Sisti, A.M., *see* Forzani, E.S., (460) (2002) 163

Situ, C., Crooks, S.R., Baxter, A.G., Ferguson, J. and Elliott, C.T., On-line detection of sulfamethazine and sulfadiazine in porcine bile using a multi-channel high-throughput SPR biosensor, (473) (2002) 143

Sivonen, K., *see* Rapala, J., (466) (2002) 213

Skrda, P.J., Armstrong, N.R. and Scott Saavedra, S., Starch-iodine films respond to water vapor, (455) (2002) 49

Smeijers-Verbeke, J., *see* Hund, E., (463) (2002) 53

Smith, C.M.M., *see* Sandroni, V., (468) (2002) 335

Smith, M., *see* Lu, Q., (469) (2002) 253

Smith, T.A., *see* Barnett, N.W., (451) (2002) 181

Smyth, W.F., *see* Conneely, A., (451) (2002) 259

Snakkers, G., *see* Lablanquie, O., (458) (2002) 191

Soderholm, S.C., *see* Schwerha, D.J., (457) (2002) 257

Soko, L., Cukrowska, E. and Chimuka, L., Extraction and preconcentration of Cr(VI) from urine using supported liquid membrane, (474) (2002) 59

Soldà, L., *see* Maccà, C., (470) (2002) 277

Soldatkin, A.P., *see* Dzyadevych, S.V., (459) (2002) 33

Solich, P., *see* Hájková, R., (467) (2002) 91

Solichová, D., *see* Bláha, V., (467) (2002) 125

Solis, V.M., *see* Forzani, E.S., (460) (2002) 163

Som-Aum, W., Liawruangrath, S. and Hansen, E.H., Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, (463) (2002) 99

Song, J., Zhao, C., Guo, W., Kang, X. and Zhang, J., Theoretical and experimental study of the biamperometry for irreversible redox couple in flow system, (470) (2002) 229

Song, J.M., Mobley, J. and Vo-Dinh, T., Integrated circuit microchip system with multiplex capillary electrophoresis module for DNA analysis, (466) (2002) 187

Song, S.-H., *see* Nakamura, C., (469) (2002) 183

Sonoyama, Y., *see* Yajima, S., (463) (2002) 31

Soper, S.A., Henry, A.C., Vaidya, B., Galloway, M., Wabuyele, M. and McCarley, R.L., Surface modification of polymer-based microfluidic devices, (470) (2002) 87

Soraghan, J.J., *see* Kamaledin Setarehdan, S., (452) (2002) 35

Sosa Ferrera, Z., *see* Padrón Sanz, C., (470) (2002) 205

Soto, J., *see* Lizondo-Sabater, J., (459) (2002) 229

Spångeus, P., *see* Artursson, T., (452) (2002) 255

Spehar, A.-M., *see* Cantz, P., (453) (2002) 269

Spehar, A.-M., *see* Helin, M., (454) (2002) 193

Spehar, A.-M., *see* Kulmala, S., (458) (2002) 271

Spivakov, B.Y., *see* Zavarzina, A.G., (452) (2002) 95

Spolnik, Z., Zhang, J., Wagatsuma, K. and Tsuji, K., Grazing-exit electron probe X-ray microanalysis of ultra-thin films and single particles with high-angle resolution, (455) (2002) 245

Sproull, J.F., *see* Waite, D.T., (467) (2002) 245

Squirrell, D.J., Price, R.L. and Murphy, M.J., Rapid and specific detection of bacteria using bioluminescence, (457) (2002) 109

Squirrell, D.J., *see* Tisi, L.C., (457) (2002) 115

Stalikas, C., *see* Fiamigos, Y., (467) (2002) 105

Stalikas, C.D., *see* Konidari, C.N., (453) (2002) 163

Stalikas, C.D., *see* Pappas, A.C., (455) (2002) 305

Staniewski, J., *see* Urbanczyk, A., (466) (2002) 151

Stanker, L.H., *see* Shelver, W.L., (457) (2002) 199

Staňková, B., *see* Tvrzická, E., (465) (2002) 337

Statheropoulos, M., Mikedi, K., Tzamtzis, N. and Pappa, A., Application of factor analysis for resolving thermogravimetric–mass spectrometric analysis spectra, (461) (2002) 215

Stearne, J., *see* Sauvage, L., (458) (2002) 223

Stefan, R.I., *see* Mulaudzi, L.V., (467) (2002) 35

Stefan, R.I., *see* Mulaudzi, L.V., (467) (2002) 51

Stefan, R.I., van Staden, J.F., Mulaudzi, L.V. and Aboul-Enein, H.Y., On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, (467) (2002) 189

Steinhart, H., *see* Hoenicke, K., (458) (2002) 29

Stella, A., Piccardo, M.T., Coradeghini, R., Redaelli, A., Lanteri, S., Armanino, C. and Valerio, F., Principal component analysis application in polycyclic aromatic hydrocarbons "mussel watch" analyses for source identification, (461) (2002) 201

Stenger, D.A., *see* Lin, H.J., (457) (2002) 97

Stephany, R., *see* Poelmans, S., (473) (2002) 39

Stephany, R.W., *see* Impens, S., (473) (2002) 53

Sterk, S.S., *see* Poelmans, S., (473) (2002) 39

Sternesjö, Å., *see* Gustavsson, E., (468) (2002) 153

Stöcklein, W., *see* Stößner, D., (470) (2002) 111

Stoica, L., *see* Nistor, C., (456) (2002) 3

Stöllner, D., Stöcklein, W., Scheller, F. and Warsinke, A., Membrane-immobilized haptoglobin as affinity matrix for a hemoglobin-A1c immunoassay, (470) (2002) 111

Storey, I.K., see Fletcher, K.A., (453) (2002) 89

Strojek, J.W., see Wagner, K., (455) (2002) 69

Stroka, J., see Leitner, A., (453) (2002) 33

Stults, J.R., see Bruckner-Lea, C.J., (469) (2002) 129

Su, S., see Li, L., (452) (2002) 321

Su, Z., see Zhang, S., (452) (2002) 223

Sugii, A., see Nakayama, M., (453) (2002) 135

Sugimoto, N., see Matsui, J., (466) (2002) 11

Sugimoto, N., see Nakamura, C., (469) (2002) 183

Suh, M.Y., see Lee, C.H., (475) (2003) 171

Sukharev, V., see Niculescu, M., (463) (2002) 39

Sun, C., see Fu, Y., (455) (2002) 61

Sun, D., see Yu, M., (456) (2002) 147

Sun, D.H., see Wu, X.H., (453) (2002) 311

Sun, H., Suo, R. and Lu, Y., Determination of zinc in food using atomic fluorescence spectrometry by hydride generation from organized media, (457) (2002) 305

Sun, I.-W., see Lu, T.H., (454) (2002) 93

Sun, K., see Yamaguchi, A., (468) (2002) 143

Sun, M., see Chen, S., (463) (2002) 177

Sun, Q., see Zhang, S., (452) (2002) 223

Sun, X., Liu, J., Cao, W., Yang, X., Wang, E. and Fung, Y.S., Capillary electrophoresis with electrochemiluminescence detection of procyclidine in human urine pretreated by ion-exchange cartridge, (470) (2002) 137

Sung, C.K., see Jung, D.W., (462) (2002) 157

Suo, R., see Sun, H., (457) (2002) 305

Sutherland, R.A. and Tack, F.M., Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, (454) (2002) 249

Suzuki, K., see Yajima, S., (463) (2002) 31

Svitel, J., see Mecklenburg, M., (459) (2002) 25

Svoboda, A., see Šatinský, D., (455) (2002) 103

Szczepaniak, W. and Kościelna, H., Specific adsorption of halogen anions on hydrous γ -Al₂O₃, (470) (2002) 263

Szymowski, J., see Urbanczyk, A., (466) (2002) 151

T

Tack, F.M., see Sutherland, R.A., (454) (2002) 249

Taga, J., see Hirayama, N., (466) (2002) 295

Taguchi, K., see Chikuma, T., (457) (2002) 157

Taguchi, K., see Saitoh, T., (454) (2002) 203

Tajima, H., see Matsunaga, T., (475) (2003) 75

Tajima, N., see Arakawa, H., (472) (2002) 75

Takahashi, H., see Tanaka, K., (474) (2002) 31

Takahashi, Y., Sakami, H. and Nomura, M., Determination of the oxidation state of cerium in rocks by Ce L_{III}-edge X-ray absorption near-edge structure spectroscopy, (468) (2002) 345

Takamura, K., see Kotani, A., (465) (2002) 199

Takeyama, H., see Matsunaga, T., (475) (2003) 75

Tallieu, L., see Vander Heyden, Y., (458) (2002) 397

Tam, Y.K., see Li, X.-F., (457) (2002) 165

Tamaki, K., see Matsui, J., (466) (2002) 11

Tan, M., see Qin, W., (468) (2002) 287

Tan, W., see Hilliard, L.R., (470) (2002) 51

Tan, Y., see Yuan, J., (454) (2002) 65

Tanaka, A., see Chikuma, T., (457) (2002) 157

Tanaka, A.A., see Del Pilar Taboada Sotomayor, M., (455) (2002) 215

Tanaka, K., Ding, M.-Y., Takahashi, H., Helaleh, M.I.H., Taoda, H., Hu, W., Hasebe, K., Haddad, P.R., Mori, M., Fritz, J.S. and Sarzanini, C., Vacancy ion-exclusion chromatography of carboxylic acids on a strongly acidic cation-exchange resin, (474) (2002) 31

Tanaka, K., see Hanada, M., (475) (2003) 27

Tanaka, T., see Matsunaga, T., (475) (2003) 75

Tang, A., see Feng, S., (455) (2002) 187

Tang, A.X.J., Pravda, M., Guilbault, G.G., Piletsky, S. and Turner, A.P.F., Immunoassay for okadaic acid using quartz crystal microbalance, (471) (2002) 33

Tang, B., see Ma, L., (469) (2002) 273

Tang, B., Zhang, G.Y., Liu, Y. and Han, F., Studies on catalytic spectrophotometry using β -cyclodextrin polymer-Schiff base metal complex as mimetic enzyme, (459) (2002) 83

Tang, H., Chen, G., Zhou, J. and Wu, Q., Hadamard transform fluorescence image microscopy using one-dimensional movable mask, (468) (2002) 27

Tannous, B.A., Chiu, N.H.L. and Christopoulos, T.K., Heterobifunctional linker between antibodies and reporter genes for immunoassay development, (459) (2002) 169

Tao, C., see Huang, G., (474) (2002) 21

Taoda, H., see Tanaka, K., (474) (2002) 31

Tarancón, A., Alonso, E., García, J.F. and Rauret, G., Comparative study of quenching correction procedures for ⁹⁰Sr/⁹⁰Y determination by Cerenkov, liquid scintillation and plastic scintillation techniques, (471) (2002) 135

Tarancón, A., García, J.F. and Rauret, G., Mixed waste reduction in radioactivity determination by using plastic scintillators, (463) (2002) 125

Tassoni, G., see Gambaro, V., (468) (2002) 245

Tauler, R., see Antunes, M.C., (459) (2002) 291

Tavallali, H., see Kompany-Zareh, M., (469) (2002) 303

Taylor, P.D.P., see Wolff Brüche, C.S.J., (460) (2002) 41

Teasdale, P.R., see Li, W., (464) (2002) 331

Terashima, Y., see Numata, M., (455) (2002) 1

Teresa Fernández Abedul, M., see José Bengoechea Álvarez, M., (462) (2002) 31

Teresa Fernández Abedul, M., see Abad-Villar, E.M., (453) (2002) 63

Themelis, D.G. and Tzanavaras, P.D., Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, (452) (2002) 295

Themelis, D.G., see Economou, A., (463) (2002) 249

Themelis, D.G., see Tzanavaras, P.D., (462) (2002) 119

Themelis, D.G., see Tzanavaras, P.D., (467) (2002) 83

Theodoridis, G., see Economou, A., (463) (2002) 249

Theraulaz, F., see Brach-Papa, C., (457) (2002) 311

Thomas, C.L.P., see Young, D., (463) (2002) 143

Thomas, O., *see Cloarec, O.*, (453) (2002) 245

Thomassin, M., *see Courderot, C.M.*, (457) (2002) 149

Thompson, M., Alder, J.F., Baker, J.G., Kvasnik, F. and Wilks, A.T., Remote microwave wavelength spectrometry using an infrared fibre optic telecommunication network, (463) (2002) 1

Thompson, M., *see Cavic, B.A.*, (469) (2002) 101

Thompson, M., *see Wilks, A.T.*, (466) (2002) 57

Thompson, M., *see Wilks, A.T.*, (468) (2002) 323

Thorleby, L., *see Persson, P.*, (460) (2002) 1

Thunus, L., *see Otte, X.*, (451) (2002) 323

Thunus, L., *see Otte, X.*, (459) (2002) 337

Tian, F. and Zhu, G., Bienzymatic amperometric biosensor for glucose based on polypyrrole/ceramic carbon as electrode material, (451) (2002) 251

Tian, W., *see Yu, M.*, (456) (2002) 147

Tilman, B., *see Karpas, Z.*, (463) (2002) 155

Tilman, B., *see Karpas, Z.*, (474) (2002) 115

Tinkilic, N., Cubuk, O. and Isildak, I., Glucose and urea biosensors based on all solid-state PVC-NH₂ membrane electrodes, (452) (2002) 29

Tisi, L.C., White, P.J., Squirrell, D.J., Murphy, M.J., Lowe, C.R. and Murray, J.A.H., Development of a thermostable firefly luciferase, (457) (2002) 115

Toda, K., Tsuboi, M., Sekiya, N., Ikeda, M. and Yoshioka, K.-I., Electrochemical enzyme immunoassay using immobilized antibody on gold film with monitoring of surface plasmon resonance signal, (463) (2002) 219

Toh, C.-S., *see Halliwell, C.M.*, (453) (2002) 191

Tokamolthom, J., Chen, S.-T., Jeyashoke, N. and Krisnangkura, K., Gas chromatographic separation of R/S- α -hydroxy fatty acid esters, (465) (2002) 299

Toma, H.E., *see da Rocha, J.R.C.*, (452) (2002) 23

Tomic, O., Ulmer, H. and Haugen, J.E., Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, (472) (2002) 99

Tonelli, D., *see Gagliardi, L.*, (457) (2002) 187

Tong, A., Dong, H. and Li, L., Molecular imprinting-based fluorescent chemosensor for histamine using zinc(II)-protoporphyrin as a functional monomer, (466) (2002) 31

Torres-Lapasió, J.R., *see Ruiz-Angel, M.J.*, (454) (2002) 109

Torto, N., Mwatsetza, J. and Sawula, G., A study of microdialysis sampling of metal ions, (456) (2002) 253

Toso, S., *see Prenesti, E.*, (459) (2002) 323

Touraud, E., *see Cloarec, O.*, (453) (2002) 245

Tovar, A., Moreno, C., Mánuel-Vez, M.P. and García-Vargas, M., A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, (469) (2002) 235

Town, R.M. and Filella, M., Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, (466) (2002) 285

Townshend, A., Wheatley, R.A., Chisvert, A. and Salvador, A., Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, (462) (2002) 209

Toyo'oka, T., Fluorescent tagging of physiologically important carboxylic acids, including fatty acids, for their detection in liquid chromatography, (465) (2002) 111

Tozzi, C., *see Anfossi, L.*, (468) (2002) 315

Triantafyllou, V.I., Akrida-Demertzis, K. and Demertzis, P.G., Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, (467) (2002) 253

Triantis, T., *see Papadopoulos, K.*, (464) (2002) 135

Truong, T.-T., *see Courderot, C.M.*, (457) (2002) 149

Tsagkatakis, I., *see Perdikaki, K.*, (467) (2002) 197

Tsai, S.J.J., *see Liu, H.M.*, (459) (2002) 161

Tsai, S.S., *see Yang, J.*, (462) (2002) 235

Tsakovski, S., Benkhedda, K., Ivanova, E. and Adams, F.C., Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, (453) (2002) 143

Tsamapas, S., *see Yao, D.*, (458) (2002) 281

Tse, F.L.S., *see Bakhtiar, R.*, (469) (2002) 261

Tsolakidou, A., Buxeda i Garrigós, J. and Kilikoglou, V., Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, (474) (2002) 177

Tsopelas, F., *see Ochsenkühn-Petropoulou, M.*, (467) (2002) 167

Tsuboi, M., *see Toda, K.*, (463) (2002) 219

Tsuchiyama, H., *see Yamaguchi, A.*, (468) (2002) 143

Tsuji, A., *see Watanabe, H.*, (472) (2002) 45

Tsukuda, T., *see Bruckner-Lea, C.J.*, (469) (2002) 129

Tukai, R., Maher, W.A., McNaught, I.J. and Ellwood, M.J., Measurement of arsenic species in marine macroalgae by microwave-assisted extraction and high performance liquid chromatography-inductively coupled plasma mass spectrometry, (457) (2002) 173

Tuñón-Blanco, P., *see de los Santos-Álvarez, N.*, (457) (2002) 275

Tuomola, M., *see Aguilar-Caballos, M.P.*, (460) (2002) 271

Turner, A.P.F., *see Tang, A.X.J.*, (471) (2002) 33

Tvrzická, E., *see Hušek, P.*, (465) (2002) 433

Tvrzická, E., Vecka, M., Staňková, B. and Žák, A., Analysis of fatty acids in plasma lipoproteins by gas chromatography-flame ionization detection. Quantitative aspects, (465) (2002) 337

Tzamtzis, N., *see Stathopoulos, M.*, (461) (2002) 215

Tzanavaras, P.D. and Themelis, D.G., Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, (467) (2002) 83

Tzanavaras, P.D., *see Economou, A.*, (463) (2002) 249

Tzanavaras, P.D., *see Themelis, D.G.*, (452) (2002) 295

Tzanavaras, P.D., Themelis, D.G. and Karlberg, B., Rapid spectrophotometric determination of fosfestrol following on-line hydrolysis by alkaline phosphatase using flow injection and chasing zones, (462) (2002) 119

Tzikis, C.H., *see Papadopoulos, K.*, (464) (2002) 135

Tzoris, A., Cane, D., Maynard, P. and Hall, E.A.H., Tuning the parameters for fast respirometry, (460) (2002) 257

Tzouganaki, Z.D., Atta-Politou, J. and Koupparis, M.A., Development and validation of liquid chromatographic method for the determination of lycopene in plasma, (467) (2002) 115

Tzouwara-Karayanni, S.M., *see Paleologos, E.K.*, (458) (2002) 241

U

Uchida, H., *see* Aoki, K., (471) (2002) 3
 Uehara, A., *see* Yoshida, Y., (452) (2002) 149
 Ueki, F., *see* Matsunaga, T., (475) (2003) 75
 Ueno, M., *see* Hanai, T., (454) (2002) 101
 Ugo, P., Moretto, L.M., De Boni, A., Scopece, P. and Mazzocchin, G.A., Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, (474) (2002) 147
 Ulmer, H., *see* Tomic, O., (472) (2002) 99
 Urbanczyk, A., Staniewski, J. and Szymanowski, J., Abraham model in gas chromatography of phenol pollutants, (466) (2002) 151
 Uslu, B. and Özkan, S.A., Electrochemical characterisation of nefazodone hydrochloride and voltammetric determination of the drug in pharmaceuticals and human serum, (462) (2002) 49
 Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography-UV methods, (466) (2002) 175
 Uslu, B., *see* Özkan, S.A., (457) (2002) 265
 Usui, K., *see* Sato, N., (456) (2002) 219

V

Vadgama, P., *see* Reddy, S.M., (461) (2002) 57
 Vaidya, B., *see* Soper, S.A., (470) (2002) 87
 Valcárcel, M., *see* González, M., (464) (2002) 237
 Valcárcel, M., *see* Manganiello, L., (456) (2002) 93
 Valcárcel, M., *see* Nascentes, C.C., (462) (2002) 275
 Valerio, F., *see* Stella, A., (461) (2002) 201
 Valko, M., *see* Mazúr, M., (456) (2002) 129
 Valko, M., *see* Mazúr, M., (464) (2002) 163
 Valletlonga, P., Van de Velde, K., Candeline, J.P., Ly, C., Rosman, K.J.R., Boutron, C.F., Morgan, V.I. and Mackey, D.J., Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, (453) (2002) 1
 van Bennekom, E.O., Brouwer, L., Laurant, E.H.M., Hooijerink, H. and Nielen, M.W.F., Confirmatory analysis method for zearanol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, (473) (2002) 151
 van Dam, J.C., Eman, M.R., Frank, J., Lange, H.C., van Dedem, G.W. and Heijnen, S.J., Analysis of glycolytic intermediates in *Saccharomyces cerevisiae* using anion exchange chromatography and electrospray ionization with tandem mass spectrometric detection, (460) (2002) 209
 Van de Velde, K., *see* Valletlonga, P., (453) (2002) 1
 Van de Wiele, M., *see* Courtheyn, D., (473) (2002) 71
 Van De Wiele, M., *see* Poelmans, S., (473) (2002) 39
 van Dedem, G.W., *see* van Dam, J.C., (460) (2002) 209
 Van den hauwe, O., Dumoulin, F., Antignac, J.P., Bouche, M.P., Elliott, C. and Van Peteghem, C., Liquid chromatographic-mass

spectrometric analysis of 11 glucocorticoid residues and an optimization of enzymatic hydrolysis conditions in bovine liver, (473) (2002) 127
 Van der Vusse, G.J., *see* Hasselbaink, D.M., (465) (2002) 351
 van der Wal, P.D., *see* Reichmuth, P., (464) (2002) 79
 van Doornmalen, J., Wolterbeek, H.Th. and de Goeij, J.J.M., Analysis of copper complex lability using ⁶⁴Cu-equilibration techniques and free-ion selective radiotracer extraction, (464) (2002) 141
 Van Espen, P., *see* Li, Y., (459) (2002) 93
 Van Ginkel, L.A., *see* Impens, S., (473) (2002) 53
 van Ginkel, L.A., *see* Poelmans, S., (473) (2002) 39
 Van Hoof, N., *see* De Wasch, K., (473) (2002) 59
 Van Merris, V., Meyer, E., De Wasch, K. and Burvenich, C., Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography - diode-array detection, (468) (2002) 237
 Van Peteghem, C., Foreword, (473) (2002) 1
 Van Peteghem, C., *see* Impens, S., (473) (2002) 53
 Van Peteghem, C., *see* Poelmans, S., (473) (2002) 39
 Van Peteghem, C., *see* Van den hauwe, O., (473) (2002) 127
 Van Poucke, C., *see* Poelmans, S., (473) (2002) 39
 van Staden, J.F., Solving the problems of sequential injection systems as process analyzers, (467) (2002) 61
 van Staden, J.F., *see* Billing, C., (453) (2002) 201
 van Staden, J.F., *see* Mulaudzi, L.V., (467) (2002) 35
 van Staden, J.F., *see* Mulaudzi, L.V., (467) (2002) 51
 van Staden, J.F., *see* Stefan, R.I., (467) (2002) 189
 Vander Heyden, Y., Pravdova, V., Questier, F., Tallieu, L., Scott, A. and Massart, D.L., Parallel co-ordinate geometry and principal component analysis for the interpretation of large multi-response experimental designs, (458) (2002) 397
 Vander Heyden, Y., *see* Vannecke, C., (455) (2002) 117
 Vannecke, C., Bloomfield, M.S., Vander Heyden, Y. and Massart, D.L., Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters, (455) (2002) 117
 Väre, L., *see* Canti, P., (453) (2002) 269
 Vasconcelos, I., *see* Moreira, N., (458) (2002) 157
 Vasconcelos, M.T.S.D., *see* Marisa Almeida, C., (463) (2002) 165
 Vasconcelos, M.T., *see* Azenha, M., (458) (2002) 231
 Vaz, M.C.V.F., *see* Ribeiro, C.M., (471) (2002) 41
 Vázquez, B.I., *see* Iglesias, Y., (468) (2002) 43
 Večeřa, Z., *see* Mikuška, P., (474) (2002) 99
 Vecka, M., *see* Tvrzická, E., (465) (2002) 337
 Vega, C., *see* Manganiello, L., (456) (2002) 93
 Ventura, R., *see* Jiménez, C., (460) (2002) 289
 Vercammen, J., *see* Courtheyn, D., (473) (2002) 71
 Vercammen, J., *see* Poelmans, S., (473) (2002) 39
 Vercauteren, J., *see* Vitrac, X., (458) (2002) 103
 Verslycke, T., *see* De Wasch, K., (473) (2002) 59
 Verstraten, J.M., *see* Jansen, B., (454) (2002) 259
 Vicente, F., *see* Korta, E., (475) (2003) 97
 Vidal, M., *see* Sastre, J., (462) (2002) 59
 Vidal, M.T., *see* Chisvert, A., (464) (2002) 295
 Vieites, J.M., *see* González, J.C., (466) (2002) 233

Vieytes, M.R., *see* González, J.C., (466) (2002) 233
 Vilchez, J.L., *see* Navalón, A., (454) (2002) 83
 Vinopal, R.T., Jadamec, J.R., deFur, P., Demars, A.L., Jakubielski, S., Green, C., Anderson, C.P., Dugas, J.E. and DeBono, R.F., Fingerprinting bacterial strains using ion mobility spectrometry, (457) (2002) 83
 Vitrac, X., Monti, J.P., Vercauteran, J., Deffieux, G. and Mérimont, J.M., Direct liquid chromatographic analysis of resveratrol derivatives and flavonoids in wines with absorbance and fluorescence detection, (458) (2002) 103
 Vivar-Quintana, A.M., Santos-Buelga, C. and Rivas-Gonzalo, J.C., Anthocyanin-derived pigments and colour of red wines, (458) (2002) 147
 Vlasov, Y., *see* Ermolenko, Y., (459) (2002) 1
 Vlasov, Y., *see* Legin, A., (457) (2002) 297
 Vlasov, Y., *see* Lvova, L., (468) (2002) 303
 Vlessidis, A.G., *see* Yao, D., (458) (2002) 281
 Vlessidis, A.G., *see* Yao, D., (462) (2002) 199
 Vlessidis, A.G., *see* Yao, D., (467) (2002) 133
 Vlessidis, A.G., *see* Yao, D., (467) (2002) 145
 Vo-Dinh, T., *see* Allain, L.R., (469) (2002) 149
 Vo-Dinh, T., *see* Song, J.M., (466) (2002) 187
 Volikakis, G.J., *see* Economou, A., (467) (2002) 179
 von Bohlen, A., Klockenkämper, R., Messerschmidt, J. and Alt, F., Development and application of a micro-digestion device for elemental analysis of biological samples, (451) (2002) 279
 Votruba, J., *see* Rezanka, T., (465) (2002) 273
 Vrielink, J.A.M., *see* Bos, M., (459) (2002) 305
 Vyroubal, P., *see* Bláha, V., (467) (2002) 125

W

Wabuyele, M., *see* Soper, S.A., (470) (2002) 87
 Wagatsuma, K., *see* Spolnik, Z., (455) (2002) 245
 Wagner, K., Strojek, J.W. and Koziel, K., Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2'-bipyridyl in polyaniline, (455) (2002) 69
 Waite, D.T., Sproull, J.F., Quiring, D.V. and Cessna, A.J., Dry atmospheric deposition and deposition velocities of dicamba, 2,4-dichlorophenoxyacetic acid and γ -1,2,3,4,5,6-hexachlorocyclohexane, (467) (2002) 245
 Walcarus, A., *see* Hamlaoui, M.L., (466) (2002) 39
 Walczak, B., *see* Daszykowski, M., (468) (2002) 91
 Walczak, B., *see* Pravdová, V., (456) (2002) 77
 Walczak, B., *see* Pravdová, V., (462) (2002) 133
 Walczak, B., *see* Questier, F., (466) (2002) 311
 Wallace, G.G., *see* Minett, A.I., (475) (2003) 37
 Wallace, G.G., *see* Zhao, H., (472) (2002) 113
 Walsh, D.A. and Dempsey, E., Comparison of electrochemical, electrophoretic and spectrophotometric methods for creatinine determination in biological fluids, (459) (2002) 187
 Walt, D.R., *see* Epstein, J.R., (469) (2002) 3
 Wan, F., *see* Zhang, W., (472) (2002) 27

Wang, C., Chen, F. and He, X.W., Kinetic detection of benzene/chloroform and toluene/chloroform vapors using a single quartz piezoelectric crystal coated with calix[6]arene, (464) (2002) 57
 Wang, E., *see* Pei, R., (453) (2002) 173
 Wang, E., *see* Sun, X., (470) (2002) 137
 Wang, G., *see* Yu, M., (456) (2002) 147
 Wang, H., *see* Jiang, Z., (456) (2002) 189
 Wang, H., *see* Liang, S.C., (451) (2002) 211
 Wang, H., *see* Zhao, Y.-Y., (468) (2002) 255
 Wang, H.-S., Ju, H.-X. and Chen, H.-Y., Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, (461) (2002) 243
 Wang, J. and Hansen, E.H., Development of an automated sequential injection on-line solvent extraction-back extraction procedure as demonstrated for the determination of cadmium with detection by electrothermal atomic absorption spectrometry, (456) (2002) 283
 Wang, J., Electrochemical nucleic acid biosensors, (469) (2002) 63
 Wang, J., Krause, R., Block, K., Musameh, M., Mulchandani, A., Mulchandani, P., Chen, W. and Schöning, M.J., Dual amperometric-potentiometric biosensor detection system for monitoring organophosphorus neurotoxins, (469) (2002) 197
 Wang, J., *see* Allan Butterfield, D., (470) (2002) 29
 Wang, J., *see* Hansen, E.H., (467) (2002) 3
 Wang, J., *see* Lu, Q., (469) (2002) 253
 Wang, J., *see* Mulchandani, P., (470) (2002) 79
 Wang, J., *see* Zhang, X., (452) (2002) 1
 Wang, J.-L. and Wu, C.-H., Construction and validation of a cryogen-free gas chromatography-electron-capture detection system for the measurement of ambient halocarbons, (461) (2002) 85
 Wang, K., *see* Yang, R., (469) (2002) 285
 Wang, K.-M., *see* Chan, W.-H., (460) (2002) 123
 Wang, L., *see* Wang, L., (468) (2002) 35
 Wang, L., *see* Wang, L.-Y., (466) (2002) 87
 Wang, L., Wang, L., Zhu, C., Xian Wei, X. and Kan, X., Preparation and application of functionalized nanoparticles of CdS as a fluorescence probe, (468) (2002) 35
 Wang, L.-Y., Zhou, Y.-Y., Wang, L., Zhu, C.-Q., Li, Y.-X. and Gao, F., Synchronous fluorescence determination of protein with functionalized CdS nanoparticles as a fluorescence probe, (466) (2002) 87
 Wang, S., Hill, A.S. and Kennedy, I.R., Rapid on-site immunoassay for diflubenzuron in grains, (468) (2002) 209
 Wang, S.-L., *see* Huang, X.-J., (456) (2002) 167
 Wang, X. and Krull, U.J., Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, (470) (2002) 57
 Wang, X., *see* Chen, X., (466) (2002) 79
 Wang, X.R., *see* Wu, X.H., (453) (2002) 311
 Wang, Y., *see* Cai, H., (469) (2002) 165
 Wang, Y., Zhang, X., Yao, X., Gao, Y., Liu, M., Hu, Z. and Fan, B., Prediction of $\log k_w$ of disubstituted benzene derivatives in reversed-phase high-performance liquid chromatography using multiple linear regression and radial basis function neural network, (463) (2002) 89
 Wang, Z.M., *see* Zheng, N., (452) (2002) 277
 Warsinke, A., *see* Stöllner, D., (470) (2002) 111

Wasiak, W., *see* Rykowska, I., (451) (2002) 271

Wassink, P., *see* Croubels, S., (473) (2002) 183

Watanabe, E., Kubo, H. and Nakazawa, H., Group-specific enzyme-linked immunosorbent assay for fenitrooxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, (460) (2002) 99

Watanabe, H., Satake, A., Kido, Y. and Tsuji, A., Monoclonal-based enzyme-linked immunosorbent assay and immunochromatographic rapid assay for dihydrostreptomycin in milk, (472) (2002) 45

Watterson, J., Piunno, P.A.E. and Krull, U.J., Practical physical aspects of interfacial nucleic acid oligomer hybridisation for biosensor design, (469) (2002) 115

Watterson, J., *see* Almadidy, A., (461) (2002) 37

Watterson, J.H., Piunno, P.A.E. and Krull, U.J., Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, (457) (2002) 29

Way, A.S., *see* Karousos, N.G., (469) (2002) 189

Weber, S.G., *see* Shi, F., (474) (2002) 1

Weeks, D.A. and Bruland, K.W., Improved method for shipboard determination of iron in seawater by flow injection analysis, (453) (2002) 21

Weerdt, C.V.D., *see* Scippo, M.L., (473) (2002) 135

Wei, F., *see* Shi, J., (466) (2002) 69

Wells, R.J., *see* Saed Al Deen, T., (474) (2002) 125

Wen, L., *see* Zhang, L., (468) (2002) 105

Weng, Q., *see* Li, X., (461) (2002) 123

Werner, T., *see* Cajlakovic, M., (455) (2002) 207

Werner, T., *see* Mayr, T., (462) (2002) 1

Wheatley, R.A., *see* Townshend, A., (462) (2002) 209

Whitchurch, C. and Andrews, A.R., Ligand and surfactant effects on a novel electrochemiluminescent reaction involving cadmium, (454) (2002) 45

Whitcomb, J.L., Bystol, A.J. and Campiglia, A.D., Time-resolved laser-induced fluorimetry for screening polycyclic aromatic hydrocarbons on solid-phase extraction membranes, (464) (2002) 261

White, P.J., *see* Tisi, L.C., (457) (2002) 115

Wideńska, A., *see* Paździoch-Czochra, M., (452) (2002) 177

Wierzchowski, J., Ogiela, M., Iwańska, B. and Shugar, D., Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, (472) (2002) 63

Wild, J.R., *see* Simonian, A.L., (458) (2002) 425

Wild, J.R., *see* Simonian, A.L., (466) (2002) 201

Wilks, A.T., Baker, J.G., Alder, J.F. and Thompson, M., Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. Part I. Absolute determination of transition line strengths and sample concentrations with a confocal Fabry-Perot cavity spectrometer, (466) (2002) 57

Wilks, A.T., *see* Thompson, M., (463) (2002) 1

Wilks, A.T., Thompson, M., Alder, J.F. and Baker, J.G., Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. II. Determination of oxygen at atmospheric pressure, (468) (2002) 323

Willemsen, P., Scippo, M.-L., Maghuin-Rogister, G., Martial, J.A. and Muller, M., Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, (473) (2002) 119

Willemsen, P., *see* Scippo, M.L., (473) (2002) 135

Winquist, F., Rydberg, E., Holmin, S., Krantz-Rücker, C. and Lundström, I., Flow injection analysis applied to a voltammetric electronic tongue, (471) (2002) 159

Winquist, F., *see* Mecklenburg, M., (459) (2002) 25

Wintersteiger, R., *see* Silvaeh, H., (463) (2002) 5

Wirth, J., *see* Baumes, R., (458) (2002) 3

Witters, H., *see* Lange, I.G., (473) (2002) 27

Woldegorgis, G., *see* Shrago, E., (465) (2002) 427

Wolf, H., *see* Yacoub-George, E., (457) (2002) 3

Wolfbeis, O.S., *see* Mayr, T., (462) (2002) 1

Wolff Brice, C.S.J., Held, A., Berglund, M., De Bièvre, P. and Taylor, P.D.P., Measurement of the isotopic composition and atomic weight of an isotopic reference material of platinum, IRMM-010, (460) (2002) 41

Wolff, J.-C., *see* Creaser, C., (454) (2002) 137

Wollenberger, U., *see* Nistor, C., (456) (2002) 3

Wolterbeek, H.Th., *see* van Doornmalen, J., (464) (2002) 141

Woltman, S.J., *see* Shi, F., (474) (2002) 1

Wong, C.C.W., *see* Fung, Y.S., (456) (2002) 227

Wong, M.-S., *see* Fong, C.-C., (456) (2002) 201

Wood, M., *see* Lipe, L.L., (455) (2002) 287

Wruck, D., *see* Maher, W., (463) (2002) 283

Wu, C.-H., *see* Wang, J.-L., (461) (2002) 85

Wu, D., *see* Ren, J., (470) (2002) 129

Wu, F.C., Evans, R.D. and Dillon, P.J., Fractionation and characterization of fulvic acid by immobilized metal ion affinity chromatography, (452) (2002) 85

High-performance liquid chromatographic fractionation and characterization of fulvic acid, (464) (2002) 47

Wu, H.L., *see* Kuo, C.Y., (471) (2002) 211

Wu, H.-L., *see* Lin, F.-M., (455) (2002) 111

Wu, H.L., *see* Shen, Y.L., (460) (2002) 201

Wu, K., *see* Hu, S., (464) (2002) 209

Wu, Q., *see* Tang, H., (468) (2002) 27

Wu, R., *see* Pan, Z., (466) (2002) 141

Wu, S.M., *see* Kuo, C.Y., (471) (2002) 211

Wu, S.M., *see* Shen, Y.L., (460) (2002) 201

Wu, T., *see* Fu, Y., (455) (2002) 61

Wu, X. and Cai, R., Two-rate method for simultaneous kinetic determination based on detecting the reagent in successive reactions, (464) (2002) 153

Wu, X.H., Sun, D.H., Zhuang, Z.X., Wang, X.R., Gong, H.F., Hong, J.X. and Lee, F.S., Analysis and leaching characteristics of mercury and arsenic in Chinese medicinal material, (453) (2002) 311

Wu, Y., *see* Zhu, X., (471) (2002) 121

Wu, Z.-Y., *see* Hu, S.-Q., (458) (2002) 297

X

Xavier Rius, F., *see* Boqué, R., (451) (2002) 313

Xavier Rius, F., *see* Comas, E., (470) (2002) 163

Xia, J., *see* Zhu, Z.L., (454) (2002) 21
 Xian Wei, X., *see* Wang, L., (468) (2002) 35
 Xian, Y., *see* Zhang, W., (458) (2002) 337
 Xiang, C., *see* Xie, Q., (464) (2002) 65
 Xie, H.M., *see* Li, Y.-S., (455) (2002) 315
 Xie, Q., *see* Ma, M., (456) (2002) 157
 Xie, Q., Xiang, C., Zhang, Y., Yuan, Y., Liu, M., Nie, L. and Yao, S., In situ monitoring of gold-surface adsorption and acidic denaturation of human serum albumin by an isolation-capacitance-adopted electrochemical quartz crystal impedance system, (464) (2002) 65
 Xiong, S., *see* Zhu, X., (471) (2002) 121
 Xiu, L., *see* Bo, T., (474) (2002) 37
 Xu, C., *see* Li, B., (459) (2002) 19
 Xu, F., *see* Zhu, M., (455) (2002) 199
 Xu, G., *see* Shan, Y., (471) (2002) 77
 Xu, J.-G., *see* Zheng, H., (461) (2002) 235
 Xu, J.-J., Yu, Z.-H. and Chen, H.-Y., Glucose biosensors prepared by electropolymerization of *p*-chlorophenylamine with and without Nafion, (463) (2002) 239
 Xu, N., *see* Yu, M., (456) (2002) 147
 Xu, Q., *see* Zhang, W., (458) (2002) 337
 Xu, S., *see* Yao, D., (467) (2002) 145
 Xu, W.-Q., *see* Gao, H.-W., (458) (2002) 417

Y

Yacoub-George, E., Meixner, L., Scheithauer, W., Koppi, A., Drost, S., Wolf, H., Danapel, C. and Feller, K.A., Chemiluminescence multichannel immunosensor for biodetection, (457) (2002) 3
 Yahara, S., *see* Nakayama, M., (453) (2002) 135
 Yajima, S., Sonoyama, Y., Suzuki, K. and Kimura, K., Ion-sensor property and blood compatibility of neutral-carrier-type poly (vinyl chloride) membranes coated by phosphorylcholine polymers, (463) (2002) 31
 Yakkundi, S., Cannavan, A., Young, P.B., Elliott, C.T. and Kennedy, D.G., Halofuginone contamination in feeds as a cause of residues in eggs, (473) (2002) 177
 Yakovleva, J.N., *see* Eremin, S.A., (468) (2002) 229
 Yamada, M., *see* Lu, C., (474) (2002) 107
 Yamaguchi, A., Jin, P., Tsuchiyama, H., Masuda, T., Sun, K., Matsuo, S. and Misawa, H., Rapid fabrication of electrochemical enzyme sensor chip using polydimethylsiloxane microfluidic channel, (468) (2002) 143
 Yamaguchi, M., *see* Chikuma, T., (457) (2002) 157
 Yamamoto, K., Oka, M. and Murakami, H., Spectrophotometric determination of trace ionic and non-ionic surfactants based on a collection on a membrane filter as the ion associate of the surfactant with Erythrosine B, (455) (2002) 83
 Yamane, M., High-performance liquid chromatography-thermospray ionization-mass spectrometry of the oxidation products of polyunsaturated-fatty acids, (465) (2002) 227
 Yamashita, M., *see* Rhee, J.I., (456) (2002) 293
 Yáñez-Sedeño, P., *see* Agú, L., (461) (2002) 65
 Yang, C.-C., *see* Zen, J.-M., (464) (2002) 229
 Yang, H., *see* Chung, H., (471) (2002) 195
 Yang, J. and Tsai, S.-S., Cooled internal reflection element for infrared chemical sensing of volatile to semi-volatile organic compounds in the headspace of aqueous solutions, (462) (2002) 235
 Yang, J.S., *see* Lvova, L., (468) (2002) 303
 Yang, M., Liu, C., Hu, X., He, P. and Fang, Y., Electrochemiluminescence assay for the detection of acridinium esters, (461) (2002) 141
 Yang, M., *see* Fong, C.C., (456) (2002) 201
 Yang, P., *see* Zhang, L., (468) (2002) 105
 Yang, R., Li, K., Wang, K., Liu, F., Li, N. and Zhao, F., Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion, (469) (2002) 285
 Yang, R.-H., *see* Chan, W.-H., (460) (2002) 123
 Yang, W., *see* Gao, J., (455) (2002) 159
 Yang, X., *see* Bo, T., (474) (2002) 37
 Yang, X., *see* Pei, R., (453) (2002) 173
 Yang, X., *see* Sun, X., (470) (2002) 137
 Yang, X.F., Guo, X.Q. and Zhao, Y.B., Novel spectrofluorimetric method for the determination of sulfite with rhodamine B hydrazide in a micellar medium, (456) (2002) 121
 Yang, X.J. and Pin, C., Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, (458) (2002) 375
 Yang, X.T., Chai, X.S., Hou, Q.X., Zhu, J.Y. and Danielsson, L.-G., Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, (474) (2002) 69
 Yang, Y., *see* Huang, G., (474) (2002) 21
 Yang, Y., *see* Kondo, T., (460) (2002) 185
 Yao, D., Vlessidis, A.G. and Evmiridis, N.P., Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, (462) (2002) 199
 Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, (467) (2002) 133
 Yao, D., Vlessidis, A.G., Evmiridis, N.P., Evangelou, A., Karkabounas, S. and Tsampalas, S., Luminal chemiluminescence reaction: a new method for monitoring nitric oxide in vivo, (458) (2002) 281
 Yao, D., Vlessidis, A.G., Evmiridis, N.P., Zhou, Y., Xu, S. and Zhou, H., Novel chemiluminescence method for detection of superoxide anions and its application to dry-cured meat, (467) (2002) 145
 Yao, S., *see* Ma, M., (456) (2002) 157
 Yao, S., *see* Xie, Q., (464) (2002) 65
 Yao, S., *see* Yuan, J., (454) (2002) 65
 Yao, T. and Kotegawa, K., Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, (462) (2002) 283
 Yao, T., *see* Nanjyo, Y., (470) (2002) 175
 Yao, X., Liu, M., Zhang, X., Hu, Z. and Fan, B., Radial basis function network-based quantitative structure-property

relationship for the prediction of Henry's law constant, (462) (2002) 101

Yao, X., *see* Wang, Y., (463) (2002) 89

Yari, A., *see* Shamsipur, M., (462) (2002) 225

Yasumoto, T., *see* González, J.C., (466) (2002) 233

Yau, K.Y.F., *see* Churchill, R.L.T., (468) (2002) 185

Yazynina, E.V., *see* Eremin, S.A., (468) (2002) 229

Ye, J., *see* Cao, Y., (452) (2002) 123

Ye, J., *see* Chen, G., (457) (2002) 225

Ye, R., *see* Khoo, S.B., (453) (2002) 209

Ye, X., *see* Zhu, M., (455) (2002) 199

Yi, C., *see* Chen, X., (466) (2002) 79

Yi, H., *see* Hu, S., (464) (2002) 209

Yoffe, A., *see* Hoffman, M.K., (473) (2002) 49

Yonekubo, J., *see* Sajiki, J., (465) (2002) 417

Yoon, H.C., Lee, D. and Kim, H.-S., Reversible affinity interactions of antibody molecules at functionalized dendrimer monolayer: affinity-sensing surface with reusability, (456) (2002) 209

Yordanov, N.D., Mladenova, B. and Petkov, P., Studies on the uncertainties in quantitative EPR estimations due to the construction of the cavities used, (453) (2002) 155

Yoshida, Y., Yoshida, Z., Aoyagi, H., Kitatsui, Y., Uehara, A. and Kihara, S., Evaluation of Gibbs free energy for the transfer of a highly hydrophilic ion from an acidic aqueous solution to an organic solution based on ion pair extraction, (452) (2002) 149

Yoshida, Z., *see* Yoshida, Y., (452) (2002) 149

Yoshikawa, R., *see* Hanai, T., (454) (2002) 101

Yoshimura, Y., Brock, J.W., Makino, T. and Nakazawa, H., Measurement of bisphenol A in human serum by gas chromatography/mass spectrometry, (458) (2002) 331

Yoshinobu, T., *see* Ermolenko, Y., (459) (2002) 1

Yoshioka, K.-I., *see* Toda, K., (463) (2002) 219

Young, D., Douglas, K.M., Eiceman, G.A., Lake, D.A. and Johnston, M.V., Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, (453) (2002) 231

Young, D., Eiceman, G.A., Breach, J., Brittain, A.H. and Thomas, C.L.P., Automated control and optimisation of ion mobility spectrometry responses using a sheath-flow inlet, (463) (2002) 143

Young, P.B., *see* Hewitt, S.A., (473) (2002) 99

Young, P.B., *see* Yakkundi, S., (473) (2002) 177

Ysambert, F., *see* Márquez, N., (452) (2002) 129

Yu, B.-B., *see* Fu, Y., (470) (2002) 121

Yu, H., *see* Chen, S., (463) (2002) 177

Yu, J.-X., *see* Zhao, Y.-Y., (468) (2002) 255

Yu, M., Sun, D., Tian, W., Wang, G., Shen, W. and Xu, N., Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, (456) (2002) 147

Yu, R.-Q., *see* Hu, S.-Q., (458) (2002) 297

Yu, Y., *see* Chen, Q., (466) (2002) 109

Yu, Y., *see* Shaomin, S., (458) (2002) 305

Yu, Z.-H., *see* Xu, J.-J., (463) (2002) 239

Yuan, J., Tan, Y., Nie, L. and Yao, S., Piezoelectric quartz crystal sensors based on ion-pair complexes for the determination of cinchonine in human serum and urine, (454) (2002) 65

Yuan, Y., *see* Xie, Q., (464) (2002) 65

Yuan, Y., *see* Zhao, H., (472) (2002) 113

Yuan, Z., *see* Shang, X., (456) (2002) 183

Yuan, Z., *see* Zhao, H., (454) (2002) 75

Yuanqian, L., Jingmei, H., Jingguo, Y., Bo, Z. and Yuanqing, H., Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, (461) (2002) 181

Yuanqing, H., *see* Yuanqian, L., (461) (2002) 181

Z

Zadák, Z., *see* Bláha, V., (467) (2002) 125

Zagatto, E.A.G., *see* Lapa, R.A.S., (466) (2002) 125

Zagatto, E.A.G., *see* Lima, J.L.F.C., (467) (2002) 75

Zagatto, E.A.G., *see* Rocha, F.R.P., (468) (2002) 119

Zagatto, E.A.G., *see* Carneiro, J.M.T., (455) (2002) 327

Zagatto, E.A.G., *see* Carneiro, J.M.T., (474) (2002) 161

Zaijun, L., Jian, T. and Jiaomai, P., Direct spectrophotometric determination of calcium in clinical samples with carboxy-yazo-*p*-CH₃, (452) (2002) 303

Žák, A., *see* Tvrzická, E., (465) (2002) 337

Zaleska, M., *see* Godlewski-Žylkiewicz, B., (462) (2002) 305

Zancato, M., *see* Maccà, C., (470) (2002) 277

Zapardiel, A., *see* Chicharro, M., (469) (2002) 243

Zargar, B., *see* Parham, H., (464) (2002) 115

Zarzur, J.A., *see* Forzani, E.S., (460) (2002) 163

Zavarzina, A.G., Demin, V.V., Nifant'eva, T.I., Shkinev, V.M., Danilova, T.V. and Spivakov, B.Ya., Extraction of humic acids and their fractions in poly(ethylene glycol)-based aqueous biphasic systems, (452) (2002) 95

Žďánský, P., *see* Bláha, V., (467) (2002) 125

Zen, J.-M., Yang, C.-C. and Kumar, A.S., Voltammetric behavior and trace determination of Pb²⁺ at a mercury-free screen-printed silver electrode, (464) (2002) 229

Zeng, Y., *see* Ma, M., (456) (2002) 157

Zernov, V.V., *see* Pletnev, I.V., (455) (2002) 131

Zhang, B., *see* Ma, Y., (464) (2002) 289

Zhang, G., Shuang, S., Dong, Z., Dong, C. and Pan, J., Investigation on the inclusion behavior of neutral red with β-cyclodextrin, hydroxypropyl-β-cyclodextrin and sulfobutylether-β-cyclodextrin, (474) (2002) 189

Zhang, G.-F., *see* Zhou, G.-J., (463) (2002) 257

Zhang, G.Y., *see* Tang, B., (459) (2002) 83

Zhang, H., *see* Dahlqvist, R., (460) (2002) 247

Zhang, H.R., Guo, S.Y., Li, L. and Cai, M.Y., Effect of small organic molecules on room temperature phosphorescence properties of naphthalene ternary inclusion complexes in β-cyclodextrin, (463) (2002) 135

Zhang, H.S., *see* Liang, S.C., (451) (2002) 211

Zhang, H.-S., *see* Zhao, Y.-Y., (468) (2002) 255

Zhang, J., *see* Song, J., (470) (2002) 229

Zhang, J., *see* Spolnik, Z., (455) (2002) 245

Zhang, J., *see* Zhu, Z.L., (454) (2002) 21

Zhang, J.-y., Chen, X.-g., Hu, Z.-d. and Ma, X., Quantification of noradrenaline and dopamine in *Portulaca oleracea* L. by

capillary electrophoresis with laser-induced fluorescence detection, (471) (2002) 203

Zhang, L., *see* Chen, G., (457) (2002) 225

Zhang, L., Wen, L., Lu, Y. and Yang, P., Quantitative fuzzy neural network for analytical determination, (468) (2002) 105

Zhang, S. and Ju, H., β -Cyclodextrin sensitized chemiluminescence of hemoglobin-hydrogen peroxide-carbonate and its analytical application, (475) (2003) 163

Zhang, S., Pu, Q., Liu, P., Sun, Q. and Su, Z., Synthesis of amidinothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, (452) (2002) 223

Zhang, S., *see* Li, W., (464) (2002) 331

Zhang, S., *see* Zhang, W., (458) (2002) 337

Zhang, S., *see* Zhang, W., (472) (2002) 27

Zhang, W., Cao, X., Wan, F., Zhang, S. and Jin, L., In vivo determination of the monoamine neurotransmitters in rat brain by liquid chromatography with a thiocetic acid/iridium oxide-palladium modified electrode, (472) (2002) 27

Zhang, W., Cao, X., Xian, Y., Xu, Q., Zhang, S. and Jin, L., New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum, (458) (2002) 337

Zhang, X., Ogorevc, B. and Wang, J., Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, (452) (2002) 1

Zhang, X., *see* Cao, Y., (452) (2002) 123

Zhang, X., *see* Gao, J., (455) (2002) 159

Zhang, X., *see* Liang, S.C., (451) (2002) 211

Zhang, X., *see* Shi, J., (466) (2002) 69

Zhang, X., *see* Wang, Y., (463) (2002) 89

Zhang, X., *see* Yao, X., (462) (2002) 101

Zhang, Y., *see* Shan, Y., (471) (2002) 77

Zhang, Y., *see* Xie, Q., (464) (2002) 65

Zhang, Y., *see* Zhao, H., (454) (2002) 75

Zhang, Z., *see* Chen, S., (463) (2002) 177

Zhang, Z., *see* Li, B., (459) (2002) 19

Zhang, Z., *see* Li, B., (468) (2002) 65

Zhang, Z.M., *see* Liang, S.C., (451) (2002) 211

Zhao, C., *see* Song, J., (470) (2002) 229

Zhao, F., *see* Yang, R., (469) (2002) 285

Zhao, H., *see* Li, W., (464) (2002) 331

Zhao, H., Yuan, Y., Adelolu, S. and Wallace, G.G., Study on the formation of the Prussian blue films on the polypyrrole surface as a potential mediator system for biosensing applications, (472) (2002) 113

Zhao, H., Zhang, Y. and Yuan, Z., Poly(isonicotinic acid) modified glassy carbon electrode for electrochemical detection of norepinephrine, (454) (2002) 75

Zhao, L., *see* Li, B., (459) (2002) 19

Zhao, L., *see* Li, B., (468) (2002) 65

Zhao, R., *see* Shan, Y., (471) (2002) 77

Zhao, S., Feng, Y., LeBlanc, M.H., Piletz, J.E. and Liu, Y.-M., Quantitation of agmatine by liquid chromatography with laser-induced fluorescence detection, (470) (2002) 155

Zhao, X., *see* Hilliard, L.R., (470) (2002) 51

Zhao, Y.-B., *see* Yang, X.-F., (456) (2002) 121

Zhao, Y.-Y., Jing, Z.-Z., Wang, H., Zhang, H.-S. and Yu, J.-X., N-Hydroxysuccinimidyl phenylacetate as a novel derivatizing reagent for aliphatic amines in gas chromatography, (468) (2002) 255

Zheng, H., Chen, X.-L., Hu, M.-H., Li, D.-H. and Xu, J.-G., Near-infrared fluorimetric determination of nucleic acids by shifting the ion-association equilibrium between heptamethylene cyanine and Alcian blue 8GX, (461) (2002) 235

Zheng, J., *see* Li, X.-F., (457) (2002) 165

Zheng, L., *see* Jingyu, H., (451) (2002) 329

Zheng, N., Li, Y.Z., Chang, W.B., Wang, Z.M. and Li, T.J., Sulfonylamide imprinted polymers using co-functional monomers, (452) (2002) 277

Zheng, Y., *see* He, Y., (459) (2002) 209

Zherdev, A.V., *see* Eremin, S.A., (468) (2002) 229

Zhifeng, Z., *see* Shuyu, C., (451) (2002) 305

Zhou, G.-J., Zhang, G.-F. and Chen, H.-Y., Development of integrated chemiluminescence flow sensor for the determination of adrenaline and isoprenaline, (463) (2002) 257

Zhou, H., *see* Yao, D., (467) (2002) 145

Zhou, J., *see* Tang, H., (468) (2002) 27

Zhou, M., *see* Ma, Y., (464) (2002) 289

Zhou, S.M., *see* Hu, S.J., (454) (2002) 31

Zhou, Y., *see* Yao, D., (467) (2002) 145

Zhou, Y.-M., *see* Hu, S.-Q., (458) (2002) 297

Zhou, Y.-Y., *see* Wang, L.-Y., (466) (2002) 87

Zhu, C., *see* Wang, L., (468) (2002) 35

Zhu, C.-Q., *see* Wang, L.-Y., (466) (2002) 87

Zhu, G., *see* Tian, F., (451) (2002) 251

Zhu, J.Y., *see* Yang, X.T., (474) (2002) 69

Zhu, M., Liu, M., Shi, G., Xu, F., Ye, X., Chen, J., Jin, L. and Jin, J., Novel nitric oxide microsensor and its application to the study of smooth muscle cells, (455) (2002) 199

Zhu, Q.-Z., Haupt, K., Knopp, D. and Niessner, R., Molecularly imprinted polymer for metsulfuron-methyl and its binding characteristics for sulfonylurea herbicides, (468) (2002) 217

Zhu, X., Hu, B., Jiang, Z., Wu, Y. and Xiong, S., Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, (471) (2002) 121

Zhu, Y., *see* Shi, J., (466) (2002) 69

Zhu, Z.L., Xia, J., Zhang, J. and Li, T.H., Determination of rate constants from two-way kinetic-spectral data by using rank annihilation factor analysis, (454) (2002) 21

Zhuang, Z.X., *see* Wu, X.H., (453) (2002) 311

Zielinska, R., Mulik, E., Michalska, A., Achmatowicz, S. and Maj-Zurawska, M., All-solid-state planar miniature ion-selective chloride electrode, (451) (2002) 243

Zilian, A., *see* Maeder, M., (464) (2002) 249

Zimlich II, A., *see* Oates, M.R., (470) (2002) 37

\check{Z} inić, M., *see* Miljanić, S., (468) (2002) 13


Zoccolillo, L., *see* Amendola, L., (461) (2002) 97

Zöllner, P., *see* Leitner, A., (453) (2002) 33

Zolotov, Y., *see* Dmitrienko, S.G., (469) (2002) 295

Zou, H., *see* Pan, Z., (466) (2002) 141
Zude-Sasse, M., *see* Di Natale, C., (459) (2002) 107
Zuman, P., *see* Özkan, S.A., (457) (2002) 265
Zupan, J., *see* Brodnjak-Vončina, D., (462) (2002) 87

Zurek, G., Gee, S.J. and Hammock, B.D., Development of an enzyme immunoassay for linoleic acid diols in urine, (466) (2002) 247
Zymnicki, W., *see* Pohl, P., (468) (2002) 71






ELSEVIER

Analytica Chimica Acta 476 (2003) 217–338

ANALYTICA
CHIMICA
ACTA

www.elsevier.com/locate/aca

Cumulative Subject Index
Analytica Chimica Acta
Volumes 451–475, 2002



A**ABE fermentation**

Application of quantitative IR spectral analysis of bacterial cells to acetone-butanol-ethanol fermentation monitoring, 471 (2002) 127

Abraham model

Abraham model in gas chromatography of phenol pollutants, 466 (2002) 151

Acaricide residues

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Accessibility

Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Acetaldehyde

Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, 458 (2002) 203

Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD⁺-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, 467 (2002) 225

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Acetate

On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, 462 (2002) 293

Acetonitrile

Simple and convenient chemiluminescence method for the determination of melatonin, 455 (2002) 193

Acetonitrile-water mixtures

Acid-base constants of neutral bases in acetonitrile-water mixtures, 454 (2002) 157

Acetylcholine

Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, 462 (2002) 199

Acetylcholinesterase

Immobilization of acetylcholinesterase on screen-printed electrodes: comparative study between three immobilization methods and applications to the detection of organophosphorus insecticides, 464 (2002) 171

Acetylene

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Acid attack in open beakers

Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, 474 (2002) 177

Acid determination

New electrochemical detection method in high-performance liquid chromatography for determining free fatty acids, 465 (2002) 199

Acid digestion

Simplified method for the Re-Os dating of molybdenite using acid digestion and isotope dilution ICP-MS, 463 (2002) 111

Acid extractable

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Acid leaching

Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, 462 (2002) 59

Acid-base constants

Acid-base constants of neutral bases in acetonitrile-water mixtures, 454 (2002) 157

Acid-base titration

Multicomponent acid-base titration by principal component-artificial neural network calibration, 461 (2002) 147

Acidic denaturation

In situ monitoring of gold-surface adsorption and acidic denaturation of human serum albumin by an isolation-capacitance-adapted electrochemical quartz crystal impedance system, 464 (2002) 65

Acidified slurry sample

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Acid-induced cloud point

Evaluation of the factors affecting extraction of organic compounds based on the acid-induced phase cloud point approach, 460 (2002) 13

Acidity constants

Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol-water mixtures, 455 (2002) 335

***Acinetobacter calcoaceticum* A-122**

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

Acoustic shear wave

Interfacial nucleic acid chemistry studied by acoustic shear wave propagation, 469 (2002) 101

Acridinium ester (10-methyl-9(*p*-formylphenyl)-acridinium fluorosulphonate)

Electrochemiluminescence assay for the detection of acridinium esters, 461 (2002) 141

Acridinol

Characterisation of a synthesised fluorescent ligand (4-acridinol-1-sulphonic acid) using nuclear magnetic resonance spectroscopy, 454 (2002) 147

Acrylic fibres

Classification and quantitation of finishing oils by near infrared spectroscopy, 463 (2002) 295

Actinide ions

Evaluation of Gibbs free energy for the transfer of a highly hydrophilic ion from an acidic aqueous solution to an organic solution based on ion pair extraction, 452 (2002) 149

Actinides

Determination of actinides and strontium in fish samples by extraction chromatography, 458 (2002) 367

Activated carbon

Characterization of metal ion-exchange on modified surfaces of porous carbon, 455 (2002) 233

Activative effect

Spectrofluorimetric determination of tannins based on their activative effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide, 455 (2002) 187

Acyl-Co A

Isolation and separation of individual long-chain acyl-coenzyme A esters, 465 (2002) 427

Additional Testing Program

An odyssey—meeting European Union analytical criteria for residues from afar: experiences from North America, 473 (2002) 49

Adenine

Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, 461 (2002) 243

Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile–water mixtures using hard-modelling and soft-modelling approaches, 471 (2002) 145

Adenylate kinase

Rapid and specific detection of bacteria using bioluminescence, 457 (2002) 109

Adhesion

Carbohydrate recognition: a nascent technology for the detection of bioanalytes, 457 (2002) 39

Admicelles

Evaluation of hydrophobic properties of sodium dodecylsulfate/γ-alumina admicelles based on fluorescence spectra of *N*-phenyl-1-naphthylamine, 454 (2002) 203

ADP

Amperometric determination of serum lactate dehydrogenase activity using an ADP-modified graphite electrode, 457 (2002) 275

Adrenaline

Development of integrated chemiluminescence flow sensor for the determination of adrenaline and isoprenaline, 463 (2002) 257

Determination of adrenaline by using inhibited Ru(bpy)₃²⁺ electrochemiluminescence, 471 (2002) 187

Adsorption

Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, 456 (2002) 147

Adsorptive stripping

Determination of the antibacterial enrofloxacin by differential-pulse adsorptive stripping voltammetry, 454 (2002) 83

Adsorptive stripping voltammetry

Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, 461 (2002) 243

Adulteration

Study of diesel fuel contamination by excitation emission matrix spectral subtraction fluorescence, 454 (2002) 209

Electronic nose based on metal oxide semiconductor sensors as a fast alternative for the detection of adulteration of virgin olive oils, 459 (2002) 219

Aerosol

Grazing-exit electron probe X-ray microanalysis of ultra-thin films and single particles with high-angle resolution, 455 (2002) 245

Aerosol analysis by cavity-ring-down laser spectroscopy, 466 (2002) 1

Affinity

Fractionation and characterization of fulvic acid by immobilized metal ion affinity chromatography, 452 (2002) 85

High-performance liquid chromatographic fractionation and characterization of fulvic acid, 464 (2002) 47

Affinity chromatography

Protein A immobilized monolithic capillary column for affinity chromatography, 466 (2002) 141

Affinity-sensing

Reversible affinity interactions of antibody molecules at functionalized dendrimer monolayer: affinity-sensing surface with reusability, 456 (2002) 209

Ag

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Ag⁺ HPLC

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

Ag⁺TLC

Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395

Ag/AgCl quasi-reference electrode

Development of a micro-planar Ag/AgCl quasi-reference electrode with long-term stability for an amperometric glucose sensor, 462 (2002) 253

Ageing

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

Effect of maturation in small oak casks on the volatility of red wine aroma compounds, 458 (2002) 45

Aroma profile of Portuguese brandies aged in chestnut and oak woods, 458 (2002) 55

Agmatine

Quantitation of agmatine by liquid chromatography with laser-induced fluorescence detection, 470 (2002) 155

 β -Agonists

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Agrochemicals

Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-(4-bromo-2-chlorophenyl)-*O*-ethyl *S*-propyl phosphorothioate) measured by ^1H and ^{31}P QNMR spectrometry, 474 (2002) 125

Air

Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, 453 (2002) 231

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Air-segmented continuous flow analysis

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Ajugasterone

Ecdysteroids: one potential new anabolic family in breeding animals, 473 (2002) 89

Al(III)

Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, 454 (2002) 259

Albumin

Prediction of human serum albumin-drug binding affinity without albumin, 454 (2002) 101

Alcian blue 8GX

Near-infrared fluorimetric determination of nucleic acids by shifting the ion-association equilibrium between heptamethylene cyanine and Alcian blue 8GX, 461 (2002) 235

Alcohol dehydrogenase

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD $^+$ -dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, 467 (2002) 225

Alcohol electrode

Performance of amperometric alcohol electrodes prepared by plasma polymerization technique, 469 (2002) 217

Alcoholic beverages

Analysis by gas chromatography/mass spectrometry of fatty acids and esters in alcoholic beverages and tobaccos, 465 (2002) 309

Alginate

Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose, 453 (2002) 71

Algorithms

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Aliphatic amines

N-Hydroxysuccinimidyl phenylacetate as a novel derivatizing reagent for aliphatic amines in gas chromatography, 468 (2002) 255

Aliphatic carboxylic acids

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Vacancy ion-exclusion chromatography of carboxylic acids on a strongly acidic cation-exchange resin, 474 (2002) 31

Aliquat 336

Liquid-supported membranes in chromium(VI) optical sensing: transport modelling, 464 (2002) 197

Alkali fusion

Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, 474 (2002) 177

Alkali metals

Effect of 1,10-phenanthroline on the extraction and separation of lithium(I), sodium(I) and potassium(I) with thenoyltrifluoroacetone, 454 (2002) 241

Alkaline aqueous solution

Chemiluminescence of luminol induced by dissolution of oxide-covered aluminum in alkaline aqueous solution, 453 (2002) 253

Alkaline hydrolysis of dimethyl phthalate

Determination of rate constants from two-way kinetic-spectral data by using rank annihilation factor analysis, 454 (2002) 21

Alkaline peroxodisulfate digestion

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Alkaline phosphatase

Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, 462 (2002) 31

Rapid spectrophotometric determination of fosfestrol following on-line hydrolysis by alkaline phosphatase using flow injection and chasing zones, 462 (2002) 119

Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, 467 (2002) 83

Alkaline pulping

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Alkylphenol ethoxylates (APEs)

Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, 475 (2003) 75

Alkylphenol polyethoxylates

Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems. Improvement of the detection limits employing an on-line pre-concentration stage, 454 (2002) 217

Alkylsulphonate surfactants

Evaluation of the factors affecting extraction of organic compounds based on the acid-induced phase cloud point approach, 460 (2002) 13

All solid-state contact

Glucose and urea biosensors based on all solid-state PVC-NH₂ membrane electrodes, 452 (2002) 29

Alliin

Biosensoric flow-through method for the determination of cysteine sulfoxides, 469 (2002) 155

Alliinase

Biosensoric flow-through method for the determination of cysteine sulfoxides, 469 (2002) 155

Alloys

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

All-solid-state electronic tongue

All-solid-state electronic tongue and its application for beverage analysis, 468 (2002) 303

All-solid-state potentiometric sensor

All-solid-state planar miniature ion-selective chloride electrode, 451 (2002) 243

Alternating least square

Comparison of various chemometric evaluation approaches for on-line FT-NIR transmission and FT-MIR/ATR spectroscopic data of methyl methacrylate solution polymerization, 452 (2002) 265

 γ -Alumina

Evaluation of hydrophobic properties of sodium dodecylsulfate/ γ -alumina admicelles based on fluorescence spectra of *N*-phenyl-1-naphthylamine, 454 (2002) 203

Aluminium

Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149

Aluminum

Spectrofluorimetric determination of aluminum in drinking waters by sequential injection analysis, 457 (2002) 311

Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, 459 (2002) 267

Ambient pressure

Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, 453 (2002) 231

Amino acid composition

Volatile sulphur compounds in wines related to yeast metabolism and nitrogen composition of grape musts, 458 (2002) 157

Amino acids

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77

Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, 459 (2002) 267

An amperometric method for the determination of trace mercury(II) by formation of complexes with L-tyrosine, 464 (2002) 123

Phanquinone: a useful fluorescent pre-chromatographic derivatization reagent for liquid chromatographic analyses of amino acid dosage forms, 474 (2002) 11

Amino alcohols

Potentiometric detection of *N,N'*-diethylaminoethanol and lysosomotropic amino alcohols in cation exchange high-performance liquid chromatography systems, 472 (2002) 11

2-Aminoacetophenone

'Unusual aging off-flavor' in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors, 458 (2002) 29

4-Aminopyrazolones derivatives

4-Aminoantipyrine spectrophotometric method of phenol analysis. Study of the reaction products via liquid chromatography with diode-array and mass spectrometric detection, 467 (2002) 105

Amitraz

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Ammonia

Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Ammonia electrode

Biosensoric flow-through method for the determination of cysteine sulfoxides, 469 (2002) 155

Ammonium

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Amoxycillin

Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxycillin and clavulanic acid by stopped-flow kinetic analysis, 463 (2002) 75

Amperometric

Entrapment of glucose oxidase in non-porous poly(vinyl chloride), 461 (2002) 57

Amperometric biosensor

On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

Amperometric detection

Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, 470 (2002) 175

Amperometric determination of ethanol in beverages at copper electrodes in alkaline medium, 472 (2002) 123

Amperometric gas sensor

Sensitive electrochemical detection of ozone, 459 (2002) 199

Amperometric glucose sensor

Development of a micro-planar Ag/AgCl quasi-reference electrode with long-term stability for an amperometric glucose sensor, 462 (2002) 253

Amperometric immunoassay

Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal 1 protein, 461 (2002) 49

Amperometry

Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, 460 (2002) 141

An amperometric method for the determination of trace mercury(II) by formation of complexes with L-tyrosine, 464 (2002) 123

Anabolic

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Ecdysteroids: one potential new anabolic family in breeding animals, 473 (2002) 89

Detection of illegal growth promoters in biological samples using receptor binding assays, 473 (2002) 135

Anabolic steroids

Analytical possibilities for the detection of stanozolol and its metabolites, 473 (2002) 39

Analysis

Supercritical fluid extraction of organochlorine pesticides and some metabolites in frogs from National Park of Ordesa and Monte Perdido, 464 (2002) 303

Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, 465 (2002) 1

Aerosol analysis by cavity-ring-down laser spectroscopy, 466 (2002) 1

Confirmatory analysis method for zearanol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Analytical blank

Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, 453 (2002) 1

Analytical detection window

Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

Analytical error

Analysis of fatty acids in plasma lipoproteins by gas chromatography-flame ionization detection. Quantitative aspects, 465 (2002) 337

Analytical performance

Analytical performance of commercially available and unavailable phenolic compounds using real samples by high-performance liquid chromatography-diode-array detection, 460 (2002) 61

Angler[®]

ResonSense[®]: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, 457 (2002) 61

Anhydride

Analysis of fatty acid anhydrides and polyanhydrides, 465 (2002) 257

Anilines

Uptake monitoring of anilines and phenols using modified zeolites, 464 (2002) 1

Animal experiment

Alternative to vertebrate animal experiments in the study of metabolism of illegal growth promoters and veterinary drugs, 473 (2002) 59

Animal feed

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Anion adsorption

Specific adsorption of halogen anions on hydrous $\gamma\text{-Al}_2\text{O}_3$, 470 (2002) 263

Anion exchange chromatography

Analysis of glycolytic intermediates in *Saccharomyces cerevisiae* using anion exchange chromatography and electrospray ionization with tandem mass spectrometric detection, 460 (2002) 209

Anion exchange membrane

Chromium(VI) transport through the Raipore 1030 anion exchange membrane, 464 (2002) 15

Anion exchange separation

Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection, 458 (2002) 291

Anion-exchange

Ion-exchange method for separation and concentration of platinum and palladium for analysis of environmental samples by inductively coupled plasma atomic emission spectrometry, 464 (2002) 7

Anodic stripping voltammetry

Calibrationless determination of cadmium, lead and copper in rain samples by stripping voltammetry at mercury microelectrodes. Effect of natural convection on the deposition step, 452 (2002) 65

Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, 457 (2002) 285

Anomers equilibrium

Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, 465 (2002) 441

Antarctica

Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, 453 (2002) 1

Anthocyanin-derived pigments

Anthocyanin-derived pigments and colour of red wines, 458 (2002) 147

Anthocyanins

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77

Anthrahydroquinone (AHQ)

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Anthrahydroquinone sulfonic salt (AHQ-S)

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Anthraquinone (AQ)

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Anthraquinone sulfonic salt (AQ-S)

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Antibody

Evolution of antibodies for environmental monitoring: from mice to plants, 468 (2002) 185

Development of a rapid, specific fluorescence polarization immunoassay for the herbicide chlorsulfuron, 468 (2002) 229

Antibody-BSA hydrogel

Immunosensor for okadaic acid using quartz crystal microbalance, 471 (2002) 33

Antidoping analysis

Strategies for internal quality control in antidoping analyses, 460 (2002) 289

Antiepileptic drugs

Simultaneous analysis of six antiepileptic drugs and two selected metabolites in human plasma by liquid chromatography after solid-phase extraction, 472 (2002) 1

Antifouling biocides

Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays, 456 (2002) 303

Antigen masking

Future of biological aerosol detection, 457 (2002) 125

Anti-microbial resistance

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Antimony

Inter-method comparison for the determination of antimony and arsenic in peat samples, 458 (2002) 387

Antimony species

Determination of inorganic antimony species in seawater by differential pulse anodic stripping voltammetry: stability of the tri-valent state, 452 (2002) 237

Anti-okadaic acid monoclonal antibody

Immunosensor for okadaic acid using quartz crystal microbalance, 471 (2002) 33

Antioxidant

Spectrofluorimetric determination of hydrogen peroxide scavenging activity, 452 (2002) 177

Electrochemical studies on antioxidants in bovine milk, 474 (2002) 137

Antioxidant activity
Role of melanoidins in sweet wines, 458 (2002) 169

Apatite
Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, 472 (2002) 37

Apolipoprotein E
Coupling of an indicator-free electrochemical DNA biosensor with polymerase chain reaction for the detection of DNA sequences related to the apolipoprotein E, 469 (2002) 93

Aqua regia extraction
Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, 462 (2002) 59

Aquatic humic substances
Sorption of aquatic humic matter by DAX-8 and XAD-8 resins. Comparative study using pyrolysis gas chromatography, 471 (2002) 219

Aqueous biphasic systems
Extraction of humic acids and their fractions in poly(ethylene glycol)-based aqueous biphasic systems, 452 (2002) 95

Aqueous nitrobenzene or 1,2-dichloroethane interface
Evaluation of Gibbs free energy for the transfer of a highly hydrophilic ion from an acidic aqueous solution to an organic solution based on ion pair extraction, 452 (2002) 149

Aqueous samples
Countercurrent supercritical fluid extraction of phenolic compounds from aqueous matrices, 460 (2002) 1

Aqueous slurry
Direct mercury determination in aqueous slurries of environmental and biological samples by cold vapour generation-electrothermal atomic absorption spectrometry, 460 (2002) 111

Arachidonic acid
Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Archaeology
Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Archaeometry
Investigation of a Roman age "bulk pigment" found in Vicenza, 475 (2003) 181

Aroma
Biogeneration of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3
Effect of maturation in small oak casks on the volatility of red wine aroma compounds, 458 (2002) 45
Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139

Characterisation of young Cognac spirit aromatic quality, 458 (2002) 191

Aroma profile
Aroma profile of Portuguese brandies aged in chestnut and oak woods, 458 (2002) 55

Aromatic hydrocarbons
Improvement of UV spectrophotometry methodology for the determination of total polycyclic aromatic compounds in contaminated soils, 453 (2002) 245

Arsenazo-DBS
Quantitative determination of proteins by the Rayleigh light-scattering technique after optimization of the derivation reaction with Arsenazo-DBS, 459 (2002) 313

Arsenic
Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207
Determination of arsenic in gold samples using matrix exchange differential pulse stripping voltammetry, 453 (2002) 201
Analysis and leaching characteristics of mercury and arsenic in Chinese medicinal material, 453 (2002) 311
Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 455 (2002) 277
Inter-method comparison for the determination of antimony and arsenic in peat samples, 458 (2002) 387
Determination of As(III) and arsenic(V) in natural waters by cathodic stripping voltammetry at a hanging mercury drop electrode, 459 (2002) 151

Arsenite(III)
Determination of As(III) and total inorganic arsenic by flow injection hydride generation atomic absorption spectrometry, 460 (2002) 227

Arsenite(V)
Determination of As(III) and total inorganic arsenic by flow injection hydride generation atomic absorption spectrometry, 460 (2002) 227

Arsenobetaine
Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Arsenobiosides
Measurement of arsenic species in marine macroalgae by microwave-assisted extraction and high performance liquid chromatography-inductively coupled plasma mass spectrometry, 457 (2002) 173

Artificial neural network
Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, 452 (2002) 47

Multicomponent acid-base titration by principal component-artificial neural network calibration, 461 (2002) 147
 Classification and quantitation of finishing oils by near infrared spectroscopy, 463 (2002) 295
 Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305
 Kinetic detection of benzene/chloroform and toluene/chloroform vapors using a single quartz piezoelectric crystal coated with calix[6]arene, 464 (2002) 57
 Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II), 469 (2002) 303
 Simple method for colorimetric spot-test quantitative analysis of Fe(III) using a computer controlled hand-scanner, 471 (2002) 97

As

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Ascorbic acid

Poly(isonicotinic acid) modified glassy carbon electrode for electrochemical detection of norepinephrine, 454 (2002) 75
 New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum, 458 (2002) 337
 Determination of ascorbic acid based on a peroxidase oscillator reaction, 466 (2002) 257
 Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

Assay

Fluorimetric assay for measuring Dns-His-Lys-Arg-His-Lys cleaving enzyme using high-performance liquid chromatography, 457 (2002) 157

Assay of certified reference materials

Development of an automated sequential injection on-line solvent extraction-back extraction procedure as demonstrated for the determination of cadmium with detection by electrothermal atomic absorption spectrometry, 456 (2002) 283

Astilbin

Direct liquid chromatographic analysis of resveratrol derivatives and flavanols in wines with absorbance and fluorescence detection, 458 (2002) 103

Asulam

Simultaneous UV and electrochemical determination of the herbicide asulam in tap water samples by micellar electrokinetic capillary chromatography, 469 (2002) 243

Atherosclerosis

Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis

treatment evaluated by liquid chromatography and gas chromatography, 467 (2002) 125

Atmospheric pressure chemical ionization

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

Atmospheric pressure measurements

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. II. Determination of oxygen at atmospheric pressure, 468 (2002) 323

Atomic absorption spectrometry

Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for their flame atomic absorption spectrometric determination, 454 (2002) 229

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Trace metal studies of selected white wines: an alternative approach, 458 (2002) 223

Micelle mediated methodology for the determination of free and bound iron in wines by flame atomic absorption spectrometry, 458 (2002) 241

Determination of As(III) and total inorganic arsenic by flow injection hydride generation atomic absorption spectrometry, 460 (2002) 227

Atomic emission spectrometry

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Atomic fluorescence spectrometry

Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 455 (2002) 277

Determination of zinc in food using atomic fluorescence spectrometry by hydride generation from organized media, 457 (2002) 305

Atomic weight

Measurement of the isotopic composition and atomic weight of an isotopic reference material of platinum, IRMM-010, 460 (2002) 41

Atrazine

Novel fiber-optic biosensor based on immobilized glutathione S-transferase and sol-gel entrapped brom cresol green for the determination of atrazine, 460 (2002) 151

On-line pre-concentration of atrazine by antibody immobilization capillary electrophoresis, 464 (2002) 25

Evaluation of a field-test kit for triazine herbicides (SensiScreen® TR500) as a fast assay to detect pesticide contamination in water samples, 475 (2003) 105

Attenuated total reflection

Cooled internal reflection element for infrared chemical sensing of volatile to semi-volatile organic compounds in the headspace of aqueous solutions, 462 (2002) 235

Au colloid modified microsensor

Novel nitric oxide microsensor and its application to the study of smooth muscle cells, 455 (2002) 199

Australian white wine

Trace metal studies of selected white wines: an alternative approach, 458 (2002) 223

Authenticity

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Autoclave

Survival and polymerase chain reaction-based detection of nucleic acid taggant markers during bacterial growth and sterilization, 475 (2003) 67

Autoclave heating

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Automation

Development of the continuously variable volume reactor for flow injection analysis. Part 1. Design, capabilities and testing, 455 (2002) 287

Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectrophotometric sequential injection procedures, 466 (2002) 345

Multicommutation in flow analysis: concepts, applications and trends, 468 (2002) 119

Automatization

Automated flow analysis system based on multicommutation for Cd, Ni and Pb on-line pre-concentration in a cationic exchange resin with determination by inductively coupled plasma atomic emission spectrometry, 453 (2002) 301

Automobile

Conducting polymer-based array for the discrimination of odours from trim plastic materials used in automobiles, 455 (2002) 41

Auxiliary-system

Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors, 469 (2002) 37

Avidin-biotin

Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose, 453 (2002) 71

8-Azapurines

Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, 472 (2002) 63

Azur B

Study of the interaction of Azur B with DNA and the determination of DNA based on resonance light scattering measurements, 452 (2002) 285

B**Background correction**

Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, 457 (2002) 285

Bacteria

Rapid and specific detection of bacteria using bioluminescence, 457 (2002) 109

Tuning the parameters for fast respirometry, 460 (2002) 257
Covalent binding of genetically engineered microorganisms to porous glass beads, 470 (2002) 71

Bacterial fingerprinting

Fingerprinting bacterial strains using ion mobility spectrometry, 457 (2002) 83

Bacterial infection

Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, 459 (2002) 25

Bacterial magnetic particles (BMPs)

Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, 475 (2003) 75

Bacterial vaginosis

Novel application for ion mobility spectrometry: diagnosing vaginal infections through measurement of biogenic amines, 474 (2002) 115

Bacteriophage

Rapid and specific detection of bacteria using bioluminescence, 457 (2002) 109

Barium

Separation of Sr from Ca, Ba and Ra by means of $\text{Ca}(\text{OH})_2$ and $\text{Ba}(\text{Ra})\text{Cl}_2$ or $\text{Ba}(\text{Ra})\text{SO}_4$ for the determination of radiostrontium, 466 (2002) 109

Base peak chromatogram

Matched filtering with background suppression for improved quality of base peak chromatograms and mass spectra in liquid chromatography-mass spectrometry, 454 (2002) 167

Baseline

Rank annihilation correction for the amendment of instrumental inconsistencies, 464 (2002) 249

Bases

Acid-base constants of neutral bases in acetonitrile–water mixtures, 454 (2002) 157

Batch mode hydride generation

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Bayer liquor

Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection, 458 (2002) 291

Beer analysis

Determination of purines and pyrimidines in beer samples by capillary zone electrophoresis, 454 (2002) 185

Beeswax

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Benzalkonium chloride

Sensitized spectrophotometric determination of trace Hg(II) in benzalkonium chloride media, 459 (2002) 75

Benzene biomarker

Ultratrace analysis for *trans,trans*-muconic acid by electrophoretic derivatization and capillary gas chromatography, 455 (2002) 111

Benzodiazepines

Separation of benzodiazepines by electrospray ionization ion mobility spectrometry-mass spectrometry, 457 (2002) 235

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Benzonic acids

Characterisation of humic substances by acid catalysed transesterification, 452 (2002) 105

Benzophenone-4

Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonate acid in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, 464 (2002) 295

Benz[a]pyrene

Time-resolved laser-induced fluorimetry for screening polycyclic aromatic hydrocarbons on solid-phase extraction membranes, 464 (2002) 261

Study of different normal-microemulsion compositions by room temperature phosphorescence to determine benz[a]pyrene in environmental samples, 474 (2002) 91

Bi

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Biamperometry

Theoretical and experimental study of the biamperometry for irreversible redox couple in flow system, 470 (2002) 229

Bidentate amine

Effect of 1,10-phenanthroline on the extraction and separation of lithium(I), sodium(I) and potassium(I) with thenoyltrifluoroacetone, 454 (2002) 241

Bidentate organotins

Selective fluoride recognition and potentiometric properties of ion-selective electrodes based on bis(halodiphenylstannyl)alkanes, 467 (2002) 197

Bifunctional hapten

Group-specific enzyme-linked immunosorbent assay for fenitroxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, 460 (2002) 99

Bilayer lipid membranes

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Bilinear data

Rank annihilation correction for the amendment of instrumental inconsistencies, 464 (2002) 249

Binary response

Estimating the uncertainty of binary test results to assess their compliance with regulatory limits, 455 (2002) 267

Binary solvents

Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol-water mixtures, 455 (2002) 335

Bioaffinity assay

Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, 458 (2002) 271

Bioanalyte detection

Carbohydrate recognition: a nascent technology for the detection of bioanalytes, 457 (2002) 39

Bioanode

Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphone) films for use in a lactate biosensor, 453 (2002) 191

Biocompatibility

Ion-sensor property and blood compatibility of neutral-carrier-type poly(vinyl chloride) membranes coated by phosphorylcholine polymers, 463 (2002) 31

Biodegradation

Biodegradation studies of 4-fluorobenzoic acid and 4-fluorocinnamic acid: an evaluation of membrane inlet mass spectrometry as an alternative to high performance liquid chromatography and ion chromatography, 454 (2002) 137

Biofluids samples

Direct determination of aluminium in serum and urine by electro-thermal atomic absorption spectrometry using ruthenium as permanent modifier, 464 (2002) 323

Biofuel cell

Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphonate) films for use in a lactate biosensor, 453 (2002) 191

Biofunctional membranes

Electron paramagnetic resonance spin label titration: a novel method to investigate random and site-specific immobilization of enzymes onto polymeric membranes with different properties, 470 (2002) 29

Biogenesis

Biogeneration of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Biogenic amines

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Novel application for ion mobility spectrometry: diagnosing vaginal infections through measurement of biogenic amines, 474 (2002) 115

Biolog MT2 microplates

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert[®] 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Biological and toxin weapons convention

Mass spectrometric identification of toxins of biological origin, 457 (2002) 71

Biological sample

Development and application of a micro-digestion device for elemental analysis of biological samples, 451 (2002) 279

Quantitation of agmatine by liquid chromatography with laser-induced fluorescence detection, 470 (2002) 155

Determination of trace elements in biological materials using tetra-methylammonium hydroxide for sample preparation, 470 (2002) 195

Bioluminescence

Identification of toxic compounds in wastewater treatment plants during a field experiment, 456 (2002) 19

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Rapid and specific detection of bacteria using bioluminescence, 457 (2002) 109

Heterobifunctional linker between antibodies and reporter genes for immunoassay development, 459 (2002) 169

Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, 462 (2002) 11

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Bioluminescent bacteria

Improved detection of toxic chemicals using bioluminescent bacteria, 471 (2002) 113

Biomarker

Development of an enzyme immunoassay for linoleic acid diols in urine, 466 (2002) 247

Contribution of European research to endocrine disruptors, 473 (2002) 161

Biomass burning particles

Investigation on the geometric and matrix effects and quantitative determination of K, Cl and S atomic fraction for biomass burning particles by Monte Carlo simulation, 459 (2002) 93

Biomass residues

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Biomimetic sensing

Fluorescent sensing of homocysteine by molecular imprinting, 466 (2002) 17

Biomolecule

Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Bioprocess monitoring

Quantitation of intracellular recombinant human superoxide dismutase using surface plasmon resonance, 456 (2002) 193

On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, 462 (2002) 293

Biosensor

Bienzymatic amperometric biosensor for glucose based on poly-pyrrole/ceramic carbon as electrode material, 451 (2002) 251

Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose, 453 (2002) 71

Surface plasmon resonance biosensor for genetically modified organisms detection, 453 (2002) 165

In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors, 456 (2002) 3

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert[®] 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Quantitation of intracellular recombinant human superoxide dismutase using surface plasmon resonance, 456 (2002) 193

Chemiluminescence multichannel immunosensor for biodetection, 457 (2002) 3

Selection of phage displayed peptides for the detection of 2,4,6-trinitrotoluene in seawater, 457 (2002) 13

Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, 457 (2002) 29

Reagentless pH-based biosensing using a fluorescently-labelled dextran co-entrapped with a hydrolytic enzyme in sol-gel derived nanocomposite films, 457 (2002) 47

Yeast cells sucrose biosensor based on a potentiometric oxygen electrode, 458 (2002) 215

Comparison of electrochemical, electrophoretic and spectrophotometric methods for creatinine determination in biological fluids, 459 (2002) 187

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Novel fiber-optic biosensor based on immobilized glutathione S-transferase and sol-gel entrapped brom cresol green for the determination of atrazine, 460 (2002) 151

Tuning the parameters for fast respirometry, 460 (2002) 257

Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Direct selective detection of genomic DNA from coliform using a fiber optic biosensor, 461 (2002) 37

Entrapment of glucose oxidase in non-porous poly(vinyl chloride), 461 (2002) 57

Amperometric biosensors employing an insoluble oxidant as an interference-removing agent, 461 (2002) 251

Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, 462 (2002) 11

Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent, 463 (2002) 229

Glucose biosensors prepared by electropolymerization of *p*-chlorophenylamine with and without Nafion, 463 (2002) 239

Immobilization of acetylcholinesterase on screen-printed electrodes: comparative study between three immobilization methods and applications to the detection of organophosphorus insecticides, 464 (2002) 171

Characterization of oxidoreductase-redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared-external reflection spectroscopy, 466 (2002) 201

Polyelectrolyte-stabilized biosensors based on macroporous carbon electrode, 467 (2002) 217

Biosensoric flow-through method for the determination of cysteine sulfoxides, 469 (2002) 155

Quartz crystal microbalance determination of organophosphorus and carbamate pesticides, 469 (2002) 189

Dual amperometric-potentiometric biosensor detection system for monitoring organophosphorus neurotoxins, 469 (2002) 197

Performance of amperometric alcohol electrodes prepared by plasma polymerization technique, 469 (2002) 217

Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, 470 (2002) 57

Study on the formation of the Prussian blue films on the polypyrrole surface as a potential mediator system for biosensing applications, 472 (2002) 113

Coupling conducting polymers and mediated electrochemical responses for the detection of *Listeria*, 475 (2003) 37

Biosensor assay

Biosensor analysis of penicillin G in milk based on the inhibition of carboxypeptidase activity, 468 (2002) 153

Biosensor design

Practical physical aspects of interfacial nucleic acid oligomer hybridisation for biosensor design, 469 (2002) 115

Biota

Supercritical fluid extraction of organochlorine pesticides and some metabolites in frogs from National Park of Ordesa and Monte Perdido, 464 (2002) 303

Biotoxicity assay

Improved detection of toxic chemicals using bioluminescent bacteria, 471 (2002) 113

1,10-bis(2'-Carboxyphenyl)-1,4,7,10-tetraoxadecane

Study on the new fluorescence enhancement system of Tb-1,10-bis(2'-carboxyphenyl)-1,4,7,10-tetraoxadecane in silver chloride collosol and its analytical application, 468 (2002) 287

Bismuth

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid prereduction and cupferron chelation-extraction, 459 (2002) 161

Bisphenol A (BPA)

Measurement of bisphenol A in human serum by gas chromatography/mass spectrometry, 458 (2002) 331

Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, 475 (2003) 75

Biuret

Kinetics of the post-column complexation reaction of Cu(II) with *N*-formylmethionyl chemoattractant and chemotactic peptides, 474 (2002) 1

Black Cohosh

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

β-Blockers

Micellar-organic versus aqueous-organic mobile phases for the screening of β-blockers, 454 (2002) 109

Determination of β-blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, 471 (2002) 51

Blood enzyme levels

Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, 472 (2002) 63

Body fluids

Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1

Boiler water

Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, 455 (2002) 315

Bottom ash

Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, 451 (2002) 285

Bovine milk and whey

Electrochemical studies on antioxidants in bovine milk, 474 (2002) 137

Bovine serum

Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography – diode-array detection, 468 (2002) 237

Bovine serum albumin

Study of the interaction between terazosin and serum albumin. Synchronous fluorescence determination of terazosin, 452 (2002) 185

Bovine urine

Internal validation of screening methodology for residues of epitenbolone, trenbolone, epi-nortestosterone and nortestosterone in bovine urine using immunoaffinity cartridges for sample clean-up, 473 (2002) 111

Brackish water

Extraction and preconcentration of polychlorinated dibenzo-*p*-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, 470 (2002) 205

Brandy

Aroma profile of Portuguese brandies aged in chestnut and oak woods, 458 (2002) 55

BRCA

Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, 469 (2002) 149

Breast cancer detection

Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, 469 (2002) 149

Breast tumor

Hadamard transform fluorescence image microscopy using one-dimensional movable mask, 468 (2002) 27

***Brettanomyces* yeast**

Determination of volatile phenols in fino sherry wines, 458 (2002) 95

Brines

Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, 456 (2002) 105

Bromate

Highly sensitive spectrofluorimetric kinetic determination of ultra-trace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate, 455 (2002) 159

Brom cresol green

Novel fiber-optic biosensor based on immobilized glutathione S-transferase and sol-gel entrapped brom cresol green for the determination of atrazine, 460 (2002) 151

Bromide

Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current chronopotentiometry and square wave voltammetry, 464 (2002) 115

 α -Bromonaphthalene

Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer, 455 (2002) 179

Bromopropylate

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Browning

Removal of iron, copper and manganese from white wines through ion exchange techniques: effects on their organoleptic characteristics and susceptibility to browning, 458 (2002) 197

Bryophytes

Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination of oxytetracycline in the bryophyte *Fontinalis antipyretica*, 475 (2003) 117

BSA

Preparation and application of functionalized nanoparticles of CdS as a fluorescence probe, 468 (2002) 35

BTEX

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

Improved detection of toxic chemicals using bioluminescent bacteria, 471 (2002) 113

Bulk liquid membrane

Kinetic study of L-isoleucine transport through a liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, 456 (2002) 157

Buprofezin

Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, 468 (2002) 81

Butyltin compounds

Headspace solid-phase micro-extraction gas chromatography-mass detection method for the determination of butyltin compounds in wines, 458 (2002) 231

C**Ca**

Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, 470 (2002) 223

Cadaverine

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Cadmium

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Fluorescent microscopic determination of cadmium in water samples with the self-ordered ring of $\alpha,\beta,\gamma,\delta$ -tetra(5-sulfophenyl)porphine formed on the solid support of glass slides, 453 (2002) 97

Ligand and surfactant effects on a novel electrochemiluminescent reaction involving cadmium, 454 (2002) 45

Development of an automated sequential injection on-line solvent extraction-back extraction procedure as demonstrated for the determination of cadmium with detection by electrothermal atomic absorption spectrometry, 456 (2002) 283

Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, 457 (2002) 285

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Application of a cellulose phosphate ion exchange membrane as a binding phase in the diffusive gradients in thin films technique for measurement of trace metals, 464 (2002) 331

Calcium

Direct spectrophotometric determination of calcium in clinical samples with carboxyazo-*p*-CH₃, 452 (2002) 303

Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, 460 (2002) 247

Separation of Sr from Ca, Ba and Ra by means of Ca(OH)₂ and Ba(Ra)Cl₂ or Ba(Ra)SO₄ for the determination of radiostrontium, 466 (2002) 109

Calcium analysis

Determination of calcium and total hardness in natural waters using a potentiometric sensor array, 464 (2002) 89

Calcium determination

Optical test strip for calcium determination based on a neutral ionophore, 451 (2002) 231

Calcium(II)

pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Calibration

Monofluorinated polycyclic aromatic hydrocarbons as internal standards in Shpol'skii spectroscopy: 1-fluoropyrene as an example, 459 (2002) 53

Calibration by the gradient ratio-standard addition method in flow injection flame atomic absorption spectrometry, 460 (2002) 235

Calibration sensitivity

Visible spectrophotometric determination of metal ions: the influence of structure on molar absorptivity value of copper(II) complexes in aqueous solution, 459 (2002) 323

Calibrationless determination

Voltammetric investigation on sulfide ions in aqueous solutions with mercury-coated platinum microelectrodes, 464 (2002) 217

Calixarenes

Solvent effect on the complex formation of distally dialkylated calix[4]arenes with 1-chloro-4-(trifluoromethyl)benzene, 461 (2002) 273

Calixfuranopyrrole

Calix[2]furano[2]pyrrole and related compounds as the neutral carrier in silver ion-selective electrode, 453 (2002) 81

Calix[6]arene

Kinetic detection of benzene/chloroform and toluene/chloroform vapors using a single quartz piezoelectric crystal coated with calix[6]arene, 464 (2002) 57

Calmodulin

Screening of antagonists based on induced dissociation of a calmodulin-melittin interaction entrapped in a sol-gel derived matrix, 470 (2002) 19

cAMP

Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile-water mixtures using hard-modelling and soft-modelling approaches, 471 (2002) 145

Canarian wines

Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, 472 (2002) 161

Cancer

Application of probabilistic neural network in the clinical diagnosis of cancers based on clinical chemistry data, 471 (2002) 77

Capacitance immunosensor

Capacitive immunosensor for transferrin based on an *o*-aminobenzothiol oligomer layer, 458 (2002) 297

Capillary array electrophoresis

Integrated circuit microchip system with multiplex capillary electrophoresis module for DNA analysis, 466 (2002) 187

Capillary column

Protein A immobilized monolithic capillary column for affinity chromatography, 466 (2002) 141

Capillary electrophoresis

Study of the white-rot fungal degradation of selected phthalocyanine dyes by capillary electrophoresis and liquid chromatography, 451 (2002) 259

Combination of flow injection with capillary electrophoresis. 8. Miniaturized capillary electrophoresis system with flow injection sample introduction and electrogenerated chemiluminescence detection, 456 (2002) 167

Development of a tetramethylrhodamine-labeled probe for a capillary electrophoresis-based competitive immunoassay of staphylococcal enterotoxin B, 457 (2002) 21

Separation of six purine bases by capillary electrophoresis with electrochemical detection, 457 (2002) 225

Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection, 461 (2002) 117

Separation and determination of homovanillic acid and vanillylmandelic acid by capillary electrophoresis with electrochemical detection, 461 (2002) 123

On-line pre-concentration of atrazine by antibody immobilization capillary electrophoresis, 464 (2002) 25

Determination of pK_a values of quinolones from mobility and spectroscopic data obtained by capillary electrophoresis and a diode array detector, 464 (2002) 37

Single-run capillary electrophoretic speciation of iodide and iodine, 466 (2002) 133

Sensitive capillary electrophoresis microchip determination of tri-nitroaromatic explosives in nonaqueous electrolyte following solid phase extraction, 469 (2002) 253

Inverse-flow derivatization for capillary electrophoresis of DNA fragments with laser-induced fluorescence detection, 470 (2002) 129

Capillary electrophoresis with electrochemiluminescence detection of procyclidine in human urine pretreated by ion-exchange cartridge, 470 (2002) 137

Capillary liquid chromatography

Determination of chlorophenoxy acid herbicides and their esters in soil by capillary high performance liquid chromatography with ultraviolet detection, using large volume injection and temperature gradient, 470 (2002) 147

Capillary zone electrophoresis

Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, 452 (2002) 47

Determination of purines and pyrimidines in beer samples by capillary zone electrophoresis, 454 (2002) 185

Fast determination of flavonoids in *Glycyrrhiza radix* by capillary zone electrophoresis, 458 (2002) 345

Prediction of the separation of phenols by capillary zone electrophoresis, 458 (2002) 355

Quantification of noradrenaline and dopamine in *Portulaca oleracea*

L. by capillary electrophoresis with laser-induced fluorescence detection, 471 (2002) 203

Captopril

Sensitive determination of captopril by flow injection analysis with chemiluminescence detection based on the enhancement of the luminol reaction, 463 (2002) 249

Carazolol

Determination of carazolol residues in porcine tissue by radio-receptor assay, 462 (2002) 149

Carbofuran

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Carbohydrate recognition

Carbohydrate recognition: a nascent technology for the detection of bioanalytes, 457 (2002) 39

Carbon-13

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Carbon based electrodes

Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, 453 (2002) 221

Carbon dioxide

Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, 464 (2002) 79

Carbon electrode

Electrochemical reduction and oxidation of the antibiotic cefepime at a carbon electrode, 457 (2002) 265

Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, 469 (2002) 73

Carbon fiber

Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1

Carbon monoxide

Determination of carbon monoxide in ambient air using piezoelectric crystal sorption detection, 456 (2002) 227

Carbon paste electrodes

All-solid-state electronic tongue and its application for beverage analysis, 468 (2002) 303

Carboxyazo-p-CH₃

Direct spectrophotometric determination of calcium in clinical samples with carboxyazo-p-CH₃, 452 (2002) 303

Carboxypeptidase activity

Biosensor analysis of penicillin G in milk based on the inhibition of carboxypeptidase activity, 468 (2002) 153

Caro's reaction

Methylene blue potentiometric sensor for selective determination of sulfide ions, 466 (2002) 47

β-Carotene

Simultaneous sample preparation for high-performance liquid chromatographic determination of Vitamin A and β-carotene in emulsified nutritional supplements after solid-phase extraction, 463 (2002) 21

Carotenoids

Biogeneration of C₁₅-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Catalysis

Flow-injection determination of chromium(III) by its catalysis on the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3-methoxyxaniline, 474 (2002) 167

Catalytic

Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II), 469 (2002) 303

Catalytic methods

Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, 455 (2002) 327

Catalytic spectrofluorimetry

Highly sensitive spectrofluorimetric kinetic determination of ultra-trace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate, 455 (2002) 159

Catalytic spectrophotometry

Studies on catalytic spectrophotometry using β-cyclodextrin polymer-Schiff base metal complex as mimetic enzyme, 459 (2002) 83

Catechin

Chemiluminescence assay for catechin based on generation of hydrogen peroxide in basic solution, 472 (2002) 75

Catechol biosensors

Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, 459 (2002) 43

Catecholamine

Post-column terbium complexation and sensitized fluorescence detection for the determination of norepinephrine, epinephrine and dopamine using high-performance liquid chromatography, 462 (2002) 179

Quantifying catecholamines using multi-way kinetic modelling, 475 (2003) 137

Cationic form

Lipophilic derivative of rhodamine 19: characterization and spectroscopic properties, 468 (2002) 13

Cationic surfactant (CS)

Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, 468 (2002) 53

Cattle

Ecdysteroids: one potential new anabolic family in breeding animals, 473 (2002) 89

Cattle urine

Influence of the storage conditions on the concentration of clenbuterol in cattle urine samples, 452 (2002) 115

Cavity spectrometer

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. Part I. Absolute determination of transition line strengths and sample concentrations with a confocal Fabry-Perot cavity spectrometer, 466 (2002) 57

CBD

Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization detection and high-performance liquid chromatography/UV detection, 468 (2002) 245

CBN

Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization detection and high-performance liquid chromatography/UV detection, 468 (2002) 245

CCD-diode array detector

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

Cd

Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electrothermal atomic absorption spectrometry following sequential extraction, 466 (2002) 303

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Cd determination

Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, 470 (2002) 215

Cd(II) ion

Application of multivariate curve resolution to the voltammetric study of the complexation of fulvic acids with cadmium(II) ion, 459 (2002) 291

cDNA microarray

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

CdS

Preparation and application of functionalized nanoparticles of CdS as a fluorescence probe, 468 (2002) 35

CDTA

Analysis of copper complex lability using ⁶⁴Cu-equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Ce anomaly

Determination of the oxidation state of cerium in rocks by Ce L_{III}-edge X-ray absorption near-edge structure spectroscopy, 468 (2002) 345

Ce(IV)/Ce(III) ratio

Determination of the oxidation state of cerium in rocks by Ce L_{III}-edge X-ray absorption near-edge structure spectroscopy, 468 (2002) 345

Cefepime

Electrochemical reduction and oxidation of the antibiotic cefepime at a carbon electrode, 457 (2002) 265

Cefixime

Ytterbium(III)-selective membrane electrode based on cefixime, 475 (2003) 59

Cell immobilization

Covalent binding of genetically engineered microorganisms to porous glass beads, 470 (2002) 71

CellSense

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert® 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Cellulose phosphate

Application of a cellulose phosphate ion exchange membrane as a binding phase in the diffusive gradients in thin films technique for measurement of trace metals, 464 (2002) 331

Cement paste

Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, 472 (2002) 37

Central composite design

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Centrifugal SPLITT

Assessment of the distribution of pesticides on soil particle fractions in simulated irrigation run-off using centrifugal SPLITT fractionation and ELISA, 468 (2002) 199

Ceramic carbon electrode

Bienzymatic amperometric biosensor for glucose based on poly-pyrrole/ceramic carbon as electrode material, 451 (2002) 251
Screen-printable sol-gel ceramic carbon composite pH sensor with a receptor zeolite, 455 (2002) 53

Ceramics

Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, 474 (2002) 177

Cerenkov

Mixed waste reduction in radioactivity determination by using plastic scintillators, 463 (2002) 125

Comparative study of quenching correction procedures for ⁹⁰Sr/⁹⁰Y determination by Cerenkov, liquid scintillation and plastic scintillation techniques, 471 (2002) 135

Cerium(IV)

Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, 464 (2002) 289

Cetyltrimethylammonium chloride monomers

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Chasing zones

Rapid spectrophotometric determination of fosfestrol following on-line hydrolysis by alkaline phosphatase using flow injection and chasing zones, 462 (2002) 119

Chelate extraction

Sulfonamide-type di-Schiff base ligands as chelate extraction reagents for divalent metal cations, 466 (2002) 295

Chelating matrix

Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for their flame atomic absorption spectrometric determination, 454 (2002) 229

Chelating resin

Determination of vanadium, molybdenum and tungsten in complex matrix samples by chelation ion chromatography and on-line detection with inductively coupled plasma mass spectrometry, 466 (2002) 161

Chelation ion chromatography

Determination of vanadium, molybdenum and tungsten in complex matrix samples by chelation ion chromatography and on-line detection with inductively coupled plasma mass spectrometry, 466 (2002) 161

Chelatometric titrations

pH-stat techniques in titrimetric analysis. Part 3. The principles of pH-stat chelatometric titrations, 456 (2002) 313
pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Chelex-100

Use of the diffusion gradient thin film method to measure trace metals in fresh waters at low ionic strength, 456 (2002) 241

CHEMFET

Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, 464 (2002) 79

Chemical analysis

Can plasma spectrochemistry assist in improving the accuracy of chemical analysis?, 456 (2002) 63

Chemical imaging

Dual lifetime referenced optical sensor membrane for the determination of copper(II) ions, 462 (2002) 1

Chemical interferences

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation

inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Chemical labeling
High throughput drug screening by direct RNA profiling on DNA sensors, 469 (2002) 141

Chemical residues
An odyssey—meeting European Union analytical criteria for residues from afar: experiences from North America, 473 (2002) 49

Chemical sensor
Starch-iodine films respond to water vapor, 455 (2002) 49
Determination of carbon monoxide in ambient air using piezoelectric crystal sorption detection, 456 (2002) 227
Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, 457 (2002) 297
Solvent effect on the complex formation of distally dialkylated calix[4]arenes with 1-chloro-4-(trifluoromethyl)benzene, 461 (2002) 273

Chemically bonded phases
Gas chromatography silica packings with chemically bonded complexes of Cu(II) and Cr(III), 451 (2002) 271

Chemically facilitated Donnan dialysis
Chromium(VI) transport through the Raipore 1030 anion exchange membrane, 464 (2002) 15

Chemically modified electrodes
Voltammetric behavior and determination of estrogens at Nafion-modified glassy carbon electrode in the presence of cetyltrimethylammonium bromide, 464 (2002) 209

Chemiluminescence (CL)
Chemically induced phosphorescence from manganese(II) during the oxidation of various compounds by manganese(III), (IV) and (VII) in acidic aqueous solutions, 451 (2002) 181
Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence, 451 (2002) 189
Chemiluminescence of luminol induced by dissolution of oxide-covered aluminum in alkaline aqueous solution, 453 (2002) 253
Simple and convenient chemiluminescence method for the determination of melatonin, 455 (2002) 193
Ultrasensitive chemiluminescence detection of aM vanadium(IV) by capillary electrophoresis, 456 (2002) 177
Chemiluminescence multichannel immunosensor for biodetection, 457 (2002) 3
Luminol chemiluminescence reaction: a new method for monitoring nitric oxide in vivo, 458 (2002) 281
Chemiluminescence flow-through sensor for pipemidic acid using solid sodium bismuthate as an oxidant, 459 (2002) 19
Monitoring urea levels during haemodialysis with a pulsed-flow chemiluminescence analyser, 461 (2002) 131
Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, 462 (2002) 199
Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, 462 (2002) 209

Sensitive determination of captopril by flow injection analysis with chemiluminescence detection based on the enhancement of the luminol reaction, 463 (2002) 249
Development of integrated chemiluminescence flow sensor for the determination of adrenaline and isoprenaline, 463 (2002) 257
Investigations of the adulteration of extra virgin olive oils with seed oils using their weak chemiluminescence, 464 (2002) 135
Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, 464 (2002) 289
Liquid chromatography of fatty acids with chemiluminescence detection, 465 (2002) 101
Nanosized SrCO₃-based chemiluminescence sensor for ethanol, 466 (2002) 69
Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection, 466 (2002) 261
Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133
Novel chemiluminescence method for detection of superoxide anions and its application to dry-cured meat, 467 (2002) 145
Implementation of chemiluminescence detection in the multisyringe flow injection technique, 467 (2002) 155
Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids, 468 (2002) 43
Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, 468 (2002) 53
Flow-injection chemiluminescence detection for studying protein binding for drug with ultrafiltration sampling, 468 (2002) 65
Optimization and development of a high-performance liquid chromatography-based one-site immunometric assay with chemiluminescence detection, 470 (2002) 37
Chemiluminescence assay for catechin based on generation of hydrogen peroxide in basic solution, 472 (2002) 75
High-performance liquid chromatographic assay of dichlorvos, isocarbophos and methyl parathion from plant leaves using chemiluminescence detection, 474 (2002) 21
Chemiluminescent flow-injection analysis of nitrates in water using on-line ultraviolet photolysis, 474 (2002) 99
Flow-injection chemiluminescent determination of nitrite in water based on the formation of peroxynitrite from the reaction of nitrite and hydrogen peroxide, 474 (2002) 107
 β -Cyclodextrin sensitized chemiluminescence of hemoglobin-hydrogen peroxide-carbonate and its analytical application, 475 (2003) 163

Chemisorption film
Optical oxygen sensor based on fluorescence change of pyrene-1-butryic acid chemisorption film on an anodic oxidation aluminum plate, 471 (2002) 25

Chemometrics
Comparison of various chemometric evaluation approaches for on-line FT-NIR transmission and FT-MIR/ATR spectroscopic data of methyl methacrylate solution polymerization, 452 (2002) 265

Clustering with dendograms on interpretation variables, 454 (2002)
13

Classification of metal ions according to their complexing properties: data-driven approach, 455 (2002) 131

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77

Application of factor analysis for resolving thermogravimetric-mass spectrometric analysis spectra, 461 (2002) 215

Chemotaxonomy

Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, 465 (2002) 1

Chestnut wood

Aroma profile of Portuguese brandies aged in chestnut and oak woods, 458 (2002) 55

Chinese gall

Spectrofluorimetric determination of tannins based on their activating effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide, 455 (2002) 187

Chinese medicinal materials

Analysis and leaching characteristics of mercury and arsenic in Chinese medicinal material, 453 (2002) 311

Chiral capillary electrophoresis

Enantiomeric analysis of methotrexate in pharmaceuticals by cyclodextrin-modified capillary electrophoresis, 471 (2002) 211

Chiral discrimination

Chiral discrimination of dansyl-amino-acid enantiomers on teicoplanin phase: sucrose-perchlorate anion dependence, 457 (2002) 149

Chiral recognition

Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule, 469 (2002) 173

Chirality

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Chitosan

High-performance liquid chromatographic determination of neutraceuticals, glucosamine sulphate and chitosan, in raw materials and dosage forms, 462 (2002) 125

Chloramphenicol

Voltammetric determination of chloramphenicol in milk at electrochemically activated carbon fibre microelectrodes, 461 (2002) 65

Chlordimeform

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Chlорfenvinphos

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Chloride

Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current

chronopotentiometry and square wave voltammetry, 464 (2002) 115

Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection, 467 (2002) 25

Chloride sensor

All-solid-state planar miniature ion-selective chloride electrode, 451 (2002) 243

Chlorinated aliphatic hydrocarbons (CAHs)

Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry, 455 (2002) 1

Chlorine

Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry, 455 (2002) 1

Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, 456 (2002) 105

Chlorophenol

Indirect competitive immunoassay for trichlorophenol determination. Rational evaluation of the competitor heterology effect, 452 (2002) 191

Chlorophenoxy acid and esters

Determination of chlorophenoxy acid herbicides and their esters in soil by capillary high performance liquid chromatography with ultraviolet detection, using large volume injection and temperature gradient, 470 (2002) 147

Chlorpromazine hydrochloride

Investigation of a liquid-liquid extraction system based on non-ionic surfactant-salt-H₂O and mechanism of drug extraction, 452 (2002) 321

Chlorsulfuron

Development of a rapid, specific fluorescence polarization immunoassay for the herbicide chlorsulfuron, 468 (2002) 229

Cholera

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

Choline

Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, 462 (2002) 199

Chromatographic immunoassay

Optimization and development of a high-performance liquid chromatography-based one-site immunometric assay with chemiluminescence detection, 470 (2002) 37

Chromatography

Prediction of human serum albumin-drug binding affinity without albumin, 454 (2002) 101

Rank annihilation correction for the amendment of instrumental inconsistencies, 464 (2002) 249
 Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids, 468 (2002) 43

Chromatography-mass spectrometry

Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139

Chromium

Simultaneous determination of chromium(VI) and chromium(III) at trace levels by adsorptive stripping voltammetry, 470 (2002) 241
 Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 471 (2002) 121
 Extraction and preconcentration of Cr(VI) from urine using supported liquid membrane, 474 (2002) 59

Chromium (VI)

Chromium(VI) transport through the Raipore 1030 anion exchange membrane, 464 (2002) 15
 Liquid-supported membranes in chromium(VI) optical sensing: transport modelling, 464 (2002) 197
 Multi-pumping in flow analysis: concepts, instrumentation, potentialities, 466 (2002) 125

Chromium(III) and total chromium determination

Flow-injection determination of chromium(III) by its catalysis on the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3-methoxyaniline, 474 (2002) 167

Chromoionophore

Optical test strip for calcium determination based on a neutral ionophore, 451 (2002) 231

Chronocoulometry

Chronocoulometric flow-injection analysis with solvent polymeric membrane ion sensors, 459 (2002) 11

Cimicifuga racemosa

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

(-)-Cinchonidine

Molecular imprinting in alcohols: utility of a pre-polymer based strategy for synthesizing stereoselective artificial receptor polymers in hydrophilic media, 466 (2002) 11

Cinchonine

Piezoelectric quartz crystal sensors based on ion-pair complexes for the determination of cinchonine in human serum and urine, 454 (2002) 65

Ciprofloxacin

Determination of the antibacterial enrofloxacin by differential-pulse adsorptive stripping voltammetry, 454 (2002) 83

In vitro study of experimental factors affecting the microdialysis results, 459 (2002) 143
 Simultaneous determination of levofloxacin and ciprofloxacin in microdialysates and plasma by high-performance liquid chromatography, 463 (2002) 199

Cis-β-carotene

Ultrasensitive assays of *trans*- and *cis*-β-carotenes in vegetable oils by high-performance liquid chromatography-thermal lens detection, 460 (2002) 193

cis-trans-Isomers equilibrium

Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, 465 (2002) 441

Citrate selective electrodes

Citrate selective electrodes for the flow injection analysis of soft drinks, beers and pharmaceutical products, 471 (2002) 41

CLA

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

Classification

Multivariate classification of rosé wines from different Spanish protected designations of origin, 458 (2002) 187

Chemometrics characterisation of the quality of river water, 462 (2002) 87

Application of probabilistic neural network in the clinical diagnosis of cancers based on clinical chemistry data, 471 (2002) 77

Classification methods

Wheat lipids to discriminate species, varieties, geographical origins and crop years, 454 (2002) 315

Clavulanic acid

Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxycillin and clavulanic acid by stopped-flow kinetic analysis, 463 (2002) 75

Cleaning validation

Cleaning validation in the toiletries industry, 467 (2002) 261

Clenbuterol

Influence of the storage conditions on the concentration of clenbuterol in cattle urine samples, 452 (2002) 115

Clinical analysis

Piezoelectric quartz crystal sensors based on ion-pair complexes for the determination of cinchonine in human serum and urine, 454 (2002) 65

Clinical samples

Direct spectrophotometric determination of calcium in clinical samples with carboxyazo-*p*-CH₃, 452 (2002) 303

Clomipramine

Automated spectrophotometric determination of clomipramine on a multicommutated flow system, 467 (2002) 75

Clostridium acetobutylicum

Application of quantitative IR spectral analysis of bacterial cells to acetone–butanol–ethanol fermentation monitoring, 471 (2002) 127

Cloud point extraction

Micelle mediated methodology for the determination of free and bound iron in wines by flame atomic absorption spectrometry, 458 (2002) 241

Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, 466 (2002) 325

Extraction and preconcentration of polychlorinated dibenzo-*p*-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, 470 (2002) 205

Cloud point preconcentration

Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, 470 (2002) 215

Clozapine

Simultaneous determination of clozapine, clozapine *N*-oxide, *N*-desmethylclozapine, risperidone, and 9-hydroxyrisperidone in plasma by high performance liquid chromatography with ultraviolet detection, 460 (2002) 201

Cluster analysis

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, 472 (2002) 161

Clustering

Clustering with dendograms on interpretation variables, 454 (2002) 13

CO₂ system

Spectrophotometric measurement of total inorganic carbon in aqueous solutions using a liquid core waveguide, 451 (2002) 221

Coal

Tin determination in marine sediment, soil, coal fly ash and coal slurried samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Potentiometric determination of fluoride in geological and biological samples following pyrohydrolytic decomposition, 466 (2002) 117

Coal fly ash

Tin determination in marine sediment, soil, coal fly ash and coal slurried samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Coated graphite

Novel Ag⁺ ion-selective electrodes based on two new mixed azathioether crowns containing a 1,10-phenanthroline sub-unit, 462 (2002) 225

Cobalt

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, 453 (2002) 143

Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

Implementation of chemiluminescence detection in the multisyringe flow injection technique, 467 (2002) 155

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Cobalt phthalocyanine

Fabrication of a covalently attached multilayer film electrode containing cobalt phthalocyanine and its application as a potentiometric sensor of iodide ion, 455 (2002) 61

Cobalt-selective electrode

Cobalt(II)-selective membrane electrode using a recently synthesized mercapto compound, 462 (2002) 245

Cocaine

Development of a screening method for cocaine and cocaine metabolites in saliva using hollow fiber membrane solvent microextraction, 458 (2002) 311

Cofactor recycling

Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphonate) films for use in a lactate biosensor, 453 (2002) 191

Coke oven

Principal component analysis application in polycyclic aromatic hydrocarbons "mussei watch" analyses for source identification, 461 (2002) 201

Cold vapour

Direct mercury determination in aqueous slurries of environmental and biological samples by cold vapour generation-electrothermal atomic absorption spectrometry, 460 (2002) 111

Coliform

Direct selective detection of genomic DNA from coliform using a fiber optic biosensor, 461 (2002) 37

Colorants

Automatic screening method for the rapid and simple discrimination between synthetic and natural colorants in foods, 464 (2002) 237

Colour

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

Role of melanoidins in sweet wines, 458 (2002) 169

Column efficiency

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

Column liquid chromatography

Chiral discrimination of dansyl-amino-acid enantiomers on teicoplanin phase: sucrose-perchlorate anion dependence, 457 (2002) 149

Combinatorial chemistry

Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, 469 (2002) 183

Combustion

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Competitive interactions

Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, 465 (2002) 39

Complement factor 4

Enhanced surface plasmon resonance immunoassay for human complement factor 4, 453 (2002) 173

Complexation

Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, 454 (2002) 259

Compliance values

Estimating the uncertainty of binary test results to assess their compliance with regulatory limits, 455 (2002) 267

Composite electrodes

Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, 459 (2002) 43

Conductimetric detection

Vacancy ion-exclusion chromatography of carboxylic acids on a strongly acidic cation-exchange resin, 474 (2002) 31

Conducting polymer

Conducting polymer-based array for the discrimination of odours from trim plastic materials used in automobiles, 455 (2002) 41

Conductometric biosensor

Assessment of the toxicity of methyl parathion and its photodegradation products in water samples using conductometric enzyme biosensors, 459 (2002) 33

Confirmatory methods

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Conformation

Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Conjugated double bonds

Application of analytical derivatizations to the quantitative and qualitative determination of fatty acids, 465 (2002) 93

Conjugated linoleic acid

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

Conodont

Determination of the oxidation state of cerium in rocks by Ce L_{III}-edge X-ray absorption near-edge structure spectroscopy, 468 (2002) 345

Constant current chronopotentiometry

Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current chronopotentiometry and square wave voltammetry, 464 (2002) 115

Contaminants

Contamination of animal feedingstuffs as a cause of residues in food: a review of regulatory aspects, incidence and control, 473 (2002) 3

Contamination

Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, 459 (2002) 267

Continuous flow liquid membrane extraction

Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid-liquid extraction combined with supported liquid membrane, 455 (2002) 93

Continuous flow liquid-liquid extraction

Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid-liquid extraction combined with supported liquid membrane, 455 (2002) 93

Continuous-flow

Continuous-flow system for reduction of metal readsoption during sequential extraction of soil, 472 (2002) 147

Copper

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Fractionation and characterization of fulvic acid by immobilized metal ion affinity chromatography, 452 (2002) 85

Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2'-bipyridyl in polyaniline, 455 (2002) 69

Copper(II)-selective electrode based on dithioacetal, 455 (2002) 225

Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W-Rh permanent modifier for copper determination in seawater, 463 (2002) 275

Application of a cellulose phosphate ion exchange membrane as a binding phase in the diffusive gradients in thin films technique for measurement of trace metals, 464 (2002) 331

Copper complex lability

Analysis of copper complex lability using ^{64}Cu -equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Copper determination

Determination of copper in seawater based on a liquid membrane preconcentration system, 460 (2002) 35

Copper electrodes

Amperometric determination of ethanol in beverages at copper electrodes in alkaline medium, 472 (2002) 123

Copper phthalocyanine

Development of an enzymeless biosensor for the determination of phenolic compounds, 455 (2002) 215

Copper(II)

pH-stat techniques in titrimetric analysis. Part 3. The principles of pH-stat chelatometric titrations, 456 (2002) 313

Dual lifetime referenced optical sensor membrane for the determination of copper(II) ions, 462 (2002) 1

pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Copper(II) and chromium(III) complexes

Gas chromatography silica packings with chemically bonded complexes of Cu(II) and Cr(III), 451 (2002) 271

Coprecipitation

Determination of some trace metals in water and sediment samples by flame atomic absorption spectrometry after coprecipitation with cerium (IV) hydroxide, 452 (2002) 231

Correction

Rank annihilation correction for the amendment of instrumental inconsistencies, 464 (2002) 249

Correlation optimized warping

A comparison of two algorithms for warping of analytical signals, 456 (2002) 77

Corticosteroids

Direct injection micellar liquid chromatographic method for the analysis of corticosteroids in creams, ointments and other pharmaceuticals, 454 (2002) 125

Development of a tandem thin-layer chromatography-high-performance liquid chromatography method for the identification and determination of corticosteroids in cosmetic products, 457 (2002) 187

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids, 468 (2002) 43

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Cortisol measurement

Development of a non-competitive immunoassay for cortisol and its application to the analysis of saliva, 468 (2002) 315

Cosmetic products analysis

Development of a tandem thin-layer chromatography-high-performance liquid chromatography method for the identification and determination of corticosteroids in cosmetic products, 457 (2002) 187

Coulometry

Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current chronopotentiometry and square wave voltammetry, 464 (2002) 115

Countercurrent SFE

Countercurrent supercritical fluid extraction of phenolic compounds from aqueous matrices, 460 (2002) 1

Covalent immobilization

Immobilization of oligonucleotides onto silica nanoparticles for DNA hybridization studies, 470 (2002) 51

Covalently attached multilayer films

Fabrication of a covalently attached multilayer film electrode containing cobalt phthalocyanine and its application as a potentiometric sensor of iodide ion, 455 (2002) 61

CP-HPLC

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Cr

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Cr(III)

Determination of chromium(III) and chromium(VI) by use of a spectrophotometric sequential injection system, 467 (2002) 51

Cr(VI)

Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, 463 (2002) 99

Determination of chromium(III) and chromium(VI) by use of a spectrophotometric sequential injection system, 467 (2002) 51

Creams

Development and validation of a new Fourier transform infrared spectrometric method for the quantification of urea in creams and ointments, 451 (2002) 323

Direct injection micellar liquid chromatographic method for the analysis of corticosteroids in creams, ointments and other pharmaceuticals, 454 (2002) 125

Creatine

Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, 462 (2002) 283

Creatinine

Comparison of electrochemical, electrophoretic and spectrophotometric methods for creatinine determination in biological fluids, 459 (2002) 187

Amperometric biosensors employing an insoluble oxidant as an interference-removing agent, 461 (2002) 251

Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, 462 (2002) 283

Cresol red

Spectrophotometric pH measurements of freshwater, 453 (2002) 13

CRLAS

Aerosol analysis by cavity-ring-down laser spectroscopy, 466 (2002) 1

CRM 483

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

CRM 601

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Cross-linked poly(vinyl alcohol)

Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, 455 (2002) 207

Cross-sensitivity

Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, 457 (2002) 297

Crystal violet

Resonance Rayleigh scattering, frequency doubling scattering and second-order scattering spectra of the heparin-crystal violet system and their analytical application, 468 (2002) 275

Crystalline silica

Direct-on-filter analysis of crystalline silica using photoacoustic Fourier transform-infrared spectroscopy, 457 (2002) 257

CTAB

Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, 458 (2002) 417

Voltammetric behavior and determination of estrogens at Nafion-modified glassy carbon electrode in the presence of cetyltrimethylammonium bromide, 464 (2002) 209

Cu

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Cu(II) catalyst

Optical fibre sensor for hydrogen sulphide monitoring in mouth air, 471 (2002) 13

Cu²⁺

Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, 464 (2002) 187

Current transient

Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode, 475 (2003) 47

Curve resolution

Application of factor analysis for resolving thermogravimetric-mass spectrometric analysis spectra, 461 (2002) 215

Curve-fitting

Variable reduction on electronic tongue data, 452 (2002) 255

CW 7

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Cyanide

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Cyanine

Near-infrared fluorimetric determination of nucleic acids by shifting the ion-association equilibrium between heptamethylene cyanine and Alcian blue 8GX, 461 (2002) 235

Cyanine dyes

A compact long-wavelength fluorescence detection system and its application to flow injection immunoassay, 454 (2002) 31

Cyclam

Cobalt(II) and nickel(II) complexes of a cyclam derivative as carriers in iodide-selective electrodes, 459 (2002) 229

Cyclic voltammetry (CV)

Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, 453 (2002) 221

Electrochemical studies on antioxidants in bovine milk, 474 (2002) 137

 β -Cyclodextrin

Determination of six components in Rhubarb by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium cholate and sodium taurocholate, 456 (2002) 183

Effect of small organic molecules on room temperature phosphorescence properties of naphthol ternary inclusion complexes in β -cyclodextrin, 463 (2002) 135

Spectrofluorimetric study of the β -cyclodextrin-dapsone-linear alcohol supramolecular system and determination of dapsone, 469 (2002) 273

β -Cyclodextrin sensitized chemiluminescence of hemoglobin-hydrogen peroxide-carbonate and its analytical application, 475 (2003) 163

Cyclodextrin

Study on molecular recognition of *para*-aminobenzoic acid species by α -, β - and hydroxypropyl- β -cyclodextrin, 458 (2002) 305

Uptake monitoring of anilines and phenols using modified zeolites, 464 (2002) 1

Differentiating geometrical isomers of retinoids and controlling their photo-isomerization by complexation with cyclodextrins, 468 (2002) 161

Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion, 469 (2002) 285

Frequency doubling scattering and second-order scattering technology as novel methods for the determination of the inclusion constant of procaine hydrochloride to β -cyclodextrin, 472 (2002) 89

Investigation on the inclusion behavior of *neutral red* with β -cyclodextrin, hydroxypropyl- β -cyclodextrin and sulfobutyl-ether- β -cyclodextrin, 474 (2002) 189

γ -Cyclodextrin

Blue and red photoluminescence of bicapped [60]fullerene- γ -cyclodextrin complex in aqueous solutions, 472 (2002) 83

β -Cyclodextrin cross-linked polymer

Studies on catalytic spectrophotometry using β -cyclodextrin polymer-Schiff base metal complex as mimetic enzyme, 459 (2002) 83

Cymiazole

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Cyromazine

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Cysteine

Characterization of metal ion-exchange on modified surfaces of porous carbon, 455 (2002) 233

Cytochrome c

Superoxide sensor based on cytochrome *c* immobilized on mixed-thiol SAM with a new calibration method, 454 (2002) 53

Cytotoxicity

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

D

2,4-D

Dry atmospheric deposition and deposition velocities of dicamba, 2,4-dichlorophenoxyacetic acid and γ -1,2,3,4,5,6-hexachlorocyclohexane, 467 (2002) 245

Daidzein

Determination of puerarin and daidzein in *Puerariae radix* and its medicinal preparations by micellar electrokinetic capillary chromatography with electrochemical detection, 452 (2002) 123

D-Amino acid oxidase

On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

Dansyl-amino-acid

Chiral discrimination of dansyl-amino-acid enantiomers on teicoplanin phase: sucrose-perchlorate anion dependence, 457 (2002) 149

Daphnia magna

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays, 456 (2002) 303

Dapsone

Spectrofluorimetric study of the β -cyclodextrin-dapsone-linear alcohol supramolecular system and determination of dapsone, 469 (2002) 273

Data mining

Representative subset selection, 468 (2002) 91

Data standardization

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Database

Database dedicated to information published during the Benelux conferences on hormone and veterinary drug residue analyses, 473 (2002) 53

DATAN

Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol-water mixtures, 455 (2002) 335

DAX/XAD resin

Sorption of aquatic humic matter by DAX-8 and XAD-8 resins. Comparative study using pyrolysis gas chromatography, 471 (2002) 219

DBzDA18C6

Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu^{2+} and Pb^{2+} ions, 464 (2002) 187

Dendrimer

Reversible affinity interactions of antibody molecules at functionalized dendrimer monolayer: affinity-sensing surface with reusability, 456 (2002) 209

Dendrograms

Clustering with dendrograms on interpretation variables, 454 (2002)

Denoise

Use of wavelet transform to enhance piezoelectric signals for analytical purposes, 456 (2002) 93

Dental amalgam electrode

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

Deposition velocity

Dry atmospheric deposition and deposition velocities of dicamba, 2,4-dichlorophenoxyacetic acid and γ -1,2,3,4,5,6-hexachlorocyclohexane, 467 (2002) 245

Derivative spectrophotometry

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

Derivatization

Ultratrace analysis for *trans,trans*-muconic acid by electrophoretic derivatization and capillary gas chromatography, 455 (2002) 111

Derivatizing reagent

N-Hydroxysuccinimidyl phenylacetate as a novel derivatizing reagent for aliphatic amines in gas chromatography, 468 (2002) 255

Desorption

Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, 456 (2002) 147

Detection

Rapid and specific detection of bacteria using bioluminescence, 457 (2002) 109

Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography-UV detection and enzyme-linked immunosorbent assay. Comparison of methods, 466 (2002) 213

Kinetics of the post-column complexation reaction of Cu(II) with *N*-formylmethionyl chemoattractant and chemotactic peptides, 474 (2002) 1

Detection techniques

High-performance liquid chromatography of fatty acids in biological samples, 465 (2002) 81

Determination

Study of the interaction between terazosin and serum albumin. Synchronous fluorescence determination of terazosin, 452 (2002) 185

Determination of six components in Rhubarb by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium cholate and sodium taurocholate, 456 (2002) 183

High-performance liquid chromatographic determination of neutraceuticals, glucosamine sulphate and chitosan, in raw materials and dosage forms, 462 (2002) 125

Determination of osmium-modified target DNA

Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, 469 (2002) 73

Determination of oxygen

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. II. Determination of oxygen at atmospheric pressure, 468 (2002) 323

Dexamethasone

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

DGT

Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, 454 (2002) 259

DGT method

Use of the diffusion gradient thin film method to measure trace metals in fresh waters at low ionic strength, 456 (2002) 241

Di(2-ethylhexyl) phosphoric acid (D2EHPA)

Kinetic study of L-isoleucine transport through a liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, 456 (2002) 157

Diabetes

Determination of long-chain fatty acids in heart and skeletal muscle by capillary gas chromatography, 465 (2002) 351

Membrane-immobilized haptoglobin as affinity matrix for a hemoglobin-A1c immunosensor, 470 (2002) 111

1,8-Diaminonaphthalene

Highly sensitive spectrofluorimetric kinetic determination of ultra-trace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate, 455 (2002) 159

Diasteriomer

Gas chromatographic separation of R/S- α -hydroxy fatty acid esters, 465 (2002) 299

1,8-dibenzyl-1,3,6,8,10,13-hexaaazacyclotetradecane-Ni(II)

Selective thiocyanate poly(vinyl chloride) membrane based on a 1,8-dibenzyl-1,3,6,8,10,13-hexaaazacyclotetradecane-Ni(II) perchlorate, 462 (2002) 25

4,4'-Dibromobenzophenone

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Dicamba

Dry atmospheric deposition and deposition velocities of dicamba, 2,4-dichlorophenoxyacetic acid and γ -1,2,3,4,5,6-hexachlorocyclohexane, 467 (2002) 245

Dichloromethane

Automated control and optimisation of ion mobility spectrometry responses using a sheath-flow inlet, 463 (2002) 143

2,6-Dichlorophenolindophenol

Optical fibre sensor for hydrogen sulphide monitoring in mouth air, 471 (2002) 13

2,4-Dichlorophenoxyacetic acid

Reaction cell inductively coupled plasma mass spectrometry-based immunoassay using ferrocene tethered hydroxysuccinimide ester as label for the determination of 2,4-dichlorophenoxyacetic acid, 472 (2002) 55

Dichlorvos

High-performance liquid chromatographic assay of dichlorvos, isocarbophos and methyl parathion from plant leaves using chemiluminescence detection, 474 (2002) 21

Diesel

Study of diesel fuel contamination by excitation emission matrix spectral subtraction fluorescence, 454 (2002) 209

Diet

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Diethylaminoethanol

Potentiometric detection of *N,N'*-diethylaminoethanol and lysosomal amino alcohols in cation exchange high-performance liquid chromatography systems, 472 (2002) 11

Differential pulse anodic stripping voltammetry

Determination of inorganic antimony species in seawater by differential pulse anodic stripping voltammetry: stability of the trivalent state, 452 (2002) 237

Differential pulse anodic voltammetry

Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, 453 (2002) 209

Differential pulse cathodic stripping voltammetry

Differential pulse cathodic stripping voltammetric determination of nanomolar levels of dissolved sulfide applicable to field analysis of groundwater, 459 (2002) 209
Speciation analysis of selenium using voltammetric techniques, 467 (2002) 167

Differential pulse stripping voltammetry

Determination of arsenic in gold samples using matrix exchange differential pulse stripping voltammetry, 453 (2002) 201

Differential pulse voltammetry

Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, 453 (2002) 221
Determination of the antibacterial enrofloxacin by differential-pulse adsorptive stripping voltammetry, 454 (2002) 83
Specific adsorption of halogen anions on hydrous γ -Al₂O₃, 470 (2002) 263

Diffuse reflectance spectrometry

Determination of gallic acid with 4-nitrobenzenediazonium tetrafluoroborate by diffuse reflectance spectrometry on polyurethane foam, 469 (2002) 295

Diffusion

Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, 460 (2002) 247

Diffusion profiles

Determination of diffusion profiles of silver ions in soda-lime-silica glass by X-ray fluorescence spectrometry, 459 (2002) 305

Diffusive gradients in thin films

Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, 460 (2002) 247
Application of a cellulose phosphate ion exchange membrane as a binding phase in the diffusive gradients in thin films technique for measurement of trace metals, 464 (2002) 331

Diflubenzuron

Rapid on-site immunoassay for diflubenzuron in grains, 468 (2002) 209

Digestion

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Inter-method comparison for the determination of antimony and arsenic in peat samples, 458 (2002) 387

Dihydromyricetin-3-O-rhamnoside

Direct liquid chromatographic analysis of resveratrol derivatives and flavanons in wines with absorbance and fluorescence detection, 458 (2002) 103

Dihydrostreptomycin

Monoclonal-based enzyme-linked immunosorbent assay and immunochemical rapid assay for dihydrostreptomycin in milk, 472 (2002) 45

Diisopropylamine

Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, 459 (2002) 61

 β -Diketone

Effect of 1,10-phenanthroline on the extraction and separation of lithium(I), sodium(I) and potassium(I) with thenoyltrifluoroacetone, 454 (2002) 241

Dimer

Lipophilic derivative of rhodamine 19: characterization and spectroscopic properties, 468 (2002) 13

Dimethylaminopyridine

Simple and rapid procedure for the determination of individual free fatty acids in serum, 465 (2002) 433

Dimethylarsinic acid

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Dimethylselenide

Speciation analysis of selenium using voltammetric techniques, 467 (2002) 167

Dimethyloxazoline

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

Dimethyloxazoline derivatives

Identification of minor fatty acids in mussels (*Mytilus galloprovincialis*) by GC-MS of their 2-alkenyl-4,4-dimethyloxazoline derivatives, 465 (2002) 409

2,4-Dinitrophenylhydrazine

Determination of free formaldehyde in foundry resins as its 2,4-dinitrophenylhydrazone by liquid chromatography, 467 (2002) 97

Diode array detection

4-Aminoantipyrine spectrophotometric method of phenol analysis.

Study of the reaction products via liquid chromatography with diode-array and mass spectrometric detection, 467 (2002) 105

Simultaneous analysis of six antiepileptic drugs and two selected metabolites in human plasma by liquid chromatography after solid-phase extraction, 472 (2002) 1

Diode array detector

Determination of pK_a values of quinolones from mobility and spectroscopic data obtained by capillary electrophoresis and a diode array detector, 464 (2002) 37

Dioxins

Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-p-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies, 457 (2002) 199

1,5-Diphenylcarbazide

Liquid-supported membranes in chromium(VI) optical sensing: transport modelling, 464 (2002) 197

Dipicolinate extraction

Enhanced spore detection using dipicolinate extraction techniques, 455 (2002) 167

Direct derivatization

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

Direct exponential curve resolution algorithm

Determination of the ethylene oxide content of polyether polyols by low-field ^1H nuclear magnetic resonance spectrometry, 472 (2002) 133

Direct injection

Direct injection micellar liquid chromatographic method for the analysis of corticosteroids in creams, ointments and other pharmaceuticals, 454 (2002) 125

Direct screening

Continuous photometric method for the screening of human urines for phenothiazines, 462 (2002) 275

Direct standardization

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Disaccharide sensor

Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, 471 (2002) 3

Di-Schiff base

Sulfonamide-type di-Schiff base ligands as chelate extraction reagents for divalent metal cations, 466 (2002) 295

Dissociation constant

Determination of pK_a values of quinolones from mobility and spectroscopic data obtained by capillary electrophoresis and a diode array detector, 464 (2002) 37

Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile-water mixtures using hard-modelling and soft-modelling approaches, 471 (2002) 145

Dissolved inorganic carbon

Spectrophotometric measurement of total inorganic carbon in aqueous solutions using a liquid core waveguide, 451 (2002) 221

Dissolved iron

Improved method for shipboard determination of iron in seawater by flow injection analysis, 453 (2002) 21

Distributed expert systems

Present and future of expert systems in food analysis, 454 (2002) 1

Disulfide-coupling

Immobilization of oligonucleotides onto silica nanoparticles for DNA hybridization studies, 470 (2002) 51

1,3-Dithiane,2-(4-methoxy phenyl)

Copper(II)-selective electrode based on dithioacetal, 455 (2002) 225

Dithione

Dithione as chelator in the flow injection separation and pre-concentration system of trace metals in biological samples, 451 (2002) 305

Dithiosquarylium dye

Surface plasmon resonance study on enhanced refractive index change of an Ag^+ ion-sensing membrane containing dithiosquarylium dye, 460 (2002) 133

Dithizone

Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer, 455 (2002) 179

Diuretics

Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, 475 (2003) 125

Diuron

Assessment of the distribution of pesticides on soil particle fractions in simulated irrigation run-off using centrifugal SPLITT fractionation and ELISA, 468 (2002) 199

Divalent metal cations

Sulfonamide-type di-Schiff base ligands as chelate extraction reagents for divalent metal cations, 466 (2002) 295

D-Lactate

Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, 458 (2002) 203

DLR

Dual lifetime referenced optical sensor membrane for the determination of copper(II) ions, 462 (2002) 1

DMOX

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

DMSO

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

DNA

Study of the interaction of Azur B with DNA and the determination of DNA based on resonance light scattering measurements, 452 (2002) 285

Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, 457 (2002) 29

Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, 461 (2002) 243

Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, 462 (2002) 39

Fluorescence microscopic quantification of DNA with $\alpha,\beta,\gamma,\delta$ -tetraakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique, 466 (2002) 193

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, 470 (2002) 57

DNA biosensor

Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, 462 (2002) 39

Electrochemical nucleic acid biosensors, 469 (2002) 63

DNA electrophoresis

Surface modification of polymer-based microfluidic devices, 470 (2002) 87

DNA fragments

Inverse-flow derivatization for capillary electrophoresis of DNA fragments with laser-induced fluorescence detection, 470 (2002) 129

DNA hybridization

Electrochemical biosensing of DNA hybridization by ferrocenyl groups functionalized polypyrrole, 469 (2002) 85

Electrochemical detection of DNA hybridization based on silver-enhanced gold nanoparticle label, 469 (2002) 165

DNA hybridization and electrochemical detection on two different surfaces

Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, 469 (2002) 73

DNA immobilization

Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, 469 (2002) 149

DNA ladder

Integrated circuit microchip system with multiplex capillary electrophoresis module for DNA analysis, 466 (2002) 187

DNA separation

Integrated circuit microchip system with multiplex capillary electrophoresis module for DNA analysis, 466 (2002) 187

Dns-His-Lys-Arg-His-Lys cleaving enzyme

Fluorimetric assay for measuring Dns-His-Lys-Arg-His-Lys cleaving enzyme using high-performance liquid chromatography, 457 (2002) 157

Docosahexaenoic acid

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Dodecylamine

Enhanced spore detection using dipicolinate extraction techniques, 455 (2002) 167

DOM

Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, 454 (2002) 259

Donor groups

Visible spectrophotometric determination of metal ions: the influence of structure on molar absorptivity value of copper(II) complexes in aqueous solution, 459 (2002) 323

Dopamine

Quantification of noradrenaline and dopamine in *Portulaca oleracea* L. by capillary electrophoresis with laser-induced fluorescence detection, 471 (2002) 203

Doping

Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, 475 (2003) 125

Double membrane

Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, 464 (2002) 79

DPASV

Interactions of Pb(II) with particles of a polluted river, 462 (2002) 73

Drinking water

Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149

Drug

Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection, 461 (2002) 117

Drug screening

High throughput drug screening by direct RNA profiling on DNA sensors, 469 (2002) 141

Drug-protein interaction

Flow-injection chemiluminescence detection for studying protein binding for drug with ultrafiltration sampling, 468 (2002) 65

Drugs

Prediction of human serum albumin-drug binding affinity without albumin, 454 (2002) 101

Dry deposition

Dry atmospheric deposition and deposition velocities of dicamba, 2,4-dichlorophenoxyacetic acid and γ -1,2,3,4,5,6-hexachlorocyclohexane, 467 (2002) 245

Dry reagent strips

Application of time-resolved luminescence to dry reagent chemical technology, 452 (2002) 169

Dry-cured meat

Novel chemiluminescence method for detection of superoxide anions and its application to dry-cured meat, 467 (2002) 145

DTPA

Analysis of copper complex lability using ^{64}Cu -equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Dual emission

Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, 464 (2002) 273

Dual lifetime referencing

Dual lifetime referenced optical sensor membrane for the determination of copper(II) ions, 462 (2002) 1

Dual-enzyme chip

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Durability

Ion-sensor property and blood compatibility of neutral-carrier-type poly(vinyl chloride) membranes coated by phosphorylcholine polymers, 463 (2002) 31

Durbin-Watson

Durbin-Watson statistic as a morphological estimator of information content, 454 (2002) 277

Dust

Preconcentration of palladium in a flow-through electrochemical cell for determination by graphite furnace atomic absorption spectrometry, 462 (2002) 305

Dynamic reaction cell

Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, 470 (2002) 223

Dynamic time warping

A comparison of two algorithms for warping of analytical signals, 456 (2002) 77

E***E. coli***

Quantitation of intracellular recombinant human superoxide dismutase using surface plasmon resonance, 456 (2002) 193

Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, 462 (2002) 11

EC₅₀

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Ecdysteroids

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Ecdysteroids: one potential new anabolic family in breeding animals, 473 (2002) 89

Ecdysterone

Ecdysteroids: one potential new anabolic family in breeding animals, 473 (2002) 89

Edible oils

Analysis of fatty acids in foods by supercritical fluid chromatography, 465 (2002) 131

EDTA

Heavy metal mobility assessment in sediments based on a kinetic approach of the EDTA extraction: search for optimal experimental conditions, 459 (2002) 245

Analysis of copper complex lability using ^{64}Cu -equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Effective concentration (EC)

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert[®] 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Efficiency

Micellar-organic versus aqueous-organic mobile phases for the screening of β -blockers, 454 (2002) 109

Eggs

Halofuginone contamination in feeds as a cause of residues in eggs, 473 (2002) 177

Electric tongue

Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, 457 (2002) 297

Electric-field cell orientation

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

Electrocatalysis

Determination of hydrogen peroxide using glassy carbon and graphite/polyester composite electrodes modified by vanadium-doped zirconias, 452 (2002) 11

Amperometric detection of nitrite and nitrate at tetraruthenated porphyrin-modified electrodes in a continuous-flow assembly, 452 (2002) 23

Electrocatalytic detection

Amperometric determination of serum lactate dehydrogenase activity using an ADP-modified graphite electrode, 457 (2002) 275

Electrochemical

Reversible affinity interactions of antibody molecules at functionalized dendrimer monolayer: affinity-sensing surface with reusability, 456 (2002) 209

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Electrochemical biosensing

Electrochemical biosensing of DNA hybridization by ferrocenyl groups functionalized polypyrrole, 469 (2002) 85

Electrochemical biosensor

Electrochemical detection of DNA hybridization based on silver-enhanced gold nanoparticle label, 469 (2002) 165

Electrochemical detection

Determination of puerarin and daidzein in *Puerariae radix* and its medicinal preparations by micellar electrokinetic capillary chromatography with electrochemical detection, 452 (2002) 123

Separation of six purine bases by capillary electrophoresis with electrochemical detection, 457 (2002) 225

Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection, 461 (2002) 117

Separation and determination of homovanillic acid and vanillyl-mandelic acid by capillary electrophoresis with electrochemical detection, 461 (2002) 123

New electrochemical detection method in high-performance liquid chromatography for determining free fatty acids, 465 (2002) 199

Simultaneous UV and electrochemical determination of the herbicide asulam in tap water samples by micellar electrokinetic capillary chromatography, 469 (2002) 243

Nickel oxide-modified composite electrode for electrochemical detection of polyhydroxyl compounds in liquid chromatographic analysis, 471 (2002) 195

Electrochemical DNA biosensor

Coupling of an indicator-free electrochemical DNA biosensor with polymerase chain reaction for the detection of DNA sequences related to the apolipoprotein E, 469 (2002) 93

Electrochemical enzyme immunoassay

Electrochemical enzyme immunoassay using immobilized antibody on gold film with monitoring of surface plasmon resonance signal, 463 (2002) 219

Electrochemical immunoassay

Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, 453 (2002) 63

Electrochemical impedance

In situ monitoring of gold-surface adsorption and acidic denaturation of human serum albumin by an isolation-capacitance-adapted electrochemical quartz crystal impedance system, 464 (2002) 65

Electrochemical impedance spectroscopy (EIS)

Physical adsorption of protamine for heparin assay using a quartz crystal microbalance and electrochemical impedance spectroscopy, 462 (2002) 261

Electrochemical preconcentration

Preconcentration of palladium in a flow-through electrochemical cell for determination by graphite furnace atomic absorption spectrometry, 462 (2002) 305

Electrochemical pretreatment

Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, 461 (2002) 243

Electrochemical sensor for DNA hybridization

Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, 469 (2002) 73

Electrochemical sensors

All-solid-state electronic tongue and its application for beverage analysis, 468 (2002) 303

Electrochemically activated carbon fibres

Voltammetric determination of chloramphenicol in milk at electrochemically activated carbon fibre microelectrodes, 461 (2002) 65

Electrochemiluminescence (ECL)

Chemiluminescence of luminol induced by dissolution of oxide-covered aluminum in alkaline aqueous solution, 453 (2002) 253

Ligand and surfactant effects on a novel electrochemiluminescent reaction involving cadmium, 454 (2002) 45

Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution, 454 (2002) 193

Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, 458 (2002) 271

Electrochemiluminescence assay for the detection of acridinium esters, 461 (2002) 141

Capillary electrophoresis with electrochemiluminescence detection of procyclidine in human urine pretreated by ion-exchange cartridge, 470 (2002) 137

Determination of adrenaline by using inhibited Ru(bpy)₃²⁺ electrochemiluminescence, 471 (2002) 187

Electrochemistry

Electrochemical behavior of tryptophan and its derivatives at a glassy carbon electrode modified with hemin, 452 (2002) 245

Electrochemical nucleic acid biosensors, 469 (2002) 63

Electrode

Electrochemical nucleic acid biosensors, 469 (2002) 63

Electrodegradation of phenol

Determination of rate constants from two-way kinetic-spectral data by using rank annihilation factor analysis, 454 (2002) 21

Electrogenerated chemiluminescence

Time-resolved electrochemiluminescence of platinum(II) coporphyrin, 453 (2002) 269

Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution, 454 (2002) 193

Combination of flow injection with capillary electrophoresis. 8. Miniaturized capillary electrophoresis system with flow injection sample introduction and electrogenerated chemiluminescence detection, 456 (2002) 167

Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, 458 (2002) 271

Determination of sophoridine and related lupin alkaloids using tris(2,2'-bipyridine)ruthenium electrogenerated chemiluminescence, 466 (2002) 79

Determination of β -blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, 471 (2002) 51

Electroless gold deposition

Evaluation of electroless gold deposited on porous silica for ligand attachment for metal ion-exchange, 454 (2002) 37

Electron paramagnetic resonance

Electron paramagnetic resonance spin label titration: a novel method to investigate random and site-specific immobilization of enzymes onto polymeric membranes with different properties, 470 (2002) 29

Electron probe X-ray microanalysis

Investigation on the geometric and matrix effects and quantitative determination of K, Cl and S atomic fraction for biomass burning particles by Monte Carlo simulation, 459 (2002) 93

Electronic nose

Conducting polymer-based array for the discrimination of odours from trim plastic materials used in automobiles, 455 (2002) 41

Outer product analysis of electronic nose and visible spectra: application to the measurement of peach fruit characteristics, 459 (2002) 107

Electronic olfactometry

Electronic nose based on metal oxide semiconductor sensors as a fast alternative for the detection of adulteration of virgin olive oils, 459 (2002) 219

Electronic tongue

Variable reduction on electronic tongue data, 452 (2002) 255

Flow injection analysis applied to a voltammetric electronic tongue, 471 (2002) 159

Electrophoresis

Ultrasensitive chemiluminescence detection of aM vanadium(IV) by capillary electrophoresis, 456 (2002) 177

Analytical methods for the characterization of proteins and peptides in wines, 458 (2002) 63

Electroplating solutions

Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Electropolymerization

Electrochemical behavior of tryptophan and its derivatives at a glassy carbon electrode modified with hemin, 452 (2002) 245

Electrospray

Separation of benzodiazepines by electrospray ionization ion mobility spectrometry-mass spectrometry, 457 (2002) 235

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Screening and confirmatory strategies for the surveillance of anabolic steroid abuse within Northern Ireland, 473 (2002) 99

Electrostatic film assembly

Characterization of oxidoreductase-redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared-external reflection spectroscopy, 466 (2002) 201

Electrothermal

Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 471 (2002) 121

Electrothermal atomic absorption spectrometry

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electrothermal atomic absorption spectrometry, 452 (2002) 207

Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, 453 (2002) 143

Development of an automated sequential injection on-line solvent extraction-back extraction procedure as demonstrated for the

determination of cadmium with detection by electrothermal atomic absorption spectrometry, 456 (2002) 283

Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W-Rh permanent modifier for copper determination in seawater, 463 (2002) 275

Direct determination of aluminium in serum and urine by electrothermal atomic absorption spectrometry using ruthenium as permanent modifier, 464 (2002) 323

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Electrothermal atomisation

Direct mercury determination in aqueous slurries of environmental and biological samples by cold vapour generation-electrothermal atomic absorption spectrometry, 460 (2002) 111

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Electrothermal-AAS

Ultrasonic extraction combined with fast furnace analysis as an improved methodology for total selenium determination in seafood by electrothermal-atomic absorption spectrometry, 452 (2002) 217

ELISA

Development of an enzyme-linked immunosorbent assay for pentachlorophenol, 460 (2002) 279

Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, 461 (2002) 75

Quantification of hemorphin-7 peptides by enzyme linked immunosorbent assay with secondary antibody, 461 (2002) 229

Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, 462 (2002) 31

Enzyme-linked immunosorbent assay for the determination of 20(S)-protopanaxatriol, 462 (2002) 157

On-line pre-concentration of atrazine by antibody immobilization capillary electrophoresis, 464 (2002) 25

Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography-UV detection and enzyme-linked immunosorbent assay. Comparison of methods, 466 (2002) 213

Monoclonal-based enzyme-linked immunosorbent assay and immunochemical rapid assay for dihydrostreptomycin in milk, 472 (2002) 45

Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, 475 (2003) 85

Evaluation of a field-test kit for triazine herbicides (SensioScreen[®] TR500) as a fast assay to detect pesticide contamination in water samples, 475 (2003) 105

ELSD

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

Elution strength

Micellar-organic versus aqueous-organic mobile phases for the screening of β-blockers, 454 (2002) 109

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

Emulsified food analysis

Simultaneous sample preparation for high-performance liquid chromatographic determination of Vitamin A and β-carotene in emulsified nutritional supplements after solid-phase extraction, 463 (2002) 21

Emulsion

Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule, 469 (2002) 173

Enantiomer

Gas chromatographic separation of R/S-α-hydroxy fatty acid esters, 465 (2002) 299

Enantioselective

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

Enantioselective flow-through immunosensor

Enantioselective sequential-injection chemiluminescence immunoassays for 3,3',5-triodothyronine (T₃) and thyroxine (T₄), 463 (2002) 5

Enantioselective sequential-injection immunoassay

Enantioselective sequential-injection chemiluminescence immunoassays for 3,3',5-triodothyronine (T₃) and thyroxine (T₄), 463 (2002) 5

Endocrine disrupting chemicals (EDCs)

Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, 475 (2003) 75

Endocrine disruption

Alternative to vertebrate animal experiments in the study of metabolism of illegal growth promoters and veterinary drugs, 473 (2002) 59

Endocrine disruptor

Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, 473 (2002) 27

Contribution of European research to endocrine disruptors, 473 (2002) 161

Endospore detection

Enhanced spore detection using dipicolinate extraction techniques, 455 (2002) 167

Endosulfan

Assessment of the distribution of pesticides on soil particle fractions in simulated irrigation run-off using centrifugal SPLITT fractionation and ELISA, 468 (2002) 199

Energy transfer

Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer, 455 (2002) 179

Enhanced chemiluminescence

Development of a heterogeneous chemiluminescent flow immunoassay for DDT and related compounds, 453 (2002) 43

Enhanced immunoassay

Enhanced surface plasmon resonance immunoassay for human complement factor 4, 453 (2002) 173

Enrichment

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Enrofloxacin

Determination of the antibacterial enrofloxacin by differential-pulse adsorptive stripping voltammetry, 454 (2002) 83

Enterotoxin

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

Entrapment

Entrapment of glucose oxidase in non-porous poly(vinyl chloride), 461 (2002) 57

Environmental

Quartz crystal microbalance determination of organophosphorus and carbamate pesticides, 469 (2002) 189

Environmental analysis

Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, 459 (2002) 61

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Environmental and biological samples

Direct mercury determination in aqueous slurries of environmental and biological samples by cold vapour generation-electrothermal atomic absorption spectrometry, 460 (2002) 111

Environmental impact

Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, 451 (2002) 285

Environmental monitoring

Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and

its application for monitoring remediation of Kraft E1 paper mill effluent, 463 (2002) 229

Environmental safety

Contribution of European research to endocrine disruptors, 473 (2002) 161

Environmental samples

Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, 462 (2002) 59

Ion-exchange method for separation and concentration of platinum and palladium for analysis of environmental samples by inductively coupled plasma atomic emission spectrometry, 464 (2002) 7

Environmental water analysis

Headspace solid phase microextraction for the analysis of the new antifouling agents Irgarol 1051 and Sea Nine 211 in natural waters, 468 (2002) 171

Environmental waters

Occurrence and determination of herbicides and their major transformation products in environmental waters, 462 (2002) 187

Enzymatic biosensors

Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, 459 (2002) 43

Enzymatic electrodes

Indirect determination of pepsin activity in human seric protein samples by polyphenol oxidase electrodes, 460 (2002) 163

Enzyme

In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors, 456 (2002) 3

Electron paramagnetic resonance spin label titration: a novel method to investigate random and site-specific immobilization of enzymes onto polymeric membranes with different properties, 470 (2002) 29

Enzyme electrode

Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose, 453 (2002) 71

Entrapment of glucose oxidase in non-porous poly(vinyl chloride), 461 (2002) 57

Characterization of oxidoreductase-redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared-external reflection spectroscopy, 466 (2002) 201

Dual amperometric-potentiometric biosensor detection system for monitoring organophosphorus neurotoxins, 469 (2002) 197

Performance of amperometric alcohol electrodes prepared by plasma polymerization technique, 469 (2002) 217

Enzyme immobilisation

Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphonate) films for use in a lactate biosensor, 453 (2002) 191

Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, 462 (2002) 199

Enzyme immunoassay

Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, 453 (2002) 63

Enzyme reactor

Development of a bienzyme reactor sensor system for the determination of ornithine, 456 (2002) 219

Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, 462 (2002) 283

Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, 470 (2002) 175

Enzyme sensor

Rapid fabrication of electrochemical enzyme sensor chip using polydimethylsiloxane microfluidic channel, 468 (2002) 143

Enzymeless biosensor

Development of an enzymeless biosensor for the determination of phenolic compounds, 455 (2002) 215

Enzyme-linked immunoassay of target DNA

Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, 469 (2002) 73

Enzyme-linked immunosorbent assay

Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, 475 (2003) 85

Epinephrine (EP)

Two-rate method for simultaneous kinetic determination based on detecting the reagent in successive reactions, 464 (2002) 153

Epithelial

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

Epoxide

High-performance liquid chromatography-thermospray ionization-mass spectrometry of the oxidation products of polyunsaturated-fatty acids, 465 (2002) 227

EPR spectrometry

Studies on the uncertainties in quantitative EPR estimations due to the construction of the cavities used, 453 (2002) 155

EQCM

Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2'-bipyridyl in polyaniline, 455 (2002) 69

Equivalent chain length (ECL)

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

Erythrocyte

Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection, 461 (2002) 117

Erythrosine B

Spectrophotometric determination of trace ionic and non-ionic surfactants based on a collection on a membrane filter as the ion associate of the surfactant with Erythrosine B, 455 (2002) 83

Escherichia coli

On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, 462 (2002) 293

Essential fatty acids

Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, 465 (2002) 39

Esterification

Application of analytical derivatizations to the quantitative and qualitative determination of fatty acids, 465 (2002) 93

Esterified fatty acids

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

Estimated daily intakes

Simultaneous determination of imidacloprid, carbendazim, methiocarb and hexythiazox in peaches and nectarines by liquid chromatography-mass spectrometry, 461 (2002) 109

Estrogen

Voltammetric behavior and determination of estrogens at Nafion-modified glassy carbon electrode in the presence of cetyltrimethylammonium bromide, 464 (2002) 209

Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors, 469 (2002) 37

Estuarine waters

Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, 455 (2002) 327

ETAAS

Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, 463 (2002) 99

Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electrothermal atomic absorption spectrometry following sequential extraction, 466 (2002) 303

Ethambutol

Determination of ethambutol by ion-pair reversed phase liquid chromatography with UV detection, 456 (2002) 189

Ethanol

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

Nanosized SrCO₃-based chemiluminescence sensor for ethanol, 466 (2002) 69

Amperometric determination of ethanol in beverages at copper electrodes in alkaline medium, 472 (2002) 123

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Ethers and thioethers

Gas chromatography silica packings with chemically bonded complexes of Cu(II) and Cr(III), 451 (2002) 271

Ethyl acetate

Automated control and optimisation of ion mobility spectrometry responses using a sheath-flow inlet, 463 (2002) 143

Ethyl parathion

Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO₂ suspensions, 467 (2002) 233

Ethylene

Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence, 451 (2002) 189

Ethylene oxide

Determination of the ethylene oxide content of polyether polyols by low-field ¹H nuclear magnetic resonance spectrometry, 472 (2002) 133

Ethylhexyl (octyl) methoxycinnamate (OMC)

Cleaning validation in the toiletries industry, 467 (2002) 261

Ethylphenols

Determination of volatile phenols in fino sherry wines, 458 (2002) 95

Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection, 458 (2002) 111

European Union

An odyssey—meeting European Union analytical criteria for residues from afar: experiences from North America, 473 (2002) 49

Europium tracer

Homogeneous stopped-flow fluoroimmunoassay using europium as label, 460 (2002) 271

Evans blue (EB)

Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, 458 (2002) 417

Excitation emission matrix spectral subtraction

Study of diesel fuel contamination by excitation emission matrix spectral subtraction fluorescence, 454 (2002) 209

Excited-state intramolecular proton transfer

Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, 464 (2002) 273

Excretion

Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, 473 (2002) 27

Exogenous

Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry, 455 (2002) 23

Experimental design

Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, 452 (2002) 47

Robust regression and outlier detection in the evaluation of robustness tests with different experimental designs, 463 (2002) 53

Sonic spray ionization interface for liquid chromatography-mass spectrometry, 468 (2002) 263

Expert systems

Present and future of expert systems in food analysis, 454 (2002) 1

Explosive detection

Selection of phage displayed peptides for the detection of 2,4,6-trinitrotoluene in seawater, 457 (2002) 13

Explosives

Sensitive capillary electrophoresis microchip determination of tri-nitroaromatic explosives in nonaqueous electrolyte following solid phase extraction, 469 (2002) 253

Exposure

Contribution of European research to endocrine disruptors, 473 (2002) 161

Extractability

Countercurrent supercritical fluid extraction of phenolic compounds from aqueous matrices, 460 (2002) 1

Extraction

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Kinetic study of L-isoleucine transport through a liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, 456 (2002) 157

Isolation and separation of individual long-chain acyl-coenzyme A esters, 465 (2002) 427

Extraction and preconcentration of Cr(VI) from urine using supported liquid membrane, 474 (2002) 59

Extraction chromatograph

Determination of actinides and strontium in fish samples by extraction chromatography, 458 (2002) 367

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

Extraction fraction

A study of microdialysis sampling of metal ions, 456 (2002) 253

Extraction of organic compounds

Evaluation of the factors affecting extraction of organic compounds based on the acid-induced phase cloud point approach, 460 (2002) 13

Extraction-back extraction

Development of an automated sequential injection on-line solvent extraction-back extraction procedure as demonstrated for the determination of cadmium with detection by electrothermal atomic absorption spectrometry, 456 (2002) 283

F

FAAS

Synthesis of amidinothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, 452 (2002) 223

Determination of copper in seawater based on a liquid membrane preconcentration system, 460 (2002) 35

Factor analysis

Application of factor analysis for resolving thermogravimetric-mass spectrometric analysis spectra, 461 (2002) 215

Factorial design

Tin determination in marine sediment, soil, coal fly ash and coal slurried samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

False positive

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

Fast determination

Fast determination of flavonoids in *Glycyrrhiza radix* by capillary zone electrophoresis, 458 (2002) 345

Fast thermal programmes

Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electrothermal atomic absorption spectrometry following sequential extraction, 466 (2002) 303

Fatty acid

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Analysis of fatty acids in plasma lipoproteins by gas chromatography-flame ionization detection. Quantitative aspects, 465 (2002) 337

Fatty acid identification technology

The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, 465 (2002) 175

Fatty acid metabolism

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Fatty acid methyl esters

Analysis of fatty acids in foods by supercritical fluid chromatography, 465 (2002) 131

The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, 465 (2002) 175

Fatty acid re-extraction

Simple and rapid procedure for the determination of individual free fatty acids in serum, 465 (2002) 433

Fatty acids

Characterisation of humic substances by acid catalysed transesterification, 452 (2002) 105

Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, 465 (2002) 1

High-performance liquid chromatography of fatty acids in biological samples, 465 (2002) 81

Application of analytical derivatizations to the quantitative and qualitative determination of fatty acids, 465 (2002) 93

Liquid chromatography of fatty acids with chemiluminescence detection, 465 (2002) 101

Fluorescent tagging of physiologically important carboxylic acids, including fatty acids, for their detection in liquid chromatography, 465 (2002) 111

Analysis of fatty acids by column liquid chromatography, 465 (2002) 145

High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods, 465 (2002) 193

Determination of long-chain fatty acids in heart and skeletal muscle by capillary gas chromatography, 465 (2002) 351

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

Identification of minor fatty acids in mussels (*Mytilus galloprovincialis*) by GC-MS of their 2-alkenyl-4,4-dimethyloxazoline derivatives, 465 (2002) 409

Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis treatment evaluated by liquid chromatography and gas chromatography, 467 (2002) 125

Fatty acids and esters

Analysis by gas chromatography/mass spectrometry of fatty acids and esters in alcoholic beverages and tobaccos, 465 (2002) 309

Fatty alcohols

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

Fe

Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, 470 (2002) 223
 Simple method for colorimetric spot-test quantitative analysis of Fe(III) using a computer controlled hand-scanner, 471 (2002) 97

Fe(II)

Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, 454 (2002) 259

Fe(III)

Influence of pH and metal/carbon ratios on soluble organic complexation of Fe(II), Fe(III) and Al(III) in soil solutions determined by diffusive gradients in thin films, 454 (2002) 259

Feature selection

Feature selection for hierarchical clustering, 466 (2002) 311

Fenamiphos

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Fenitrooxon

Group-specific enzyme-linked immunosorbent assay for fenitrooxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, 460 (2002) 99

Fentanyl

Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, 459 (2002) 177

Fenthion

Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO₂ suspensions, 467 (2002) 233

Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, 475 (2003) 85

Fermentation

Volatile sulphur compounds in wines related to yeast metabolism and nitrogen composition of grape musts, 458 (2002) 157
 Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

Ferrocene labeled conjugate

Reaction cell inductively coupled plasma mass spectrometry-based immunoassay using ferrocene tethered hydroxysuccinimide ester as label for the determination of 2,4-dichlorophenoxyacetic acid, 472 (2002) 55

Ferrocenyl groups

Electrochemical biosensing of DNA hybridization by ferrocenyl groups functionalized polypyrrole, 469 (2002) 85

FIA

Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, 453 (2002) 63

Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal 1 protein, 461 (2002) 49

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Chemiluminescent flow-injection analysis of nitrates in water using on-line ultraviolet photolysis, 474 (2002) 99

Fiber optic

Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, 457 (2002) 29

Novel fiber-optic biosensor based on immobilized glutathione S-transferase and sol-gel entrapped bromcresol green for the determination of atrazine, 460 (2002) 151

Fibre optic links

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. II. Determination of oxygen at atmospheric pressure, 468 (2002) 323

Fibre optic probe

On-line non-destructive determination of proteins and infiltrated fat in Iberian pork loin by near infrared spectrometry with a remote reflectance fibre optic probe, 453 (2002) 281

Mineral analysis (Fe, Zn, Ca, Na, K) of fresh Iberian pork loin by near infrared reflectance spectrometry. Determination of Fe, Na and K with a remote fibre-optic reflectance probe, 468 (2002) 293

Fiber-optic sensor

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Field method

Differential pulse cathodic stripping voltammetric determination of nanomolar levels of dissolved sulfide applicable to field analysis of groundwater, 459 (2002) 209

Filters

Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, 462 (2002) 209

Fingerprints

Principal component analysis application in polycyclic aromatic hydrocarbons "mussel watch" analyses for source identification, 461 (2002) 201

Fire suppressant

Hydrogen fluoride analyzer for gases and aerosols, 460 (2002) 219

Firefly luciferase

Development of a thermostable firefly luciferase, 457 (2002) 115

First derivative of ratio spectra

Stability indicating spectrophotometric methods for determination of glafenine using first derivative of ratio spectra and chemometric techniques, 461 (2002) 155

First derivative spectrophotometry

Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the

ratio-spectra and high-performance liquid chromatography–UV methods, 466 (2002) 175

Fish freshness

Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, 470 (2002) 175

Fish samples

Determination of actinides and strontium in fish samples by extraction chromatography, 458 (2002) 367

Flame atomic absorption spectrometry

Dithione as chelator in the flow injection separation and pre-concentration system of trace metals in biological samples, 451 (2002) 305

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Determination of stoichiometry of $\text{Li}_{1+x}\text{CoO}_2$ materials by flame atomic absorption spectrometry and automated potentiometric titration, 455 (2002) 35

Calibration by the gradient ratio-standard addition method in flow injection flame atomic absorption spectrometry, 460 (2002) 235

Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, 470 (2002) 215

Flame ionization detector corrections

The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, 465 (2002) 175

Flavonoids

Fast determination of flavonoids in *Glycyrrhiza radix* by capillary zone electrophoresis, 458 (2002) 345

Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, 468 (2002) 3

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

Flavour

Effect of maturation in small oak casks on the volatility of red wine aroma compounds, 458 (2002) 45

Flexible fused silica columns

The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, 465 (2002) 175

Flow analysis

Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectrophotometric sequential injection procedures, 466 (2002) 345

Multicommutation in flow analysis: concepts, applications and trends, 468 (2002) 119

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Spectrophotometric determination of phytic acid in plant extracts using a multi-pumping flow system, 474 (2002) 161

Flow cell

Comparison of electrochemical, electrophoretic and spectrophotometric methods for creatinine determination in biological fluids, 459 (2002) 187

Flow cytometry (FCM)

Future of biological aerosol detection, 457 (2002) 125

Flow electrochemical enzyme immunoassay

Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, 462 (2002) 31

Flow immunoassay

Development of a heterogeneous chemiluminescent flow immunoassay for DDT and related compounds, 453 (2002) 43

Flow injection (FI)

Dithione as chelator in the flow injection separation and pre-concentration system of trace metals in biological samples, 451 (2002) 305

Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, 453 (2002) 143

Analysis for Cd, Cu, Ni, Zn, and Mn in estuarine water by inductively coupled plasma mass spectrometry coupled with an automated flow injection system, 455 (2002) 11

Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, 455 (2002) 315

Combination of flow injection with capillary electrophoresis. 8. Miniaturized capillary electrophoresis system with flow injection sample introduction and electrogenerated chemiluminescence detection, 456 (2002) 167

On-line photo-derivatization with flow injection and liquid chromatography–atmospheric pressure electrospray mass spectrometry for the identification of indoles, 460 (2002) 49

Propelling devices: the heart of flow injection approaches, 461 (2002) 169

Rapid spectrophotometric determination of fosfestrol following on-line hydrolysis by alkaline phosphatase using flow injection and chasing zones, 462 (2002) 119

Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, 462 (2002) 209

Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, 463 (2002) 99

Sensitive determination of captopril by flow injection analysis with chemiluminescence detection based on the enhancement of the luminol reaction, 463 (2002) 249

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Flow-injection chemiluminescence detection for studying protein binding for drug with ultrafiltration sampling, 468 (2002) 65

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Determination of adrenaline by using inhibited Ru(bpy)₃²⁺ electro-chemiluminescence, 471 (2002) 187

Flow injection analysis (FIA)

Improved method for shipboard determination of iron in seawater by flow injection analysis, 453 (2002) 21

Using on-line solid phase extraction for flow-injection spectrophotometric determination of salbutamol, 455 (2002) 103

Development of the continuously variable volume reactor for flow injection analysis. Part 1. Design, capabilities and testing, 455 (2002) 287

Determination of hydrogen peroxide by using a flow injection system with immobilized peroxidase and long pathlength capillary spectrophotometry, 455 (2002) 305

Development of xylitol oxidase-based flow injection analysis for monitoring of xylitol concentrations, 456 (2002) 293

Calibration by the gradient ratio-standard addition method in flow injection flame atomic absorption spectrometry, 460 (2002) 235

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, 462 (2002) 293

Development of integrated chemiluminescence flow sensor for the determination of adrenaline and isoprenaline, 463 (2002) 257

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection, 466 (2002) 261

On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, 468 (2002) 53

Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, 468 (2002) 81

Citrate selective electrodes for the flow injection analysis of soft drinks, beers and pharmaceutical products, 471 (2002) 41

Flow injection analysis applied to a voltammetric electronic tongue, 471 (2002) 159

Amperometric determination of ethanol in beverages at copper electrodes in alkaline medium, 472 (2002) 123

Flow-injection determination of chromium(III) by its catalysis on the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3-methoxyaniline, 474 (2002) 167

Flow injection hydride generation

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Flow methods

Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, 453 (2002) 209

Flow monitoring

Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD⁺-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, 467 (2002) 225

Flow system

Multi-pumping in flow analysis: conceps, instrumentation, potencies, 466 (2002) 125

Theoretical and experimental study of the biamperometry for irreversible redox couple in flow system, 470 (2002) 229

Flow-analysis

Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection, 458 (2002) 291

Flow-batch system

Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, 455 (2002) 327

Flow-injection

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid pre-reduction and cupferron chelation-extraction, 459 (2002) 161

Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, 467 (2002) 83

Flow-injection chemiluminescent determination of nitrite in water based on the formation of peroxynitrite from the reaction of nitrite and hydrogen peroxide, 474 (2002) 107

Flow-injection amperometry (FIamp)

Electrochemical studies on antioxidants in bovine milk, 474 (2002) 137

Flow-injection analysis (FIA)

Immunochemical flow-injection method for detection of human serum immunoglobulin G antibodies to *Helicobacter pylori*, 453 (2002) 53

Chronocoulometric flow-injection analysis with solvent polymeric membrane ion sensors, 459 (2002) 11

Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, 462 (2002) 283

Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, 464 (2002) 289
 Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, 470 (2002) 175

Flow-injection spectrophotometry

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Flow-rate gradient

Determination of testosterone and its metabolites using liquid chromatography with elevated column temperature and flow-rate gradient, 457 (2002) 165

Flow-through sensor

Chemiluminescence flow-through sensor for pipemidic acid using solid sodium bismuthate as an oxidant, 459 (2002) 19

Fluorescein

Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, 455 (2002) 207

Fluorescence

Spectrafluorimetric method for the rapid screening of toxic heavy metals in water samples, 451 (2002) 203

Fractionation and characterization of fulvic acid by immobilized metal ion affinity chromatography, 452 (2002) 85

Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Selective fluorescence quenching of polycyclic aromatic hydrocarbons by nitromethane within room temperature ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate, 453 (2002) 89
 Characterisation of a synthesised fluorescent ligand (4-acridinol-1-sulphonic acid) using nuclear magnetic resonance spectroscopy, 454 (2002) 147

Study of diesel fuel contamination by excitation emission matrix spectral subtraction fluorescence, 454 (2002) 209

Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, 455 (2002) 207

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Development of a tetramethylrhodamine-labeled probe for a capillary electrophoresis-based competitive immunoassay of staphylococcal enterotoxin B, 457 (2002) 21

Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, 457 (2002) 29

Reagentless pH-based biosensing using a fluorescently-labelled dextran co-entrapped with a hydrolytic enzyme in sol-gel derived nanocomposite films, 457 (2002) 47

ResonSense™: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, 457 (2002) 61

Fluorimetric assay for measuring Dns-His-Lys-Arg-His-Lys cleaving enzyme using high-performance liquid chromatography, 457 (2002) 157

Direct liquid chromatographic analysis of resveratrol derivatives and flavanols in wines with absorbance and fluorescence detection, 458 (2002) 103

Study on molecular recognition of *para*-aminobenzoic acid species by α -, β - and hydroxypropyl- β -cyclodextrin, 458 (2002) 305

Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, 459 (2002) 61

Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Fluorescence microscopic quantification of DNA with α , β , γ , δ -tetraakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique, 466 (2002) 193

Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, 468 (2002) 3

Lipophilic derivative of rhodamine 19: characterization and spectroscopic properties, 468 (2002) 13

Fluorescence-based nucleic acid detection and microarrays, 469 (2002) 3

Planar waveguides for ultra-high sensitivity of the analysis of nucleic acids, 469 (2002) 49

Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion, 469 (2002) 285

Screening of antagonists based on induced dissociation of a calmodulin-melittin interaction entrapped in a sol-gel derived matrix, 470 (2002) 19

Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, 470 (2002) 57

Optical oxygen sensor based on fluorescence change of pyrene-1-butyric acid chemisorption film on an anodic oxidation aluminum plate, 471 (2002) 25

Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, 472 (2002) 63

Investigation on the inclusion behavior of *neutral* red with β -cyclodextrin, hydroxypropyl- β -cyclodextrin and sulfobutylether- β -cyclodextrin, 474 (2002) 189

Fluorescence enhancement

Study on the new fluorescence enhancement system of Tb-1,10-bis(2'-carboxyphenyl)-1,4,7,10-tetraoxadecane in silver chloride collosol and its analytical application, 468 (2002) 287

Fluorescence excitation emission matrix

Detection of verapamil drug by fluorescence and trilinear decomposition techniques, 453 (2002) 105

Fluorescence imaging

Hadamard transform fluorescence image microscopy using one-dimensional movable mask, 468 (2002) 27

Fluorescence in situ hybridization

Future of biological aerosol detection, 457 (2002) 125

Fluorescence microscopic analysis

Fluorescent microscopic determination of cadmium in water samples with the self-ordered ring of α , β , γ , δ -tetra(5-sulfophenyl)porphine formed on the solid support of glass slides, 453 (2002) 97

Fluorescence optosensor

Room-temperature luminescence optosensings based on immobilized active principles actives. Application to naftonyl and naproxen determination in pharmaceutical preparations and biological fluids, 462 (2002) 217

Fluorescence polarization immunoassay

Development of a rapid, specific fluorescence polarization immunoassay for the herbicide chlorsulfuron, 468 (2002) 229

Fluorescence probe

Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, 464 (2002) 273

Preparation and application of functionalized nanoparticles of CdS as a fluorescence probe, 468 (2002) 35

Fluorescence quenching

Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, 459 (2002) 61

Fluorescence tagging

Fluorescent tagging of physiologically important carboxylic acids, including fatty acids, for their detection in liquid chromatography, 465 (2002) 111

Fluorescence yields

Measurement of K shell radiative transition probabilities and K, L₂ and L₃ shell/subshell fluorescence yields of some elements in the atomic number range 30 ≤ Z ≤ 40, 454 (2002) 327

Fluorescent aerodynamic particle sizer (FLAPS)

Future of biological aerosol detection, 457 (2002) 125

Fluorescent sensor

Lead-selective fluorescent optode membrane based on 3,3',5,5'-tetramethyl-N-(9-anthrylmethyl)benzidine, 460 (2002) 123

Fluoride

Potentiometric determination of fluoride in geological and biological samples following pyrohydrolytic decomposition, 466 (2002) 117

Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, 467 (2002) 83

Fluoride electrode

Hydrogen fluoride analyzer for gases and aerosols, 460 (2002) 219

Fluoride-selective ionophore

Selective fluoride recognition and potentiometric properties of ion-selective electrodes based on bis(halodiphenylstannyl)alkanes, 467 (2002) 197

Zirconium(IV)-porphyrins as novel ionophores for fluoride-selective polymeric membrane electrodes, 468 (2002) 133

Fluorimetric detection

High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods, 465 (2002) 193

Fluorimetry

Spectrofluorimetric determination of tannins based on their activating effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide, 455 (2002) 187

Spectrofluorimetric determination of aluminum in drinking waters by sequential injection analysis, 457 (2002) 311

Fluorinated analogues

Monofluorinated polycyclic aromatic hydrocarbons as internal standards in Shpol'skii spectroscopy: 1-fluoropyrene as an example, 459 (2002) 53

Fluorogenic pre-column derivatization

Phanquinone: a useful fluorescent pre-chromatographic derivatization reagent for liquid chromatographic analyses of amino acid dosage forms, 474 (2002) 11

Fluorogenic substrates

Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, 472 (2002) 63

7-Fluoro-4-nitrobenzoxadiazole

Quantitation of agmatine by liquid chromatography with laser-induced fluorescence detection, 470 (2002) 155

Fluoro-tagging

Fluorescent sensing of homocysteine by molecular imprinting, 466 (2002) 17

Flurbiprofen

Determination of flurbiprofen in pharmaceutical formulations by UV spectrophotometry and liquid chromatography, 463 (2002) 207

4-Fluorobenzoic acid

Biodegradation studies of 4-fluorobenzoic acid and 4-fluorocinnamic acid: an evaluation of membrane inlet mass spectrometry as an alternative to high performance liquid chromatography and ion chromatography, 454 (2002) 137

4-Fluorocinnamic acid

Biodegradation studies of 4-fluorobenzoic acid and 4-fluorocinnamic acid: an evaluation of membrane inlet mass spectrometry as an alternative to high performance liquid chromatography and ion chromatography, 454 (2002) 137

Fontinalis antipyretica

Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination of oxytetracycline in the bryophyte *Fontinalis antipyretica*, 475 (2003) 117

Food

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Food analysis

Present and future of expert systems in food analysis, 454 (2002) 1
Yeast cells sucrose biosensor based on a potentiometric oxygen electrode, 458 (2002) 215

Homogeneous stopped-flow fluoroimmunoassay using europium as label, 460 (2002) 271
 Database dedicated to information published during the Benelux conferences on hormone and veterinary drug residue analyses, 473 (2002) 53
 Spectrophotometric determination of phytic acid in plant extracts using a multi-pumping flow system, 474 (2002) 161

Food and human tissue fatty acids

Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, 465 (2002) 39

Food safety

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Liquid chromatographic–mass spectrometric analysis of 11 glucocorticoid residues and an optimization of enzymatic hydrolysis conditions in bovine liver, 473 (2002) 127

Food simulants

Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Foods

Automatic screening method for the rapid and simple discrimination between synthetic and natural colorants in foods, 464 (2002) 237

Formaldehyde

Determination of free formaldehyde in foundry resins as its 2,4-dinitrophenylhydrazone by liquid chromatography, 467 (2002) 97

Formetanate

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Fosfestrol

Rapid spectrophotometric determination of fosfestrol following online hydrolysis by alkaline phosphatase using flow injection and chasing zones, 462 (2002) 119

Foundry resins

Determination of free formaldehyde in foundry resins as its 2,4-dinitrophenylhydrazone by liquid chromatography, 467 (2002) 97

Four-component nasal solutions

Chemometric assisted simultaneous spectrophotometric determination of four-component nasal solutions with a reduced number of calibration samples, 453 (2002) 289

Fourier transform infrared spectrometry

Development and validation of a new Fourier transform infrared spectrometric method for the quantification of urea in creams and ointments, 451 (2002) 323

Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, 468 (2002) 81

F-PAH

Monofluorinated polycyclic aromatic hydrocarbons as internal standards in Shpol'skii spectroscopy: 1-fluoropyrene as an example, 459 (2002) 53

Fractional chain length (FCL)

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

Fractional factorial design

Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters, 455 (2002) 117

Fractionation

Extraction of humic acids and their fractions in poly(ethylene glycol)-based aqueous biphasic systems, 452 (2002) 95

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Free fatty acids

Analysis of fatty acids in foods by supercritical fluid chromatography, 465 (2002) 131

New electrochemical detection method in high-performance liquid chromatography for determining free fatty acids, 465 (2002) 199

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

Free-ion selective radiotracer extraction

Analysis of copper complex lability using ^{64}Cu -equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

French oak

Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139

Frequency doubling scattering

Resonance Rayleigh scattering, frequency doubling scattering and second-order scattering spectra of the heparin–crystal violet system and their analytical application, 468 (2002) 275

Frequency doubling scattering and second-order scattering technology as novel methods for the determination of the inclusion constant of procaine hydrochloride to β -cyclodextrin, 472 (2002) 89

Fresh water

Spectrophotometric pH measurements of freshwater, 453 (2002) 13

Extraction and preconcentration of polychlorinated dibenz-p-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, 470 (2002) 205

Freshness

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Freshness index

Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, 470 (2002) 175

Fruits

Simultaneous determination of imidacloprid, carbendazim, methiocarb and hexythiazox in peaches and nectarines by liquid chromatography-mass spectrometry, 461 (2002) 109

Fruits quality

Outer product analysis of electronic nose and visible spectra: application to the measurement of peach fruit characteristics, 459 (2002) 107

FT-IR

Direct-on-filter analysis of crystalline silica using photoacoustic Fourier transform-infrared spectroscopy, 457 (2002) 257

FT-IR spectroscopy

Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, 461 (2002) 189

Fullerene

Blue and red photoluminescence of bicapped [60]fullerene- γ -cyclodextrin complex in aqueous solutions, 472 (2002) 83

Full-term

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Fully automated immunoassay system

Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, 475 (2003) 75

Fulvic acid

Fractionation and characterization of fulvic acid by immobilized metal ion affinity chromatography, 452 (2002) 85

Application of multivariate curve resolution to the voltammetric study of the complexation of fulvic acids with cadmium(II) ion, 459 (2002) 291

Furans

Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies, 457 (2002) 199

Fuzzy neural network

Quantitative fuzzy neural network for analytical determination, 468 (2002) 105

G**Gallic acid**

Determination of gallic acid with 4-nitrobenzenediazonium tetrafluoroborate by diffuse reflectance spectrometry on polyurethane foam, 469 (2002) 295

Gallium-68

Separation of ^{68}Ga from ^{68}Ge using a macroporous organic polymer containing *N*-methylglucamine groups, 453 (2002) 135

Garance Lacquer

Investigation of a Roman age "bulk pigment" found in Vicenza, 475 (2003) 181

Garlic

Biosensoric flow-through method for the determination of cysteine sulfoxides, 469 (2002) 155

Garrote shrinkage

Use of wavelet transform to enhance piezoelectric signals for analytical purposes, 456 (2002) 93

Gas analyzer

Hydrogen fluoride analyzer for gases and aerosols, 460 (2002) 219

Gas chromatography

Gas chromatography silica packings with chemically bonded complexes of Cu(II) and Cr(III), 451 (2002) 271

Assessment of uncertainty in pesticide multiresidue analytical methods: main sources and estimation, 454 (2002) 297

Development of a solid-phase microextraction method for the determination of phthalic acid esters in water, 457 (2002) 211

Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection, 458 (2002) 111

Analysis of organophosphorus pesticides by gas chromatography-mass spectrometry with negative chemical ionization: a study on the ionization conditions, 461 (2002) 97

Analysis of fatty acids by gas chromatography, and its relevance to research on health and nutrition, 465 (2002) 39

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Gas chromatographic separation of *R/S*- α -hydroxy fatty acid esters, 465 (2002) 299

Analysis of fatty acids in plasma lipoproteins by gas chromatography-flame ionization detection. Quantitative aspects, 465 (2002) 337

Determination of long-chain fatty acids in heart and skeletal muscle by capillary gas chromatography, 465 (2002) 351

Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395

Simple and rapid procedure for the determination of individual free fatty acids in serum, 465 (2002) 433

Abraham model in gas chromatography of phenol pollutants, 466 (2002) 151

Gas chromatographic-tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils, 466 (2002) 335

Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Headspace solid phase microextraction for the analysis of the new antifouling agents Irgarol 1051 and Sea Nine 211 in natural waters, 468 (2002) 171

Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization

detection and high-performance liquid chromatography/UV detection, 468 (2002) 245
N-Hydroxysuccinimidyl phenylacetate as a novel derivatizing reagent for aliphatic amines in gas chromatography, 468 (2002) 255

Gas chromatography-mass spectrometry

Headspace solid-phase micro-extraction gas chromatography-mass detection method for the determination of butyltin compounds in wines, 458 (2002) 231
 Measurement of bisphenol A in human serum by gas chromatography/mass spectrometry, 458 (2002) 331
 Identification of minor fatty acids in mussels (*Mytilus galloprovincialis*) by GC-MS of their 2-alkenyl-4,4-dimethyloxazoline derivatives, 465 (2002) 409
 Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, 475 (2003) 125

Gas sensor

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99
 Polyaniiline as a new sensitive layer for gas sensors, 475 (2003) 1
 Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17
 Portable oral malodor analyzer using highly sensitive In_2O_3 gas sensor combined with a simple gas chromatography system, 475 (2003) 27

Gas-liquid chromatography

The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, 465 (2002) 175

GC

Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, 465 (2002) 1
 Chromatography of very long-chain fatty acids from animal and plant kingdoms, 465 (2002) 273
 Analysis by gas chromatography/mass spectrometry of fatty acids and esters in alcoholic beverages and tobaccos, 465 (2002) 309

GC/MS

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

GC/MS/SIM

Strategy and principles of the simultaneous analysis of prostanoids by gas chromatography/mass spectrometry/selected-ion monitoring, 465 (2002) 379

GC-ECD

Ultratrace analysis for *trans,trans*-muconic acid by electrophoretic derivatization and capillary gas chromatography, 455 (2002) 111
 Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, 461 (2002) 75
 Construction and validation of a cryogen free gas chromatography-electron-capture detection system for the measurement of ambient halocarbons, 461 (2002) 85

GC-FID

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

GC-FTIR

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

GC-MS

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207
 Analysis by gas chromatography/mass spectrometry of fatty acids and esters in alcoholic beverages and tobaccos, 465 (2002) 309
 Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395
 Analytical possibilities for the detection of stanozolol and its metabolites, 473 (2002) 39
 Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

GC-MS of fatty acid derivatives

The gas chromatograph in practical analyses of common and uncommon fatty acids for the 21st century, 465 (2002) 175

Gel permeation chromatography

Extraction of humic acids and their fractions in poly(ethylene glycol)-based aqueous biphasic systems, 452 (2002) 95

Genapol X-080

Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, 466 (2002) 325

Gene expression

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

Fluorescence-based nucleic acid detection and microarrays, 469 (2002) 3

Generic FIA-system

Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters, 455 (2002) 117

Genetic algorithm

Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, 461 (2002) 189
 Simultaneous determination of chromium(VI) and chromium(III) at trace levels by adsorptive stripping voltammetry, 470 (2002) 241

Genetic algorithms

Feature selection for hierarchical clustering, 466 (2002) 311

Genetically-modified organisms

Survival and polymerase chain reaction-based detection of nucleic acid taggant markers during bacterial growth and sterilization, 475 (2003) 67

Genomic DNA

Direct selective detection of genomic DNA from coliform using a fiber optic biosensor, 461 (2002) 37

Genotoxicity

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Genotoxicity testing

Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, 462 (2002) 11

Geographical origin

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77

Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectrometric determinations, 458 (2002) 177

Geological materials

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

Germanium-68

Separation of ^{68}Ga from ^{68}Ge using a macroporous organic polymer containing *N*-methylglucamine groups, 453 (2002) 135

GFAAS

Preconcentration of palladium in a flow-through electrochemical cell for determination by graphite furnace atomic absorption spectrometry, 462 (2002) 305

GFP

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Ginsenoside F₁

Enzyme-linked immunosorbent assay for the determination of 20(S)-protopanaxatriol, 462 (2002) 157

Glafenine

Stability indicating spectrophotometric methods for determination of glafenine using first derivative of ratio spectra and chemometric techniques, 461 (2002) 155

Glass

Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, 459 (2002) 267

Glassy carbon electrode

Poly(isonicotinic acid) modified glassy carbon electrode for electrochemical detection of norepinephrine, 454 (2002) 75

Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, 461 (2002) 243

Glassy carbon microparticles

Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, 459 (2002) 43

Glassy carbon paste electrode

Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, 459 (2002) 43

Glucocorticoids

Liquid chromatographic-mass spectrometric analysis of 11 glucocorticoid residues and an optimization of enzymatic hydrolysis conditions in bovine liver, 473 (2002) 127

Glucosamine

High-performance liquid chromatographic determination of neutraceuticals, glucosamine sulphate and chitosan, in raw materials and dosage forms, 462 (2002) 125

Glucose

Bienzymatic amperometric biosensor for glucose based on poly-pyrrole/ceramic carbon as electrode material, 451 (2002) 251

Amperometric biosensors employing an insoluble oxidant as an interference-removing agent, 461 (2002) 251

On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, 462 (2002) 293

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

Glucose biosensor

Glucose and urea biosensors based on all solid-state PVC-NH₂ membrane electrodes, 452 (2002) 29

Glucose oxidase (GOD)

Biotinylated alginate immobilization matrix in the construction of an amperometric biosensor: application for the determination of glucose, 453 (2002) 71

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Entrapment of glucose oxidase in non-porous poly(vinyl chloride), 461 (2002) 57

Glucose biosensors prepared by electropolymerization of *p*-chlorophenylamine with and without Nafion, 463 (2002) 239

Glucose sensor

Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, 471 (2002) 3

Glutathione (GSH)

Direct spectrofluorimetric determination of glutathione in biological samples using 5-maleimidyl-2-(*m*-methylphenyl) benzoxazole, 451 (2002) 211

Glutathione S-transferase

Novel fiber-optic biosensor based on immobilized glutathione *S*-transferase and sol-gel entrapped bromcresol green for the determination of atrazine, 460 (2002) 151

Glycated hemoglobin

Membrane-immobilized haptoglobin as affinity matrix for a hemoglobin-A1c immunoassay, 470 (2002) 111

Glycerol

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Glycerol dehydrogenase

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Glycolytic compounds

Analysis of glycolytic intermediates in *Saccharomyces cerevisiae* using anion exchange chromatography and electrospray ionization with tandem mass spectrometric detection, 460 (2002) 209

Glycoprotein

Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, 459 (2002) 25

Glycosidases

Effects of enzyme treatment and skin extraction on varietal volatiles in Spanish wines made from Chardonnay, Muscat, Airén, and Macabeo grapes, 458 (2002) 39

Glycosides

Biogenesis of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Glycyrrhizae radix

Fast determination of flavonoids in *Glycyrrhizae radix* by capillary zone electrophoresis, 458 (2002) 345

Glyphosate

Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-(4-bromo-2-chlorophenyl) *O*-ethyl *S*-propyl phosphorothioate) measured by ¹H and ³¹P NMR spectrometry, 474 (2002) 125

Goat-immunoglobulin G (G-IgG)

Solid substrate room temperature phosphorescence immunoassay based on an antibody labeled with tetramethylrhodamine B isothiocyanate, 470 (2002) 121

Gold

Synthesis of amidothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, 452 (2002) 223

Determination of arsenic in gold samples using matrix exchange differential pulse stripping voltammetry, 453 (2002) 201

Characterization of jewellery products by laser-induced breakdown spectroscopy, 457 (2002) 247

Gold bands (films)

Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, 453 (2002) 63

Gold electrode

Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, 453 (2002) 209

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Gold film

Electrochemical enzyme immunoassay using immobilized antibody on gold film with monitoring of surface plasmon resonance signal, 463 (2002) 219

Gold film electrode

Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode, 475 (2003) 47

Gold nanoparticle

Electrochemical detection of DNA hybridization based on silver-enhanced gold nanoparticle label, 469 (2002) 165

Gold uptake

1,4,8,11-Tetraazacyclotetradecane bound to poly(*p*-chloromethyl-styrene-ethylene glycol dimethacrylate) microbeads for selective gold uptake, 464 (2002) 313

Grain herbicides

Occurrence and determination of herbicides and their major transformation products in environmental waters, 462 (2002) 187

GRAM

Limit of detection estimator for second-order bilinear calibration, 451 (2002) 313

Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, 470 (2002) 163

Gramicidin

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Grape

Biogenesis of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and winemaking by-products, 458 (2002) 119

Grape seeds

Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and winemaking by-products, 458 (2002) 119

Graphite furnace atomic absorption spectrometry

Microwave-assisted digestion procedure for the determination of palladium in road dust, 459 (2002) 257

Graphite-coated

Novel coated-graphite membrane sensor based on *N,N'*-dimethyl-cyanodiazia-18-crown-6 for the determination of ultra-trace amounts of lead, 464 (2002) 181

Grazing-exit electron probe X-ray microanalysis

Grazing-exit electron probe X-ray microanalysis of ultra-thin films and single particles with high-angle resolution, 455 (2002) 245

Groundwater

Differential pulse cathodic stripping voltammetric determination of nanomolar levels of dissolved sulfide applicable to field analysis of groundwater, 459 (2002) 209

Group-specific ELISA

Group-specific enzyme-linked immunosorbent assay for fenitrooxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, 460 (2002) 99

Growth promoter

Alternative to vertebrate animal experiments in the study of metabolism of illegal growth promoters and veterinary drugs, 473 (2002) 59

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Liquid chromatographic-mass spectrometric analysis of 11 glucocorticoid residues and an optimization of enzymatic hydrolysis conditions in bovine liver, 473 (2002) 127

Guanine

Simultaneous determination of guanine and adenine in DNA using an electrochemically pretreated glassy carbon electrode, 461 (2002) 243

H

***H. pylori* antibodies**

Immunochromatographic flow-injection method for detection of human serum immunoglobulin G antibodies to *Helicobacter pylori*, 453 (2002) 53

Hadamard transform

Hadamard transform fluorescence image microscopy using one-dimensional movable mask, 468 (2002) 27

Haemodialysis

Monitoring urea levels during haemodialysis with a pulsed-flow chemiluminescence analyser, 461 (2002) 131

Hafnium

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

Hair

Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, 470 (2002) 215

Hair analysis

Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry, 455 (2002) 23

Halitosis

Optical fibre sensor for hydrogen sulphide monitoring in mouth air, 471 (2002) 13

Portable oral malodor analyzer using highly sensitive In₂O₃ gas sensor combined with a simple gas chromatography system, 475 (2003) 27

Halocarbons

Construction and validation of a cryogen free gas chromatography-electron-capture detection system for the measurement of ambient halocarbons, 461 (2002) 85

Halofuginone

Halofuginone contamination in feeds as a cause of residues in eggs, 473 (2002) 177

Halogenated compounds

Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence, 451 (2002) 189

Hand-scanner

Simple method for colorimetric spot-test quantitative analysis of Fe(III) using a computer controlled hand-scanner, 471 (2002) 97

Hapten

Development of a rapid, specific fluorescence polarization immunoassay for the herbicide chlorsulfuron, 468 (2002) 229

Hapten design

Indirect competitive immunoassay for trichlorophenol determination. Rational evaluation of the competitor heterology effect, 452 (2002) 191

Hapten synthesis

Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, 475 (2003) 85

Haptoglobin

Membrane-immobilized haptoglobin as affinity matrix for a hemoglobin-A1c immunosensor, 470 (2002) 111

Hazard

Contribution of European research to endocrine disruptors, 473 (2002) 161

HbA1c

Membrane-immobilized haptoglobin as affinity matrix for a hemoglobin-A1c immunosensor, 470 (2002) 111

 γ -HCH

Dry atmospheric deposition and deposition velocities of dicamba, 2,4-dichlorophenoxyacetic acid and γ -1,2,3,4,5,6-hexachlorocyclohexane, 467 (2002) 245

Headspace analysis

Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection, 458 (2002) 111

Headspace solid-phase micro-extraction

Headspace solid-phase micro-extraction gas chromatography-mass detection method for the determination of butyltin compounds in wines, 458 (2002) 231

Cooled internal reflection element for infrared chemical sensing of volatile to semi-volatile organic compounds in the headspace of aqueous solutions, 462 (2002) 235

Heart

Determination of long-chain fatty acids in heart and skeletal muscle by capillary gas chromatography, 465 (2002) 351

Heavy metal

Spectrofluorimetric method for the rapid screening of toxic heavy metals in water samples, 451 (2002) 203

Calibrationless determination of cadmium, lead and copper in rain samples by stripping voltammetry at mercury microelectrodes.

Effect of natural convection on the deposition step, 452 (2002) 65

Use of bioluminescent bacterial sensors as an alternative method for measuring heavy metals in soil extracts, 456 (2002) 55

Heavy metal mobility assessment in sediments based on a kinetic approach of the EDTA extraction: search for optimal experimental conditions, 459 (2002) 245

Covalent binding of genetically engineered microorganisms to porous glass beads, 470 (2002) 71

Improved detection of toxic chemicals using bioluminescent bacteria, 471 (2002) 113

Continuous-flow system for reduction of metal readsoption during sequential extraction of soil, 472 (2002) 147

Heavy metal monitoring

Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, 462 (2002) 59

Heavy metal salts

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Hemin

Electrochemical behavior of tryptophan and its derivatives at a glassy carbon electrode modified with hemin, 452 (2002) 245

Hemoglobin

β -Cyclodextrin sensitized chemiluminescence of hemoglobin-hydrogen peroxide-carbonate and its analytical application, 475 (2003) 163

Hemorphin-7 peptides

Quantification of hemorphin-7 peptides by enzyme linked immunosorbent assay with secondary antibody, 461 (2002) 229

Heparin

Physical adsorption of protamine for heparin assay using a quartz crystal microbalance and electrochemical impedance spectroscopy, 462 (2002) 261

Resonance Rayleigh scattering, frequency doubling scattering and second-order scattering spectra of the heparin-crystal violet system and their analytical application, 468 (2002) 275

Heptane sulfonate

Determination of ethambutol by ion-pair reversed phase liquid chromatography with UV detection, 456 (2002) 189

Herbicides

Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, 466 (2002) 325

Molecularly imprinted polymer for metsulfuron-methyl and its binding characteristics for sulfonylurea herbicides, 468 (2002) 217

Determination of chlorophenoxy acid herbicides and their esters in soil by capillary high performance liquid chromatography with ultraviolet detection, using large volume injection and temperature gradient, 470 (2002) 147

Herbs

Spectrofluorimetric determination of hydrogen peroxide scavenging activity, 452 (2002) 177

Heterology

Indirect competitive immunoassay for trichlorophenol determination. Rational evaluation of the competitor heterology effect, 452 (2002) 191

Hexoses

Characterisation of humic substances by acid catalysed transesterification, 452 (2002) 105

Hg(II)

Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II), 469 (2002) 303

HG-AAS

Inter-method comparison for the determination of antimony and arsenic in peat samples, 458 (2002) 387

Hierarchical cluster analysis

Classification of metal ions according to their complexing properties: a data-driven approach, 455 (2002) 131

Hierarchical clustering

Feature selection for hierarchical clustering, 466 (2002) 311

hIgG

Protein A immobilized monolithic capillary column for affinity chromatography, 466 (2002) 141

High performance liquid chromatography (HPLC)

Influence of the storage conditions on the concentration of clenbuterol in cattle urine samples, 452 (2002) 115

Fluorimetric assay for measuring Dns-His-Lys-Arg-His-Lys cleaving enzyme using high-performance liquid chromatography, 457 (2002) 157

Prediction of $\log k_w$ of disubstituted benzene derivatives in reversed-phase high-performance liquid chromatography using multiple linear regression and radial basis function neural network, 463 (2002) 89

Simultaneous determination of levofloxacin and ciprofloxacin in microdialysates and plasma by high-performance liquid chromatography. 463 (2002) 199

Liquid chromatography of fatty acids with chemiluminescence detection. 465 (2002) 101

Analysis of fatty acids by column liquid chromatography. 465 (2002) 145

High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods. 465 (2002) 193

New electrochemical detection method in high-performance liquid chromatography for determining free fatty acids. 465 (2002) 199

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides. 465 (2002) 237

High-performance liquid chromatographic assay of dichlorvos, isocarbophos and methyl parathion from plant leaves using chemiluminescence detection. 474 (2002) 21

Supported liquid membrane extraction for identification of phenolic compounds in the nutrient solution of closed hydroponic growing systems for tomato. 474 (2002) 49

High pressure
Development and application of a micro-digestion device for elemental analysis of biological samples. 451 (2002) 279

High throughput
Fluorescence-based nucleic acid detection and microarrays. 469 (2002) 3
High throughput drug screening by direct RNA profiling on DNA sensors. 469 (2002) 141

High-performance liquid chromatography with electrochemical detection
Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination. 453 (2002) 221

High-performance liquid chromatography-mass spectrometry
Determination of free polyunsaturated fatty acids and their oxidative metabolites by high-performance liquid chromatography (HPLC) and mass spectrometry (MS). 465 (2002) 417

High-temperature water
Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water. 460 (2002) 185

High-throughput
On-line detection of sulfamethazine and sulfadiazine in porcine bile using a multi-channel high-throughput SPR biosensor. 473 (2002) 143

Histamine
Molecular imprinting-based fluorescent chemosensor for histamine using zinc(II)-protoporphyrin as a functional monomer. 466 (2002) 31

Historical perspectives of chromatography
Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques. 465 (2002) 1

HMDE
Determination of As(III) and arsenic(V) in natural waters by cathodic stripping voltammetry at a hanging mercury drop electrode. 459 (2002) 151

H₂O₂ scavenging ability
Spectrofluorimetric determination of hydrogen peroxide scavenging activity. 452 (2002) 177

Hollow fiber membrane solvent microextraction
Development of a screening method for cocaine and cocaine metabolites in saliva using hollow fiber membrane solvent microextraction. 458 (2002) 311

Holocene
High-sensitivity measurements of strontium isotopes in polar ice. 469 (2002) 225

Homocysteine
Fluorescent sensing of homocysteine by molecular imprinting. 466 (2002) 17

Homogeneous fluoroimmunoassay
Homogeneous stopped-flow fluoroimmunoassay using europium as label. 460 (2002) 271

Homovanillic acid
Spectrofluorimetric determination of hydrogen peroxide scavenging activity. 452 (2002) 177
Separation and determination of homovanillic acid and vanillylmandelic acid by capillary electrophoresis with electrochemical detection. 461 (2002) 123

Hormone and veterinary drug residues
Database dedicated to information published during the Benelux conferences on hormone and veterinary drug residue analyses. 473 (2002) 53

Hormones
Internal validation of screening methodology for residues of epitenbolone, trenbolone, epi-nortestosterone and nortestosterone in bovine urine using immunoaffinity cartridges for sample clean-up. 473 (2002) 111

Hot electron
Time-resolved electrochemiluminescence of platinum(II) coporphyrin. 453 (2002) 269
Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution. 454 (2002) 193
Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes. 458 (2002) 271

HPCIM
Spectral curve deconvolution in micellar systems with H-point curve isolation and H-point standard addition methods. 459 (2002) 119

HPLC

Analysis of polyethoxylated surfactants in microemulsion–oil–water systems. Part II, 452 (2002) 129

Determination of testosterone and its metabolites using liquid chromatography with elevated column temperature and flow-rate gradient, 457 (2002) 165

Development of a tandem thin-layer chromatography–high-performance liquid chromatography method for the identification and determination of corticosteroids in cosmetic products, 457 (2002) 187

High-performance liquid chromatographic determination of neutraceuticals, glucosamine sulphate and chitosan, in raw materials and dosage forms, 462 (2002) 125

Post-column terbium complexation and sensitized fluorescence detection for the determination of norepinephrine, epinephrine and dopamine using high-performance liquid chromatography, 462 (2002) 179

High-performance liquid chromatographic fractionation and characterization of fulvic acid, 464 (2002) 47

Development of fatty acid analysis by high-performance liquid chromatography, gas chromatography, and related techniques, 465 (2002) 1

High-performance liquid chromatography of fatty acids in biological samples, 465 (2002) 81

Fluorescent tagging of physiologically important carboxylic acids, including fatty acids, for their detection in liquid chromatography, 465 (2002) 111

Chromatography of very long-chain fatty acids from animal and plant kingdoms, 465 (2002) 273

Isolation and separation of individual long-chain acyl-coenzyme A esters, 465 (2002) 427

Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography–UV methods, 466 (2002) 175

Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography–UV detection and enzyme-linked immunosorbent assay. Comparison of methods, 466 (2002) 213

Quantitation of agmatine by liquid chromatography with laser-induced fluorescence detection, 470 (2002) 155

Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, 470 (2002) 163

Determination of β-blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, 471 (2002) 51

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

Potentiometric detection of *N,N'*-diethylaminoethanol and lysosomotropic amino alcohols in cation exchange high-performance liquid chromatography systems, 472 (2002) 11

Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination

of oxytetracycline in the bryophyte *Fontinalis antipyretica*, 475 (2003) 117

HPLC analysis

Determination of sophoridine and related lupin alkaloids using tris(2,2'-bipyridine)ruthenium electrogenerated chemiluminescence, 466 (2002) 79

HPLC/MS-MS

Occurrence and determination of herbicides and their major transformation products in environmental waters, 462 (2002) 187

HPLC-DAD

Analytical performance of commercially available and unavailable phenolic compounds using real samples by high-performance liquid chromatography–diode-array detection, 460 (2002) 61

Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography – diode-array detection, 468 (2002) 237

HPLC-ICP-MS

Measurement of arsenic species in marine macroalgae by microwave-assisted extraction and high performance liquid chromatography–inductively coupled plasma mass spectrometry, 457 (2002) 173

HPLC-TLS

Ultrasensitive assays of *trans*- and *cis*-β-carotenes in vegetable oils by high-performance liquid chromatography–thermal lens detection, 460 (2002) 193

HPLC-TSP-mass spectrometry

High-performance liquid chromatography–thermospray ionization–mass spectrometry of the oxidation products of polyunsaturated-fatty acids, 465 (2002) 227

HPSAM

Spectral curve deconvolution in micellar systems with H-point curve isolation and H-point standard addition methods, 459 (2002) 119

8-HQ

A study of microdialysis sampling of metal ions, 456 (2002) 253

HS-SPME

Headspace solid phase microextraction for the analysis of the new antifouling agents Irgarol 1051 and Sea Nine 211 in natural waters, 468 (2002) 171

Human ferritin

Development of an immunoassay for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, 453 (2002) 181

Human hair

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Human plasma

Simultaneous analysis of six antiepileptic drugs and two selected metabolites in human plasma by liquid chromatography after solid-phase extraction, 472 (2002) 1

Human saliva

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Human serum

Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, 453 (2002) 221
 Prediction of human serum albumin-drug binding affinity without albumin, 454 (2002) 101
 Measurement of bisphenol A in human serum by gas chromatography/mass spectrometry, 458 (2002) 331
 Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, 459 (2002) 25
 Electrochemical characterisation of nefazodone hydrochloride and voltammetric determination of the drug in pharmaceuticals and human serum, 462 (2002) 49
 Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography-UV methods, 466 (2002) 175
 Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Human serum albumin adsorption on gold electrodes

In situ monitoring of gold-surface adsorption and acidic denaturation of human serum albumin by an isolation-capacitance-adapted electrochemical quartz crystal impedance system, 464 (2002) 65

Humic acids

Extraction of humic acids and their fractions in poly(ethylene glycol)-based aqueous biphasic systems, 452 (2002) 95

Humic substances

Characterisation of humic substances by acid catalysed transesterification, 452 (2002) 105
 High-performance liquid chromatographic fractionation and characterization of fulvic acid, 464 (2002) 47
 Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

Hybrid eluents

Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, 466 (2002) 325

Hybridisation

Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, 457 (2002) 29
 Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, 462 (2002) 39

Practical physical aspects of interfacial nucleic acid oligomer hybridisation for biosensor design, 469 (2002) 115

Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, 470 (2002) 57

Hydrated electron

Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution, 454 (2002) 193

Hydride generation

Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 455 (2002) 277

Determination of tin in soil by continuous hydride generation and inductively coupled plasma mass spectrometry, 456 (2002) 263

Determination of zinc in food using atomic fluorescence spectrometry by hydride generation from organized media, 457 (2002) 305

Determination of As(III) and total inorganic arsenic by flow injection hydride generation atomic absorption spectrometry, 460 (2002) 227

Determination of trace lead by hydride generation-inductively coupled plasma-mass spectrometry, 463 (2002) 177

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Hydride generation atomic absorption spectrometry

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid prereduction and cupferron chelation-extraction, 459 (2002) 161

Hydride generation atomic fluorescence spectrometry

Analysis and leaching characteristics of mercury and arsenic in Chinese medicinal material, 453 (2002) 311

Hydrocortisone

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

Hydrogel matrix

Effect of hydrogel matrix on binding kinetics of protein-protein interactions on sensor surface, 456 (2002) 201

Hydrogen fluoride

Hydrogen fluoride analyzer for gases and aerosols, 460 (2002) 219

Hydrogen peroxide

Determination of hydrogen peroxide using glassy carbon and graphite/polyester composite electrodes modified by vanadium-doped zirconias, 452 (2002) 11

Determination of hydrogen peroxide by using a flow injection system with immobilized peroxidase and long pathlength capillary spectrophotometry, 455 (2002) 305

Chemiluminescence assay for catechin based on generation of hydrogen peroxide in basic solution, 472 (2002) 75
 β -Cyclodextrin sensitized chemiluminescence of hemoglobin-hydrogen peroxide-carbonate and its analytical application, 475 (2003) 163

Hydrogen sulfide

Portable oral malodor analyzer using highly sensitive In₂O₃ gas sensor combined with a simple gas chromatography system, 475 (2003) 27

Hydrogen sulphide

Optical fibre sensor for hydrogen sulphide monitoring in mouth air, 471 (2002) 13

Hydrolysis

Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, 472 (2002) 37

Hydrolytic degradation

Analysis of fatty acid anhydrides and polyanhydrides, 465 (2002) 257

Hydroperoxide

High-performance liquid chromatography-thermospray ionization-mass spectrometry of the oxidation products of polyunsaturated-fatty acids, 465 (2002) 227

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Hydrophobic interaction

Sulfonamide imprinted polymers using co-functional monomers, 452 (2002) 277

Hydrophobicity

Evaluation of hydrophobic properties of sodium dodecylsulfate/ γ -alumina admicelles based on fluorescence spectra of *N*-phenyl-1-naphthylamine, 454 (2002) 203

Hydrothermal

In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, 463 (2002) 265

Hydrous γ -Al₂O₃

Specific adsorption of halogen anions on hydrous γ -Al₂O₃, 470 (2002) 263

Hydroxide

High-performance liquid chromatography-thermospray ionization-mass spectrometry of the oxidation products of polyunsaturated-fatty acids, 465 (2002) 227

Hydroxy acid ester

Gas chromatographic separation of *R/S*- α -hydroxy fatty acid esters, 465 (2002) 299

Hydroxy fatty acids

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

Hydroxy fatty alcohols

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

3-Hydroxychromones

Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, 464 (2002) 273

Hydroxyheptadecatrienoic acid

Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, 465 (2002) 441

5-Hydroxyindole-3-acetic acid

New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum, 458 (2002) 337

Hydroxylations

High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods, 465 (2002) 193

8-Hydroxyquinoline

Improved method for shipboard determination of iron in seawater by flow injection analysis, 453 (2002) 21

Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 471 (2002) 121

8-Hydroxyquinoline derivatives

Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, 453 (2002) 143

8-Hydroxyquinoline-5-sulphonic acid

Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149

Hypercholesterolaemia

Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis treatment evaluated by liquid chromatography and gas chromatography, 467 (2002) 125

Hyphenation

Combination of flow injection with capillary electrophoresis. 8. Miniaturized capillary electrophoresis system with flow injection sample introduction and electrogenerated chemiluminescence detection, 456 (2002) 167

I

IAC

Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans

on columns generated with different monoclonal antibody clones and polyclonal antibodies, 457 (2002) 199

Iberian pork loin
On-line non-destructive determination of proteins and infiltrated fat in Iberian pork loin by near infrared spectrometry with a remote reflectance fibre optic probe, 453 (2002) 281

IC microchip
Integrated circuit microchip system with multiplex capillary electrophoresis module for DNA analysis, 466 (2002) 187

Ice cores
Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, 453 (2002) 1

ICP-AES
Automated flow analysis system based on multicommutation for Cd, Ni and Pb on-line pre-concentration in a cationic exchange resin with determination by inductively coupled plasma atomic emission spectrometry, 453 (2002) 301

Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectroscopic determinations, 458 (2002) 177

Ion-exchange method for separation and concentration of platinum and palladium for analysis of environmental samples by inductively coupled plasma atomic emission spectrometry, 464 (2002) 7

Determination of Ru, Rh, Pd, Te, Mo and Zr in spent pressurized water reactor fuels by ion exchange and extraction chromatographic separations and inductively coupled plasma atomic emission spectrometric analysis, 475 (2003) 171

ICP-AES analysis
Dimensional and elemental characterization of suspended particulate matter in natural waters: quantitative aspects in the integrated ultrafiltration, split-flow thin cell and inductively coupled plasma-atomic emission spectrometry approach, 470 (2002) 253

ICP-MS
Analysis for Cd, Cu, Ni, Zn, and Mn in estuarine water by inductively coupled plasma mass spectrometry coupled with an automated flow injection system, 455 (2002) 11

Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry, 455 (2002) 23

Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, 456 (2002) 271

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

Inter-method comparison for the determination of antimony and arsenic in pear samples, 458 (2002) 387

Determination of vanadium, molybdenum and tungsten in complex matrix samples by chelation ion chromatography and on-line detection with inductively coupled plasma mass spectrometry, 466 (2002) 161

Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, 472 (2002) 161

Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, 474 (2002) 177

ICP-OES
Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, 474 (2002) 177

ID-ICP-MS
Simplified method for the Re-Os dating of molybdenite using acid digestion and isotope dilution ICP-MS, 463 (2002) 111

IgG
Electrochemical enzyme immunoassay using immobilized antibody on gold film with monitoring of surface plasmon resonance signal, 463 (2002) 219

Igneous rock
Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, 456 (2002) 271

Imidurea
Validation of a micellar electrokinetic capillary chromatography method for the determination of imidurea, methyl and propyl-parabens in a pharmaceutical ointment, 463 (2002) 15

Immobilisation
Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, 455 (2002) 207

Immobilization of acetylcholinesterase on screen-printed electrodes: comparative study between three immobilization methods and applications to the detection of organophosphorus insecticides, 464 (2002) 171

Immobilized metal ion affinity chromatography (IMAC)
Fractionation and characterization of fulvic acid by immobilized metal ion affinity chromatography, 452 (2002) 85

High-performance liquid chromatographic fractionation and characterization of fulvic acid, 464 (2002) 47

Immobilized peroxidase
Determination of hydrogen peroxide by using a flow injection system with immobilized peroxidase and long pathlength capillary spectrophotometry, 455 (2002) 305

Immunoaffinity
Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Internal validation of screening methodology for residues of epitenbolone, trenbolone, epi-nortestosterone and nortestosterone in bovine urine using immunoaffinity cartridges for sample clean-up, 473 (2002) 111

Immunoassay

Indirect competitive immunoassay for trichlorophenol determination. Rational evaluation of the competitor heterology effect, 452 (2002) 191

A compact long-wavelength fluorescence detection system and its application to flow injection immunoassay, 454 (2002) 31

Chemiluminescence multichannel immunosensor for biodetection, 457 (2002) 3

Development of a tetramethylrhodamine-labeled probe for a capillary electrophoresis-based competitive immunoassay of staphylococcal enterotoxin B, 457 (2002) 21

Future of biological aerosol detection, 457 (2002) 125

Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, 458 (2002) 271

Heterobifunctional linker between antibodies and reporter genes for immunoassay development, 459 (2002) 169

Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, 459 (2002) 177

Development of an enzyme-linked immunosorbent assay for pentachlorophenol, 460 (2002) 279

Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, 461 (2002) 75

Development of an enzyme immunoassay for linoleic acid diols in urine, 466 (2002) 247

Evolution of antibodies for environmental monitoring: from mice to plants, 468 (2002) 185

Assessment of the distribution of pesticides on soil particle fractions in simulated irrigation run-off using centrifugal SPLITT fractionation and ELISA, 468 (2002) 199

Rapid on-site immunoassay for diflubenzuron in grains, 468 (2002) 209

Reaction cell inductively coupled plasma mass spectrometry-based immunoassay using ferrocene tethered hydroxysuccinimide ester as label for the determination of 2,4-dichlorophenoxyacetic acid, 472 (2002) 55

Immunochromatographic rapid assay

Monoclonal-based enzyme-linked immunosorbent assay and immunochromatographic rapid assay for dihydrostreptomycin in milk, 472 (2002) 45

Immunochromatography

Immunochromatographic flow-injection method for detection of human serum immunoglobulin G antibodies to *Helicobacter pylori*, 453 (2002) 53

Immunomagnetic separation

Rapid and specific detection of bacteria using bioluminescence, 457 (2002) 109

Immunomembrane

Evaluation of a field-test kit for triazine herbicides (SensiScreen® TR500) as a fast assay to detect pesticide contamination in water samples, 475 (2003) 105

Immunosensor

Development of an immunosensor for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, 453 (2002) 181

Quantitation of intracellular recombinant human superoxide dismutase using surface plasmon resonance, 456 (2002) 193

Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, 460 (2002) 141

Membrane-immobilized haptoglobin as affinity matrix for a hemoglobin-A1c immunosensor, 470 (2002) 111

Immunosensor for okadaic acid using quartz crystal microbalance, 471 (2002) 33

Immunosupports

Development of a heterogeneous chemiluminescent flow immunoassay for DDT and related compounds, 453 (2002) 43

Import

An odyssey—meeting European Union analytical criteria for residues from afar: experiences from North America, 473 (2002) 49

Impregnation

Study of adsorption processes of model drugs at supercritical conditions using partial least squares regression, 452 (2002) 311

In situ

In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, 463 (2002) 265

In vitro expression

Heterobifunctional linker between antibodies and reporter genes for immunoassay development, 459 (2002) 169

In vivo monitoring

Luminol chemiluminescence reaction: a new method for monitoring nitric oxide in vivo, 458 (2002) 281

INAA

Inter-method comparison for the determination of antimony and arsenic in peat samples, 458 (2002) 387

In-capillary derivatization

Single-run capillary electrophoretic speciation of iodide and iodine, 466 (2002) 133

Inclusion complexes

Effect of small organic molecules on room temperature phosphorescence properties of naphthol ternary inclusion complexes in β -cyclodextrin, 463 (2002) 135

Differentiating geometrical isomers of retinoids and controlling their photo-isomerization by complexation with cyclodextrins, 468 (2002) 161

Inclusion constant

Frequency doubling scattering and second-order scattering technology as novel methods for the determination of the inclusion constant of procaine hydrochloride to β -cyclodextrin, 472 (2002) 89

Incorporation

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Incurred tissues

Determination of carazolol residues in porcine tissue by radio-receptor assay, 462 (2002) 149

Indium oxide

Portable oral malodor analyzer using highly sensitive In_2O_3 gas sensor combined with a simple gas chromatography system, 475 (2003) 27

Indole-3-acetic acid

'Unusual aging off-flavor' in wine: formation of 2-aminoaceto-phenone and evaluation of its influencing factors, 458 (2002) 29

Indoles

On-line photo-derivatization with flow injection and liquid chromatography-atmospheric pressure electrospray mass spectrometry for the identification of indoles, 460 (2002) 49

3-Indoxyl phosphate

Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, 462 (2002) 31

Inductively coupled plasma

Determination of trace lead by hydride generation-inductively coupled plasma-mass spectrometry, 463 (2002) 177

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Inductively coupled plasma-atomic emission spectrometry

Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, 468 (2002) 335

Inductively coupled plasma-mass spectrometry

Determination of trace silver in superalloys and steels by inductively coupled plasma-mass spectrometry, 451 (2002) 329

Analysis and leaching characteristics of mercury and arsenic in Chinese medicinal material, 453 (2002) 311

Determination of tin in soil by continuous hydride generation and inductively coupled plasma mass spectrometry, 456 (2002) 263

Measurement of the isotopic composition and atomic weight of an isotopic reference material of platinum, IRMM-010, 460 (2002) 41

Advantages and limitations of the semi-quantitative operation mode of an inductively coupled plasma-mass spectrometer for multi-element analysis of wines, 463 (2002) 165

Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, 470 (2002) 223

Reaction cell inductively coupled plasma mass spectrometry-based immunoassay using ferrocene tethered hydroxysuccinimide ester as label for the determination of 2,4-dichlorophenoxyacetic acid, 472 (2002) 55

Infant formulae

Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395

Infants

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

In-field analysis

In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors, 456 (2002) 3

Infrared

Cooled internal reflection element for infrared chemical sensing of volatile to semi-volatile organic compounds in the headspace of aqueous solutions, 462 (2002) 235

Infrared fibre optic

Remote microwave wavelength spectrometry using an infrared fibre optic telecommunication network, 463 (2002) 1

Infrared spectrometry

Methods for coating filter paper for solid-phase microextraction with luminescence detection and characterization of the coated filter paper by infrared spectrometry, 474 (2002) 77

Injections

Enantiomeric analysis of methotrexate in pharmaceuticals by cyclo-dextrin-modified capillary electrophoresis, 471 (2002) 211

In-line preconcentration

Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W-Rh permanent modifier for copper determination in seawater, 463 (2002) 275

Inosine

Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, 462 (2002) 39

Insoluble residue

Determination of Ru, Rh, Pd, Te, Mo and Zr in spent pressurized water reactor fuels by ion exchange and extraction chromatographic separations and inductively coupled plasma atomic emission spectrometric analysis, 475 (2003) 171

Integrated biosensor

Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, 471 (2002) 3

Integrated optical waveguide (IOW)

Starch-iodine films respond to water vapor, 455 (2002) 49

Intercalation

Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, 470 (2002) 57

Interfacial DNA

Interfacial nucleic acid chemistry studied by acoustic shear wave propagation, 469 (2002) 101

Interference

Amperometric biosensors employing an insoluble oxidant as an interference-removing agent, 461 (2002) 251
 Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, 464 (2002) 79

 α -Interferon

A compact long-wavelength fluorescence detection system and its application to flow injection immunoassay, 454 (2002) 31

Internal quality control

Strategies for internal quality control in antidoping analyses, 460 (2002) 289

International food residue conferences

Database dedicated to information published during the Benelux conferences on hormone and veterinary drug residue analyses, 473 (2002) 53

Introduction

Heavy metal mobility assessment in sediments based on a kinetic approach of the EDTA extraction: search for optimal experimental conditions, 459 (2002) 245

Inverse-flow derivatization

Inverse-flow derivatization for capillary electrophoresis of DNA fragments with laser-induced fluorescence detection, 470 (2002) 129

Iodide

Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current chronopotentiometry and square wave voltammetry, 464 (2002) 115

Single-run capillary electrophoretic speciation of iodide and iodine, 466 (2002) 133

Iodide determination

Cobalt(II) and nickel(II) complexes of a cyclam derivative as carriers in iodide-selective electrodes, 459 (2002) 229

Iodide ion

Fabrication of a covalently attached multilayer film electrode containing cobalt phthalocyanine and its application as a potentiometric sensor of iodide ion, 455 (2002) 61

Iodide oxidation

Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, 456 (2002) 105

Iodine

Single-run capillary electrophoretic speciation of iodide and iodine, 466 (2002) 133

Iodine species

Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, 456 (2002) 105

Ion carriers

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Ion channels

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Ion chromatography

Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, 472 (2002) 37

Ion exchange

Removal of iron, copper and manganese from white wines through ion exchange techniques: effects on their organoleptic characteristics and susceptibility to browning, 458 (2002) 197

Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, 459 (2002) 267

Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, 460 (2002) 247

Ion exchange and HDEHP extraction chromatography

Determination of Ru, Rh, Pd, Te, Mo and Zr in spent pressurized water reactor fuels by ion exchange and extraction chromatographic separations and inductively coupled plasma atomic emission spectrometric analysis, 475 (2003) 171

Ion exchange membrane

Application of a cellulose phosphate ion exchange membrane as a binding phase in the diffusive gradients in thin films technique for measurement of trace metals, 464 (2002) 331

Ion mobility spectrometry

Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, 453 (2002) 231

Fingerprinting bacterial strains using ion mobility spectrometry, 457 (2002) 83

Separation of benzodiazepines by electrospray ionization ion mobility spectrometry-mass spectrometry, 457 (2002) 235

Automated control and optimisation of ion mobility spectrometry responses using a sheath-flow inlet, 463 (2002) 143

Ion mobility spectrometry (IMS)

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Novel application for ion mobility spectrometry: diagnosing vaginal infections through measurement of biogenic amines, 474 (2002) 115

Ion pair extraction

Evaluation of Gibbs free energy for the transfer of a highly hydrophilic ion from an acidic aqueous solution to an organic solution based on ion pair extraction, 452 (2002) 149

Ion selective electrode

Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems. Improvement of the detection limits employing an on-line pre-concentration stage, 454 (2002) 217

Potentiometric determination of fluoride in geological and biological samples following pyrohydrolytic decomposition, 466 (2002) 117

Ion sensor

Chronocoulometric flow-injection analysis with solvent polymeric membrane ion sensors, 459 (2002) 11

Ion-exchange

Evaluation of electroless gold deposited on porous silica for ligand attachment for metal ion-exchange, 454 (2002) 37

Lead-selective fluorescent optode membrane based on 3,3',5,5'-tetramethyl-N-(9-anthrylmethyl)benzidine, 460 (2002) 123

Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, 467 (2002) 3

Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, 474 (2002) 147

Ion-exchange cartridge

Capillary electrophoresis with electrochemiluminescence detection of procyclidine in human urine pretreated by ion-exchange cartridge, 470 (2002) 137

Ion-exclusion chromatography

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Vacancy ion-exclusion chromatography of carboxylic acids on a strongly acidic cation-exchange resin, 474 (2002) 31

Ionophore

Lithium sensor based on the laser scanning semiconductor transducer, 459 (2002) 1

Ion-pair HPLC

Determination of ethambutol by ion-pair reversed phase liquid chromatography with UV detection, 456 (2002) 189

Ion-paired

Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination of oxytetracycline in the bryophyte *Fontinalis antipyretica*, 475 (2003) 117

Ion-selective bulk optode

Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, 464 (2002) 187

Ion-selective electrode

Cobalt(II) and nickel(II) complexes of a cyclam derivative as carriers in iodide-selective electrodes, 459 (2002) 229

Ion-selective membrane

Ion-sensor property and blood compatibility of neutral-carrier-type poly(vinyl chloride) membranes coated by phosphorylcholine polymers, 463 (2002) 31

Ion-selective polymeric membrane

Zirconium(IV)-porphyrins as novel ionophores for fluoride-selective polymeric membrane electrodes, 468 (2002) 133

Ionsuppression

Analysis of glycolytic intermediates in *Saccharomyces cerevisiae* using anion exchange chromatography and electrospray ionization with tandem mass spectrometric detection, 460 (2002) 209

IR spectroscopy

Application of quantitative IR spectral analysis of bacterial cells to acetone-butanol-ethanol fermentation monitoring, 471 (2002) 127

Irgarol 1051

Headspace solid phase microextraction for the analysis of the new antifouling agents Irgarol 1051 and Sea Nine 211 in natural waters, 468 (2002) 171

IRMS

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Iron

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, 455 (2002) 327

Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectrophotometric sequential injection procedures, 466 (2002) 345

Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, 474 (2002) 147

Iron determination

In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, 463 (2002) 265

Iron species

Micelle mediated methodology for the determination of free and bound iron in wines by flame atomic absorption spectrometry, 458 (2002) 241

Iron(II)

Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection, 466 (2002) 261

On-line determination of iron(II) and iron(III) using a spectrophotometric sequential injection system, 467 (2002) 35

Iron(II) determination

Development of the continuously variable volume reactor for flow injection analysis. Part 1. Design, capabilities and testing, 455 (2002) 287

Iron(III)

On-line determination of iron(II) and iron(III) using a spectrophotometric sequential injection system, 467 (2002) 35

Irreversible redox couple

Theoretical and experimental study of the biamperometry for irreversible redox couple in flow system, 470 (2002) 229

ISE

Copper(II)-selective electrode based on dithioacetal, 455 (2002) 225

Selective fluoride recognition and potentiometric properties of ion-selective electrodes based on bis(halodiphenylstanny)alkanes, 467 (2002) 197

ISFET

Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, 464 (2002) 79

Development of a urea biosensor based on a polymeric membrane including zeolite, 466 (2002) 39

Characteristics of the hydrogen ion-sensitive field effect transistors with sol-gel-derived lead titanate gate, 469 (2002) 205

Isocarbophos

High-performance liquid chromatographic assay of dichlorvos, isocarbophos and methyl parathion from plant leaves using chemiluminescence detection, 474 (2002) 21

Isoflavones

Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, 468 (2002) 3

Isolation

Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies, 457 (2002) 199

Isolation-capacitance-based combination measurements

In situ monitoring of gold-surface adsorption and acidic denaturation of human serum albumin by an isolation-capacitance-adapted electrochemical quartz crystal impedance system, 464 (2002) 65

Isonicotinic acid

Poly(isonicotinic acid) modified glassy carbon electrode for electrochemical detection of norepinephrine, 454 (2002) 75

Isooctane

Simple and rapid procedure for the determination of individual free fatty acids in serum, 465 (2002) 433

Isoprenaline

Development of integrated chemiluminescence flow sensor for the determination of adrenaline and isoprenaline, 463 (2002) 257

Isotope analysis

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Isotope dilution method

Strategy and principles of the simultaneous analysis of prostanoids by gas chromatography/mass spectrometry/selected-ion monitoring, 465 (2002) 379

Isotope effect

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Isotope ratio

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

High-sensitivity measurements of strontium isotopes in polar ice, 469 (2002) 225

Isotopic composition

Measurement of the isotopic composition and atomic weight of an isotopic reference material of platinum, IRMM-010, 460 (2002) 41

Isotopic measurement

Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry, 455 (2002) 1

Italian red wines

Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectroscopic determinations, 458 (2002) 177

ITTFA

Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, 470 (2002) 163

J**Jaffé reaction**

Comparison of electrochemical, electrophoretic and spectrophotometric methods for creatinine determination in biological fluids, 459 (2002) 187

Jewellery analysis

Characterization of jewellery products by laser-induced breakdown spectroscopy, 457 (2002) 247

K**Ketones**

Gas chromatography silica packings with chemically bonded complexes of Cu(II) and Cr(III), 451 (2002) 271

Kinetic analysis

Kinetic detection of benzene/chloroform and toluene/chloroform vapors using a single quartz piezoelectric crystal coated with calix[6]arene, 464 (2002) 57

Kinetic extraction

Heavy metal mobility assessment in sediments based on a kinetic approach of the EDTA extraction: search for optimal experimental conditions, 459 (2002) 245

Kinetic studies

Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids, 468 (2002) 43

Kinetics

Kinetic study of L-isoleucine transport through a liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, 456 (2002) 157

Quantifying catecholamines using multi-way kinetic modelling, 475 (2003) 137

Kjeldahl digestion

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Knotted reactor

Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, 453 (2002) 143

Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, 463 (2002) 99

KO₂

Superoxide sensor based on cytochrome c immobilized on mixed-thiol SAM with a new calibration method, 454 (2002) 53

Kohonen self-organizing map

Classification of metal ions according to their complexing properties: a data-driven approach, 455 (2002) 131

Kraft

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Kraton 1107

Application of factor analysis for resolving thermogravimetric-mass spectrometric analysis spectra, 461 (2002) 215

L

Lab-on-valve

Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, 467 (2002) 3

Laboratory-made extraction vessel

Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel, 466 (2002) 93

Laccase

Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent, 463 (2002) 229

 β -Lactam receptor protein

Biosensor analysis of penicillin G in milk based on the inhibition of carboxypeptidase activity, 468 (2002) 153

L-Amino acid oxidase

On-line simultaneous determination of S- and R-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

Lamivudine

Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography-UV methods, 466 (2002) 175

Langmuir aggregation

Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, 458 (2002) 417

Lanolin

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

LAPS

Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, 471 (2002) 3

Large multi-response experimental design data

Parallel co-ordinate geometry and principal component analysis for the interpretation of large multi-response experimental designs, 458 (2002) 397

L-Ascorbic acid

Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, 464 (2002) 289

Laser

Aerosol analysis by cavity-ring-down laser spectroscopy, 466 (2002) 1

Laser desorption

Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, 453 (2002) 231

Laser ionization

Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, 453 (2002) 231

Laser-induced breakdown spectroscopy

Characterization of jewellery products by laser-induced breakdown spectroscopy, 457 (2002) 247

Laser-induced fluorescence

Inverse-flow derivatization for capillary electrophoresis of DNA fragments with laser-induced fluorescence detection, 470 (2002) 129

Quantification of noradrenaline and dopamine in *Portulaca oleracea* L. by capillary electrophoresis with laser-induced fluorescence detection, 471 (2002) 203

Laser-induced fluorescence detection

Quantitation of agmatine by liquid chromatography with laser-induced fluorescence detection, 470 (2002) 155

Latex beads

Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, 469 (2002) 183

LC

Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, 468 (2002) 3

LC/MS

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

LC-ED

In vivo determination of the monoamine neurotransmitters in rat brain by liquid chromatography with a thioctic acid/iridium oxide-palladium modified electrode, 472 (2002) 27

LC-ESI-MS/MS

Quantitation of tylosin in swine tissues by liquid chromatography combined with electrospray ionization mass spectrometry, 473 (2002) 167

LC-MS

Sonic spray ionization interface for liquid chromatography-mass spectrometry, 468 (2002) 263

Analytical possibilities for the detection of stanozolol and its metabolites, 473 (2002) 39

Liquid chromatographic-mass spectrometric analysis of 11 glucocorticoid residues and an optimization of enzymatic hydrolysis conditions in bovine liver, 473 (2002) 127

LC-MS analysis

Countercurrent supercritical fluid extraction of phenolic compounds from aqueous matrices, 460 (2002) 1

LDL-apheresis

Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis treatment evaluated by liquid chromatography and gas chromatography, 467 (2002) 125

Leaching

Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, 451 (2002) 285

Lead

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, 453 (2002) 1

Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2'-bipyridyl in polyaniline, 455 (2002) 69

Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, 457 (2002) 285

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

Lead-selective fluorescent optode membrane based on 3,3',5,5'-tetramethyl-N-(9-anthrylmethyl)benzidine, 460 (2002) 123

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Voltammetric behavior and trace determination of Pb^{2+} at a mercury-free screen-printed silver electrode, 464 (2002) 229

Lead ion-selective electrode

Novel coated-graphite membrane sensor based on *N,N'*-dimethyl-cyanodaza-18-crown-6 for the determination of ultra-trace amounts of lead, 464 (2002) 181

Lead isotopes

Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, 453 (2002) 1

Lead titanate

Characteristics of the hydrogen ion-sensitive field effect transistors with sol-gel-derived lead titanate gate, 469 (2002) 205

Lead(II)

Interactions of Pb(II) with particles of a polluted river, 462 (2002) 73

Lectin panel

Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, 459 (2002) 25

Legislation

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Contribution of European research to endocrine disruptors, 473 (2002) 161

Legumes

Analytical performance of commercially available and unavailable phenolic compounds using real samples by high-performance liquid chromatography-diode-array detection, 460 (2002) 61

Leukotoxin

Development of an enzyme immunoassay for linoleic acid diols in urine, 466 (2002) 247

Leukotoxin diol

Development of an enzyme immunoassay for linoleic acid diols in urine, 466 (2002) 247

Levan

Future of biological aerosol detection, 457 (2002) 125

Level width

Measurement of K shell radiative transition probabilities and K, L₂ and L₃ shell/subshell fluorescence yields of some elements in the atomic number range 30 ≤ Z ≤ 40, 454 (2002) 327

Levofloxacin

Simultaneous determination of levofloxacin and ciprofloxacin in microdialysates and plasma by high-performance liquid chromatography, 463 (2002) 199

LFER

Potentiometric detection of N,N'-diethylaminoethanol and lysosomotropic amino alcohols in cation exchange high-performance liquid chromatography systems, 472 (2002) 11

LGM

High-sensitivity measurements of strontium isotopes in polar ice, 469 (2002) 225

Lifetime measurements

Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, 468 (2002) 3

Ligands

Complexation, liquid-liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers, 466 (2002) 101

Light addressable potentiometric sensor

Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, 471 (2002) 3

Light emitting diode

Integrated chemical sensor array platform based on a light emitting diode, xerogel-derived sensor elements, and high-speed pin printing, 470 (2002) 101

Light-addressable potentiometric sensor

Lithium sensor based on the laser scanning semiconductor transducer, 459 (2002) 1

LightCycler[®]

ResonSense[®]: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, 457 (2002) 61

Lignin

Characterisation of a wheat straw cell wall residue by various techniques. A comparative study with a synthetic and an extracted lignin, 459 (2002) 133

Lignocellulosic

Characterisation of a wheat straw cell wall residue by various techniques. A comparative study with a synthetic and an extracted lignin, 459 (2002) 133

Limit of detection

Limit of detection estimator for second-order bilinear calibration, 451 (2002) 313

Line width

Measurement of K shell radiative transition probabilities and K, L₂ and L₃ shell/subshell fluorescence yields of some elements in the atomic number range 30 ≤ Z ≤ 40, 454 (2002) 327

Linear alcohol

Spectrofluorimetric study of the β-cyclodextrin-dapsone-linear alcohol supramolecular system and determination of dapsone, 469 (2002) 273

Linear alkylbenzene sulfonates (LAS)

Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles, 475 (2003) 75

Linear discriminant analysis

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Linoleic acid

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Lipid extraction

Simple and rapid procedure for the determination of individual free fatty acids in serum, 465 (2002) 433

Lipid wheat analysis

Wheat lipids to discriminate species, varieties, geographical origins and crop years, 454 (2002) 315

Lipoprotein

Analysis of fatty acids in plasma lipoproteins by gas chromatography-flame ionization detection. Quantitative aspects, 465 (2002) 337

Lipoprotein metabolism

Interrelationship between fatty acid composition, lipid peroxidation and alpha-tocopherol consumption post-LDL-apheresis treatment evaluated by liquid chromatography and gas chromatography, 467 (2002) 125

Lipoxygenase

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Lipoxygenase products

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Liquid chromatographic analysis

Nickel oxide-modified composite electrode for electrochemical detection of polyhydroxyl compounds in liquid chromatographic analysis, 471 (2002) 195

Liquid chromatography

Study of the white-rot fungal degradation of selected phthalocyanine dyes by capillary electrophoresis and liquid chromatography, 451 (2002) 259

Improvement of UV spectrophotometry methodology for the determination of total polycyclic aromatic compounds in contaminated soils, 453 (2002) 245

Mass spectrometric identification of toxins of biological origin, 457 (2002) 71

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

Analytical methods for the characterization of proteins and peptides in wines, 458 (2002) 63

Direct liquid chromatographic analysis of resveratrol derivatives and flavanols in wines with absorbance and fluorescence detection, 458 (2002) 103

Determination of flurbiprofen in pharmaceutical formulations by UV spectrophotometry and liquid chromatography, 463 (2002) 207

Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, 465 (2002) 441

Molecular imprinting in alcohols: utility of a pre-polymer based strategy for synthesizing stereoselective artificial receptor polymers in hydrophilic media, 466 (2002) 11

Simultaneous determination of methylparaben, propylparaben, sodium diclofenac and its degradation product in a topical emulgel by reversed-phase liquid chromatography, 467 (2002) 91

Determination of free formaldehyde in foundry resins as its 2,4-dinitrophenylhydrazone by liquid chromatography, 467 (2002) 97

Cleaning validation in the toiletries industry, 467 (2002) 261

Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization detection and high-performance liquid chromatography/UV detection, 468 (2002) 245

Extraction and preconcentration of polychlorinated dibenzo-*p*-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, 470 (2002) 205

Simultaneous analysis of six antiepileptic drugs and two selected metabolites in human plasma by liquid chromatography after solid-phase extraction, 472 (2002) 1

Liquid chromatography/electrospray ionisation mass spectrometry

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

Liquid chromatography-mass spectrometry

Anthocyanin-derived pigments and colour of red wines, 458 (2002) 147

Simultaneous determination of imidacloprid, carbendazim, methiocarb and hexythiazox in peaches and nectarines by liquid chromatography-mass spectrometry, 461 (2002) 109

Liquid chromatography-negative ion electrospray tandem mass spectrometric

Confirmatory analysis method for zeranol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Liquid chromatography-tandem mass spectrometric detection

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Liquid chromatography-ultraviolet detection

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Liquid core waveguide

Spectrophotometric measurement of total inorganic carbon in aqueous solutions using a liquid core waveguide, 451 (2002) 221

Liquid membrane

Calix[2]furano[2]pyrrole and related compounds as the neutral carrier in silver ion-selective electrode, 453 (2002) 81

Determination of copper in seawater based on a liquid membrane preconcentration system, 460 (2002) 35

Liquid membrane electrodes

Potentiometric detection of *N,N'*-diethylaminoethanol and lysosomotropic amino alcohols in cation exchange high-performance liquid chromatography systems, 472 (2002) 11

Liquid scintillation

Comparative study of quenching correction procedures for ⁹⁰Sr/⁹⁰Y determination by Cerenkov, liquid scintillation and plastic scintillation techniques, 471 (2002) 135

Liquid scintillator

Mixed waste reduction in radioactivity determination by using plastic scintillators, 463 (2002) 125

Liquid waveguide capillary cell

Determination of hydrogen peroxide by using a flow injection system with immobilized peroxidase and long pathlength capillary spectrophotometry, 455 (2002) 305

Liquid-liquid extraction (LLE)

Aroma composition of wine studied by different extraction methods, 458 (2002) 85

Complexation, liquid-liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers, 466 (2002) 101

Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, 467 (2002) 3

Development and validation of liquid chromatographic method for the determination of lycopene in plasma, 467 (2002) 115

Liquid-supported membranes

Liquid-supported membranes in chromium(VI) optical sensing: transport modelling, 464 (2002) 197

L-Isoleucine

Kinetic study of L-isoleucine transport through a liquid membrane containing di(2-ethylhexyl) phosphoric acid in kerosene, 456 (2002) 157

Listeria

Coupling conducting polymers and mediated electrochemical responses for the detection of *Listeria*, 475 (2003) 37

Lithium cobalt oxide

Determination of stoichiometry of $\text{Li}_{1+x}\text{CoO}_2$ materials by flame atomic absorption spectrometry and automated potentiometric titration, 455 (2002) 35

Lithium isotopes

Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, 456 (2002) 271

Lithium sensitivity

Lithium sensor based on the laser scanning semiconductor transducer, 459 (2002) 1

Liver

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Livestock production

Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, 473 (2002) 27

Localized analysis of thin-films

Grazing-exit electron probe X-ray microanalysis of ultra-thin films and single particles with high-angle resolution, 455 (2002) 245

LOEC

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Log H

Radial basis function network-based quantitative structure-property relationship for the prediction of Henry's law constant, 462 (2002) 101

Long-term

In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, 463 (2002) 265

Long-term potential stability

Development of a micro-planar Ag/AgCl quasi-reference electrode with long-term stability for an amperometric glucose sensor, 462 (2002) 253

Long-wavelength fluorescence

A compact long-wavelength fluorescence detection system and its application to flow injection immunoassay, 454 (2002) 31

Low density lipoprotein

Low density lipoprotein interaction with amino acid-modified self assembled monolayers on surface plasmon resonance surfaces, 470 (2002) 3

Low ionic strength

Spectrophotometric pH measurements of freshwater, 453 (2002) 13

Low pressure microwave heating

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Low-field NMR spectrometry

Determination of the ethylene oxide content of polyether polyols by low-field ^1H nuclear magnetic resonance spectrometry, 472 (2002) 133

Low-polar solvents

Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, 464 (2002) 273

l-Tyr-containing peptides

Indirect determination of pepsin activity in human seric protein samples by polyphenol oxidase electrodes, 460 (2002) 163

l-Tyrosine

Indirect determination of pepsin activity in human seric protein samples by polyphenol oxidase electrodes, 460 (2002) 163

An amperometric method for the determination of trace mercury(II) by formation of complexes with l-tyrosine, 464 (2002) 123

luc-gene

Use of bioluminescent bacterial sensors as an alternative method for measuring heavy metals in soil extracts, 456 (2002) 55

Luciferase reporter gene

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Lucigenin

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

Luminescence

Blue and red photoluminescence of bicapped [60]fullerene- γ -cyclodextrin complex in aqueous solutions, 472 (2002) 83

Luminol

Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, 459 (2002) 177

Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, 462 (2002) 199

Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection, 466 (2002) 261

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

Novel chemiluminescence method for detection of superoxide anions and its application to dry-cured meat, 467 (2002) 145

Implementation of chemiluminescence detection in the multisyringe flow injection technique, 467 (2002) 155

Application of the luminol chemiluminescence reaction for the determination of nine corticosteroids, 468 (2002) 43

Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, 468 (2002) 53

Lupin alkaloids

Determination of sophoridine and related lupin alkaloids using tris(2,2'-bipyridine)ruthenium electrogenerated chemiluminescence, 466 (2002) 79

Lycopene

Development and validation of liquid chromatographic method for the determination of lycopene in plasma, 467 (2002) 115

Lymphoma

Cholera toxin-induced modulation of gene expression: elucidation via cDNA microarray for rational cell-based sensor design, 457 (2002) 97

M

Magnesium

Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, 460 (2002) 247

Magnesium(II)

pH-stat techniques in titrimetric analysis. Part 3. The principles of pH-stat chelatometric titrations, 456 (2002) 313

pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Magnetic beads with attached DNA probe

Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor, 469 (2002) 73

Magnetic sector

Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, 456 (2002) 271

Maillard reaction

Three-way principal component analysis applied to food analysis: an example, 462 (2002) 133

Maize herbicides

Occurrence and determination of herbicides and their major transformation products in environmental waters, 462 (2002) 187

5-Maleimidyl-2-(*m*-methylphenyl)benzoxazole (MMPB)

Direct spectrofluorimetric determination of glutathione in biological samples using 5-maleimidyl-2-(*m*-methylphenyl) benzoxazole, 451 (2002) 211

Malic acid

Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and winemaking by-products, 458 (2002) 119

Manganese oxidants

Chemically induced phosphorescence from manganese(II) during the oxidation of various compounds by manganese(III), (IV) and (VII) in acidic aqueous solutions, 451 (2002) 181

Manifold configurations

Solving the problems of sequential injection systems as process analyzers, 467 (2002) 61

Manometry

Tuning the parameters for fast respirometry, 460 (2002) 257

Marine sediment

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Mass sensitizing

Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, 469 (2002) 183

Mass spectrometric

Analysis of organophosphorus pesticides by gas chromatography-mass spectrometry with negative chemical ionization: a study on the ionization conditions, 461 (2002) 97

Mass spectrometric detection

Determination of purines and pyrimidines in beer samples by capillary zone electrophoresis, 454 (2002) 185

High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods, 465 (2002) 193

4-Aminoantipyrine spectrophotometric method of phenol analysis. Study of the reaction products via liquid chromatography with diode-array and mass spectrometric detection, 467 (2002) 105

Mass spectrometry (MS)

Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Mass spectrometric identification of toxins of biological origin, 457 (2002) 71

Analytical methods for the characterization of proteins and peptides in wines, 458 (2002) 63

On-line photo-derivatization with flow injection and liquid chromatography-atmospheric pressure electrospray mass spectrometry for the identification of indoles, 460 (2002) 49

Determination of trace lead by hydride generation-inductively coupled plasma-mass spectrometry, 463 (2002) 177

Gas chromatographic-tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils, 466 (2002) 335

Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

Matched filtering

Matched filtering with background suppression for improved quality of base peak chromatograms and mass spectra in liquid chromatography-mass spectrometry, 454 (2002) 167

Matrix matching

Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, 455 (2002) 327

Maturation

Aroma profile of Portuguese brandies aged in chestnut and oak woods, 458 (2002) 55

Meat

An odyssey—meeting European Union analytical criteria for residues from afar: experiences from North America, 473 (2002) 49

Mechanism of extraction

Investigation of a liquid-liquid extraction system based on non-ionic surfactant-salt-H₂O and mechanism of drug extraction, 452 (2002) 321

Mediator

Study on the formation of the Prussian blue films on the polypyrrole surface as a potential mediator system for biosensing applications, 472 (2002) 113

Medicated feeds

Quantitative analysis for oxytetracycline in medicated premixes and feeds by second-derivative synchronous spectrofluorimetry, 455 (2002) 143

Medicated premixes

Quantitative analysis for oxytetracycline in medicated premixes and feeds by second-derivative synchronous spectrofluorimetry, 455 (2002) 143

Medium exchange

Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, 453 (2002) 209

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

Melanoidins

Role of melanoidins in sweet wines, 458 (2002) 169

Melatonin

Simple and convenient chemiluminescence method for the determination of melatonin, 455 (2002) 193

Meldola Blue

Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, 458 (2002) 203

Membrane

Development of an interference-free chemiluminescence method for monitoring acetylcholine and choline based on immobilized enzymes, 462 (2002) 199

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Membrane filter

Spectrophotometric determination of trace ionic and non-ionic surfactants based on a collection on a membrane filter as the ion associate of the surfactant with Erythrosine B, 455 (2002) 83

Membrane filtration

Extraction of humic acids and their fractions in poly(ethylene glycol)-based aqueous biphasic systems, 452 (2002) 95

Membrane inlet mass spectrometry

Biodegradation studies of 4-fluorobenzoic acid and 4-fluorocinnamic acid: an evaluation of membrane inlet mass spectrometry as an alternative to high performance liquid chromatography and ion chromatography, 454 (2002) 137

MEMS

Surface modification of polymer-based microfluidic devices, 470 (2002) 87

Mercapto compound

Cobalt(II)-selective membrane electrode using a recently synthesized mercapto compound, 462 (2002) 245

Mercury

Analysis and leaching characteristics of mercury and arsenic in Chinese medicinal material, 453 (2002) 311

Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer, 455 (2002) 179

Sensitized spectrophotometric determination of trace Hg(II) in benzalkonium chloride media, 459 (2002) 75

An amperometric method for the determination of trace mercury(II) by formation of complexes with L-tyrosine, 464 (2002) 123

Mercury film electrode

Perfluorinated anion-exchange polymer mercury film electrode for anodic stripping voltammetric determination of zinc(II): effect of model organic compounds, 454 (2002) 93

Mercury ion

Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion, 469 (2002) 285

Mercury microelectrodes

Calibrationless determination of cadmium, lead and copper in rain samples by stripping voltammetry at mercury microelectrodes. Effect of natural convection on the deposition step, 452 (2002) 65

Mercury sulfide

Voltammetric investigation on sulfide ions in aqueous solutions with mercury-coated platinum microelectrodes, 464 (2002) 217

Mercury vapor

Pretreatment of water samples using UV irradiation-peroxodisulfate for the determination of total mercury, 454 (2002) 271

Mercury-coated platinum microelectrodes

Voltammetric investigation on sulfide ions in aqueous solutions with mercury-coated platinum microelectrodes, 464 (2002) 217

Meso-tetra(4-trimethylammoniumphenyl) porphyrin

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

Metabolisation

Alternative to vertebrate animal experiments in the study of metabolism of illegal growth promoters and veterinary drugs, 473 (2002) 59

Metabolites

Simultaneous determination of clozapine, clozapine *N*-oxide, *N*-desmethylclozapine, risperidone, and 9-hydroxyrisperidone in plasma by high performance liquid chromatography with ultraviolet detection, 460 (2002) 201

Supercritical fluid extraction of organochlorine pesticides and some metabolites in frogs from National Park of Ordesa and Monte Perdido, 464 (2002) 303

Analytical possibilities for the detection of stanozolol and its metabolites, 473 (2002) 39

Metal binding

Evaluation of electroless gold deposited on porous silica for ligand attachment for metal ion-exchange, 454 (2002) 37

Metal chelates

Characterisation of a synthesised fluorescent ligand (4-acridinol-1-sulphonic acid) using nuclear magnetic resonance spectroscopy, 454 (2002) 147

Metal complexation

Application of multivariate curve resolution to the voltammetric study of the complexation of fulvic acids with cadmium(II) ion, 459 (2002) 291

Metal ion complexes

Classification of metal ions according to their complexing properties: a data-driven approach, 455 (2002) 131

Metal ion detection

Surface plasmon resonance study on enhanced refractive index change of an Ag⁺ ion-sensing membrane containing dithioquarylium dye, 460 (2002) 133

Metal ion-exchange

Characterization of metal ion-exchange on modified surfaces of porous carbon, 455 (2002) 233

Metal ions

Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for

their flame atomic absorption spectrometric determination, 454 (2002) 229

A study of microdialysis sampling of metal ions, 456 (2002) 253 Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Metal oxide semiconductor gas sensors

Electronic nose based on metal oxide semiconductor sensors as a fast alternative for the detection of adulteration of virgin olive oils, 459 (2002) 219

Metalloporphyrins

Time-resolved electrochemiluminescence of platinum(II) coproporphyrin, 453 (2002) 269

Metals

Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry, 455 (2002) 23

Removal of iron, copper and manganese from white wines through ion exchange techniques: effects on their organoleptic characteristics and susceptibility to browning, 458 (2002) 197

Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, 468 (2002) 335

Metaphos

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

Methodology

Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, 461 (2002) 75

Methotrexate

Enantiomeric analysis of methotrexate in pharmaceuticals by cyclo-dextrin-modified capillary electrophoresis, 471 (2002) 211

Methyl chloroformate

Simple and rapid procedure for the determination of individual free fatty acids in serum, 465 (2002) 433

Methyl derivatives

Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, 475 (2003) 125

Methyl mercaptan

Portable oral malodor analyzer using highly sensitive In₂O₃ gas sensor combined with a simple gas chromatography system, 475 (2003) 27

Methyl parathion

Assessment of the toxicity of methyl parathion and its photodegradation products in water samples using conductometric enzyme biosensors, 459 (2002) 33

High-performance liquid chromatographic assay of dichlorvos, isocarbophos and methyl parathion from plant leaves using chemiluminescence detection, 474 (2002) 21

Methylene blue

Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, 462 (2002) 39

Methylene blue potentiometric sensor for selective determination of sulfide ions, 466 (2002) 47

7-Methylguanosine

Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, 472 (2002) 63

3-Methyl-4-nitrophenol

Group-specific enzyme-linked immunosorbent assay for fenitrooxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, 460 (2002) 99

Methylparaben

Simultaneous determination of methylparaben, propylparaben, sodium diclofenac and its degradation product in a topical emulgel by reversed-phase liquid chromatography, 467 (2002) 91

Methylphenidate (MPH)

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

Methyltriazolinedione

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

Metrology

Can plasma spectrochemistry assist in improving the accuracy of chemical analysis?, 456 (2002) 63

Metsulfuron-methyl

Molecularly imprinted polymer for metsulfuron-methyl and its binding characteristics for sulfonylurea herbicides, 468 (2002) 217

Micellar electrokinetic capillary chromatographic

Validation of a micellar electrokinetic capillary chromatography method for the determination of imidurea, methyl and propyl-parabens in a pharmaceutical ointment, 463 (2002) 15

Micellar electrokinetic capillary chromatography

Determination of puerarin and daidzein in *Puerariae radix* and its medicinal preparations by micellar electrokinetic capillary chromatography with electrochemical detection, 452 (2002) 123

Uptake monitoring of anilines and phenols using modified zeolites, 464 (2002) 1

Simultaneous UV and electrochemical determination of the herbicide asulam in tap water samples by micellar electrokinetic capillary chromatography, 469 (2002) 243

Micellar electrokinetic chromatography

Comparison of electrochemical, electrophoretic and spectrophotometric methods for creatinine determination in biological fluids, 459 (2002) 187

Optimized separation of pharmacologically active xanthones from *Securidaca inappendiculata* by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography, 474 (2002) 37

Micellar liquid chromatography

Direct injection micellar liquid chromatographic method for the analysis of corticosteroids in creams, ointments and other pharmaceuticals, 454 (2002) 125

Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, 466 (2002) 325

Micellar systems

Spectral curve deconvolution in micellar systems with H-point curve isolation and H-point standard addition methods, 459 (2002) 119

Micellar-organic mobile phases

Micellar-organic versus aqueous-organic mobile phases for the screening of β -blockers, 454 (2002) 109

Microarray

Fluorescence-based nucleic acid detection and microarrays, 469 (2002) 3

Planar waveguides for ultra-high sensitivity of the analysis of nucleic acids, 469 (2002) 49

High throughput drug screening by direct RNA profiling on DNA sensors, 469 (2002) 141

Microbead

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Microbial biosensor

Microbial biosensor for *p*-nitrophenol using *Moraxella* sp., 470 (2002) 79

Microbiological detection

Development of a thermostable firefly luciferase, 457 (2002) 115

Microbiology

Fingerprinting bacterial strains using ion mobility spectrometry, 457 (2002) 83

Microchannel

Rapid fabrication of electrochemical enzyme sensor chip using polydimethylsiloxane microfluidic channel, 468 (2002) 143

Microchip

Sensitive capillary electrophoresis microchip determination of tri-nitroaromatic explosives in nonaqueous electrolyte following solid phase extraction, 469 (2002) 253

Microcystin

Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography-UV detection and enzyme-linked immunosorbent assay. Comparison of methods, 466 (2002) 213

Microdialysis

A study of microdialysis sampling of metal ions, 456 (2002) 253
New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum, 458 (2002) 337

Simultaneous determination of levofloxacin and ciprofloxacin in microdialysates and plasma by high-performance liquid chromatography, 463 (2002) 199

Microdialysis methodology

In vitro study of experimental factors affecting the microdialysis results, 459 (2002) 143

Microdialysis sampling

Luminol chemiluminescence reaction: a new method for monitoring nitric oxide in vivo, 458 (2002) 281

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

In vivo determination of the monoamine neurotransmitters in rat brain by liquid chromatography with a thiocyanic acid/iridium oxide-palladium modified electrode, 472 (2002) 27

Micro-digestion

Development and application of a micro-digestion device for elemental analysis of biological samples, 451 (2002) 279

Microelectrode

Voltammetric determination of chloramphenicol in milk at electrochemically activated carbon fibre microelectrodes, 461 (2002) 65

Rapid fabrication of electrochemical enzyme sensor chip using polydimethylsiloxane microfluidic channel, 468 (2002) 143

Microelectrostatic field

Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, 458 (2002) 417

Microemulsion

Study of different normal-microemulsion compositions by room-temperature phosphorescence to determine benzo[α]pyrene in environmental samples, 474 (2002) 91

Microemulsion electrokinetic chromatography

Optimized separation of pharmacologically active xanthones from *Securidaca inappendiculata* by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography, 474 (2002) 37

Microextraction

Methods for coating filter paper for solid-phase microextraction with luminescence detection and characterization of the coated filter paper by infrared spectrometry, 474 (2002) 77

Microorganism

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

Microphase adsorption-spectral correction technique

Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, 458 (2002) 417

Microscopy

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Fluorescence microscopic quantification of DNA with $\alpha,\beta,\gamma,\delta$ -tetraakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique, 466 (2002) 193

Hadamard transform fluorescence image microscopy using one-dimensional movable mask, 468 (2002) 27

Microsensor

New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum, 458 (2002) 337

Microwave assisted digestion

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Microwave-assisted digestion procedure for the determination of palladium in road dust, 459 (2002) 257

Microwave digestion

Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, 462 (2002) 59

Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, 468 (2002) 335

Assessment of dissolution techniques for the analysis of ceramic samples by plasma spectrometry, 474 (2002) 177

Microwave-assisted extraction

Measurement of arsenic species in marine macroalgae by microwave-assisted extraction and high performance liquid chromatography-inductively coupled plasma mass spectrometry, 457 (2002) 173

Microwaves

Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, 475 (2003) 125

Migration

Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Milk

Biosensor analysis of penicillin G in milk based on the inhibition of carboxypeptidase activity, 468 (2002) 153

Monoclonal-based enzyme-linked immunosorbent assay and immunochemical rapid assay for dihydrostreptomycin in milk, 472 (2002) 45

Milk fat
Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395

Milk powder
Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, 470 (2002) 223

Millimetre wave transition line strengths
Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. Part I. Absolute determination of transition line strengths and sample concentrations with a confocal Fabry-Pérot cavity spectrometer, 466 (2002) 57

Mimetic enzyme
Studies on catalytic spectrophotometry using β -cyclodextrin polymer-Schiff base metal complex as mimetic enzyme, 459 (2002) 83

Mineral analysis
Mineral analysis (Fe, Zn, Ca, Na, K) of fresh Iberian pork loin by near infrared reflectance spectrometry. Determination of Fe, Na and K with a remote fibre-optic reflectance probe, 468 (2002) 293

Minimalism
Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

Minimum description length principle
Use of wavelet transform to enhance piezoelectric signals for analytical purposes, 456 (2002) 93

MitoScan™
Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Mixed anhydride
Analysis of fatty acid anhydrides and polyanhydrides, 465 (2002) 257

Mixed azathioether crowns
Novel Ag⁺ ion-selective electrodes based on two new mixed azathioether crowns containing a 1,10-phenanthroline sub-unit, 462 (2002) 225

Mixed micellar system
Determination of six components in Rhubarb by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium cholate and sodium taurocholate, 456 (2002) 183

Mixed waste
Mixed waste reduction in radioactivity determination by using plastic scintillators, 463 (2002) 125

Mixed-thiol monolayer
Superoxide sensor based on cytochrome c immobilized on mixed-thiol SAM with a new calibration method, 454 (2002) 53

Mixing chamber
Development of the continuously variable volume reactor for flow injection analysis. Part I. Design, capabilities and testing, 455 (2002) 287

Mixtures
Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Mobile phase modifier
Analysis of fatty acids in foods by supercritical fluid chromatography, 465 (2002) 131

Mobility
Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Model contaminants
Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Model drugs
Study of adsorption processes of model drugs at supercritical conditions using partial least squares regression, 452 (2002) 311

Model similarity
Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, 472 (2002) 161

Moderate breakdown point
Robust regression and outlier detection in the evaluation of robustness tests with different experimental designs, 463 (2002) 53

Modified electrode
Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1

Amperometric detection of nitrite and nitrate at tetraruthenated porphyrin-modified electrodes in a continuous-flow assembly, 452 (2002) 23

Electrochemical behavior of tryptophan and its derivatives at a glassy carbon electrode modified with hemin, 452 (2002) 245

Amperometric determination of serum lactate dehydrogenase activity using an ADP-modified graphite electrode, 457 (2002) 275

Modified gold electrode
Superoxide sensor based on cytochrome c immobilized on mixed-thiol SAM with a new calibration method, 454 (2002) 53

Modifier
Optimized separation of pharmacologically active xanthones from *Securidaca appendiculata* by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography, 474 (2002) 37

Molar absorptivity of metal complexes

Visible spectrophotometric determination of metal ions: the influence of structure on molar absorptivity value of copper(II) complexes in aqueous solution, 459 (2002) 323

Molecular descriptor

Radial basis function network-based quantitative structure–property relationship for the prediction of Henry's law constant, 462 (2002) 101

Molecular farming

Evolution of antibodies for environmental monitoring: from mice to plants, 468 (2002) 185

Molecular imprinting

Sulfonamide imprinted polymers using co-functional monomers, 452 (2002) 277

Molecular imprinting in alcohols: utility of a pre-polymer based strategy for synthesizing stereoselective artificial receptor polymers in hydrophilic media, 466 (2002) 11

Fluorescent sensing of homocysteine by molecular imprinting, 466 (2002) 17

Molecularly imprinted polymer for metsulfuron-methyl and its binding characteristics for sulfonylurea herbicides, 468 (2002) 217

Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule, 469 (2002) 173

Molecular modeling

Indirect competitive immunoassay for trichlorophenol determination. Rational evaluation of the competitor heterology effect, 452 (2002) 191

Molecular recognition

Sulfonamide imprinted polymers using co-functional monomers, 452 (2002) 277

Study on molecular recognition of *para*-aminobenzoic acid species by α -, β - and hydroxypropyl- β -cyclodextrin, 458 (2002) 305

Molecular imprinting in alcohols: utility of a pre-polymer based strategy for synthesizing stereoselective artificial receptor polymers in hydrophilic media, 466 (2002) 11

Molecularly imprinted polymers (MIPs)

Molecularly imprinted polymers for on-line preconcentration by solid phase extraction of pirimicarb in water samples, 451 (2002) 297

Molecular imprinting-based fluorescent chemosensor for histamine using zinc(II)-protoporphyrin as a functional monomer, 466 (2002) 31

Molybdenite

Simplified method for the Re–Os dating of molybdenite using acid digestion and isotope dilution ICP-MS, 463 (2002) 111

Monitoring

Evolution of antibodies for environmental monitoring: from mice to plants, 468 (2002) 185

Monitoring xylitol

Development of xylitol oxidase-based flow injection analysis for monitoring of xylitol concentrations, 456 (2002) 293

Monoclonal antibodies (MoAbs)

Development of an immunosensor for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, 453 (2002) 181

On-line pre-concentration of atrazine by antibody immobilization capillary electrophoresis, 464 (2002) 25

Monoclonal antibody

Monoclonal-based enzyme-linked immunosorbent assay and immunochemical rapid assay for dihydrostreptomycin in milk, 472 (2002) 45

Monofluorophosphate

Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, 467 (2002) 83

Monolithic rod

Protein A immobilized monolithic capillary column for affinity chromatography, 466 (2002) 141

Monte Carlo simulation

Investigation on the geometric and matrix effects and quantitative determination of K, Cl and S atomic fraction for biomass burning particles by Monte Carlo simulation, 459 (2002) 93

***Moraxella* sp.**

Microbial biosensor for *p*-nitrophenol using *Moraxella* sp., 470 (2002) 79

Morphological estimator

Durbin–Watson statistic as a morphological estimator of information content, 454 (2002) 277

MS/MS

Gas chromatographic–tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils, 466 (2002) 335

MS-MS detection

Analysis of glycolytic intermediates in *Saccharomyces cerevisiae* using anion exchange chromatography and electrospray ionization with tandem mass spectrometric detection, 460 (2002) 209

MTAD

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

Multianalyte detection

Chemiluminescence multichannel immunosensor for biodetection, 457 (2002) 3

Multi-collector

Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, 456 (2002) 271

Multicommutated flow system

Automated spectrophotometric determination of clomipramine on a multicommutated flow system, 467 (2002) 75

Multicommunication

Automated flow analysis system based on multicommunication for Cd, Ni and Pb on-line pre-concentration in a cationic exchange resin with determination by inductively coupled plasma atomic emission spectrometry, 453 (2002) 301
 Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149
 Implementation of chemiluminescence detection in the multisyringe flow injection technique, 467 (2002) 155
 Multicommunication in flow analysis: concepts, applications and trends, 468 (2002) 119

Multicomponent analysis

Multicomponent acid-base titration by principal component-artificial neural network calibration, 461 (2002) 147

Multi-element analysis

Advantages and limitations of the semi-quantitative operation mode of an inductively coupled plasma-mass spectrometer for multi-element analysis of wines, 463 (2002) 165

Multi-enrichment

Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, 456 (2002) 147

Multiparametric solvent polarity scaling

Ultrasensitive fluorescent probe for the hydrophobic range of solvent polarities, 464 (2002) 273

Multiple linear regression

Sonic spray ionization interface for liquid chromatography-mass spectrometry, 468 (2002) 263

Multi-pumping

Multi-pumping in flow analysis: concepts, instrumentation, potentialities, 466 (2002) 125
 Spectrophotometric determination of phytic acid in plant extracts using a multi-pumping flow system, 474 (2002) 161

Multisyringe

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Multisyringe flow injection analysis (MSFIA)

Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149
 Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 455 (2002) 277
 Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection, 467 (2002) 25
 Implementation of chemiluminescence detection in the multisyringe flow injection technique, 467 (2002) 155

Multivariate

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Multivariate analysis

Multivariate classification of rosé wines from different Spanish protected designations of origin, 458 (2002) 187

Multivariate calibration

Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, 461 (2002) 189

Classification and quantitation of finishing oils by near infrared spectroscopy, 463 (2002) 295

Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Determination of calcium and total hardness in natural waters using a potentiometric sensor array, 464 (2002) 89

Simultaneous determination of chromium(VI) and chromium(III) at trace levels by adsorptive stripping voltammetry, 470 (2002) 241

Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Simultaneous determination of fluorophores with overlapped spectra by sequential injection analysis coupled to variable angle scanning fluorescence spectrometry and multivariate linear regression algorithms, 471 (2002) 173

Multivariate calibration methods

Stability indicating spectrophotometric methods for determination of glafenine using first derivative of ratio spectra and chemometric techniques, 461 (2002) 155

Multivariate curve resolution

Resolution of overlapped NMR spectra by two-way multivariate curve resolution alternating least squares with imbedded kinetic fitting, 459 (2002) 277

Application of multivariate curve resolution to the voltammetric study of the complexation of fulvic acids with cadmium(II) ion, 459 (2002) 291

Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile-water mixtures using hard-modelling and soft-modelling approaches, 471 (2002) 145

Multivariate ranking

Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Multivariate spectrophotometric calibration

Chemometric assisted simultaneous spectrophotometric determination of four-component nasal solutions with a reduced number of calibration samples, 453 (2002) 289

Multivariate statistical analysis

Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectrometric determinations, 458 (2002) 177

Municipal solid waste

Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, 451 (2002) 285

Mura river

Chemometrics characterisation of the quality of river water, 462 (2002) 87

Muscle food

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Mussel

Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, 461 (2002) 75

Mussel watch

Principal component analysis application in polycyclic aromatic hydrocarbons "mussel watch" analyses for source identification, 461 (2002) 201

Must

Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Mutation detection

Electrochemical detection of DNA hybridization based on silver-enhanced gold nanoparticle label, 469 (2002) 165

Mycotoxin

Confirmatory analysis method for zearanol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Myocardial infarction

Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, 460 (2002) 141

Myoglobin

Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, 460 (2002) 141

Mytilus galloprovincialis

Identification of minor fatty acids in mussels (*Mytilus galloprovincialis*) by GC-MS of their 2-alkenyl-4,4-dimethyloxazoline derivatives, 465 (2002) 409

N***N,N'-dimethylcyanodiaz-a-8-crown-6***

Novel coated-graphite membrane sensor based on *N,N'-dimethylcyanodiaz-a-18-crown-6* for the determination of ultra-trace amounts of lead, 464 (2002) 181

NAD⁺

Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphonate) films for use in a lactate biosensor, 453 (2002) 191

NADH

Immobilisation of lactate dehydrogenase on poly(aniline)-poly(acrylate) and poly(aniline)-poly(vinyl sulphonate) films for use in a lactate biosensor, 453 (2002) 191

Amperometric determination of serum lactate dehydrogenase activity using an ADP-modified graphite electrode, 457 (2002) 275

Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, 458 (2002) 203

Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD⁺-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, 467 (2002) 225

Nafion

Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal 1 protein, 461 (2002) 49

Glucose biosensors prepared by electropolymerization of *p*-chlorophenylamine with and without Nafion, 463 (2002) 239

Voltammetric behavior and determination of estrogens at Nafion-modified glassy carbon electrode in the presence of cetyltrimethylammonium bromide, 464 (2002) 209

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Nafion/poly(1,2-diaminobenzene) bilayer modified electrode

Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, 462 (2002) 283

Nafronyl

Room-temperature luminescence optosensings based on immobilized active principles actives. Application to nafronyl and naproxen determination in pharmaceutical preparations and biological fluids, 462 (2002) 217

Nano-CdS

Synchronous fluorescence determination of protein with functionalized CdS nanoparticles as a fluorescence probe, 466 (2002) 87

Nanoelectrode

Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1

Nanoparticles

Preparation and application of functionalized nanoparticles of CdS as a fluorescence probe, 468 (2002) 35

Naphthofluorescein

A compact long-wavelength fluorescence detection system and its application to flow injection immunoassay, 454 (2002)

Naphthol

Effect of small organic molecules on room temperature phosphorescence properties of naphthol ternary inclusion complexes in β -cyclodextrin, 463 (2002) 135

Naproxen

Room-temperature luminescence optosensings based on immobilized active principles actives. Application to nafronyl and naproxen determination in pharmaceutical preparations and biological fluids, 462 (2002) 217

Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Natural abundance

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Natural organic matter

Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

Natural water

Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, 456 (2002) 105

Determination of calcium and total hardness in natural waters using a potentiometric sensor array, 464 (2002) 89

Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

Flow-injection chemiluminescent determination of nitrite in water based on the formation of peroxynitrite from the reaction of nitrite and hydrogen peroxide, 474 (2002) 107

***N*-Bromosuccinimide (NBS)**

Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, 468 (2002) 53

***N*-Chlorosuccinimide (NCS)**

Flow injection determination of cationic surfactants by using *N*-bromosuccinimide and *N*-chlorosuccinimide as new oxidizing agents for luminol chemiluminescence, 468 (2002) 53

Near infrared

Trace metal studies of selected white wines: an alternative approach, 458 (2002) 223

Near infrared (NIR) spectroscopy

Determination of organic matter in soils using radial basis function networks and near infrared spectroscopy, 453 (2002) 125

Near infrared spectrometry

Maintenance of a calibration model for near infrared spectrometry by a combined principal component analysis-partial least squares approach, 452 (2002) 35

On-line non-destructive determination of proteins and infiltrated fat in Iberian pork loin by near infrared spectrometry with a remote reflectance fibre optic probe, 453 (2002) 281

Mineral analysis (Fe, Zn, Ca, Na, K) of fresh Iberian pork loin by near infrared reflectance spectrometry. Determination of Fe, Na and K with a remote fibre-optic reflectance probe, 468 (2002) 293

Near-IR fluorescence

Near-infrared fluorimetric determination of nucleic acids by shifting the ion-association equilibrium between heptamethylene cyanine and Alcian blue 8GX, 461 (2002) 235

Nefazodone hydrochloride

Electrochemical characterisation of nefazodone hydrochloride and voltammetric determination of the drug in pharmaceuticals and human serum, 462 (2002) 49

Negative chemical ionization

Analysis of organophosphorus pesticides by gas chromatography-mass spectrometry with negative chemical ionization: a study on the ionization conditions, 461 (2002) 97

NEIS no. 3 Chlorella

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

NEIS no. 2 pond sediment

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Nerve agents

Dual amperometric-potentiometric biosensor detection system for monitoring organophosphorus neurotoxins, 469 (2002) 197

Net analyte preprocessing

Chemometric assisted simultaneous spectrophotometric determination of four-component nasal solutions with a reduced number of calibration samples, 453 (2002) 289

Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Net analyte signal-based methods

Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxicillin and clavulanic acid by stopped-flow kinetic analysis, 463 (2002) 75

Neural network

Prediction of $\log k_w$ of disubstituted benzene derivatives in reversed-phase high-performance liquid chromatography using multiple linear regression and radial basis function neural network, 463 (2002) 89

Neurotransmitter

In vivo determination of the monoamine neurotransmitters in rat brain by liquid chromatography with a thiocyanic acid/iridium oxide-palladium modified electrode, 472 (2002) 27

Neutraceuticals

High-performance liquid chromatographic determination of neutraceuticals, glucosamine sulphate and chitosan, in raw materials and dosage forms, 462 (2002) 125

Neutral form

Lipophilic derivative of rhodamine 19: characterization and spectroscopic properties, 468 (2002) 13

Neutral ionophore

Optical test strip for calcium determination based on a neutral ionophore, 451 (2002) 231

Neutral red

Investigation on the inclusion behavior of *neutral* red with β -cyclodextrin, hydroxypropyl- β -cyclodextrin and sulfobutylether- β -cyclodextrin, 474 (2002) 189

N-Hydroxysuccinimidyl phenylacetate (SIPA)

N-Hydroxysuccinimidyl phenylacetate as a novel derivatizing reagent for aliphatic amines in gas chromatography, 468 (2002) 255

Ni

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Nickel

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

Nickel(II) complexes

Cobalt(II) and nickel(II) complexes of a cyclam derivative as carriers in iodide-selective electrodes, 459 (2002) 229

Nickel-based alloy

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid prereduction and cupferron chelation-extraction, 459 (2002) 161

Niobium

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

NIR Spectroscopy

Classification and quantitation of finishing oils by near infrared spectroscopy, 463 (2002) 295

Nitrate

Amperometric detection of nitrite and nitrate at tetraruthenated porphyrin-modified electrodes in a continuous-flow assembly, 452 (2002) 23

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Chemiluminescent flow-injection analysis of nitrates in water using on-line ultraviolet photolysis, 474 (2002) 99

Nitric oxide

Novel nitric oxide microsensor and its application to the study of smooth muscle cells, 455 (2002) 199

Luminol chemiluminescence reaction: a new method for monitoring nitric oxide *in vivo*, 458 (2002) 281

Nitrite

Amperometric detection of nitrite and nitrate at tetraruthenated porphyrin-modified electrodes in a continuous-flow assembly, 452 (2002) 23

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Flow-injection chemiluminescent determination of nitrite in water based on the formation of peroxy nitrite from the reaction of nitrite and hydrogen peroxide, 474 (2002) 107

Nitrogen

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Nitrogen dioxide

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Nitrogen oxide

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Nitromethane

Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, 459 (2002) 61

2-Nitrophenylhydrazine hydrochloride

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

N-Methylcarbamates

Static-dynamic pressurized hot water extraction coupled to on-line filtration—solid-phase extraction—high-performance liquid chromatography—post-column derivatization—fluorescence detection for the analysis of *N*-methylcarbamates in foods, 463 (2002) 189

N-methylglucamine group

Separation of ^{68}Ga from ^{68}Ge using a macroporous organic polymer containing *N*-methylglucamine groups, 453 (2002) 135

NMR

Characterization of the geographical origin of Italian red wines based on traditional and nuclear magnetic resonance spectrometric determinations, 458 (2002) 177

Characterisation of a wheat straw cell wall residue by various techniques. A comparative study with a synthetic and an extracted lignin, 459 (2002) 133

Nodularin

Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography–UV detection and enzyme-linked immunosorbent assay. Comparison of methods, 466 (2002) 213

Nonaqueous

Sensitive capillary electrophoresis microchip determination of tri-nitroaromatic explosives in nonaqueous electrolyte following solid phase extraction, 469 (2002) 253

Non-competitive assay

Development of a non-competitive immunoassay for cortisol and its application to the analysis of saliva, 468 (2002) 315

Non-ionic surfactant

Analysis of polyethoxylated surfactants in microemulsion–oil–water systems. Part II, 452 (2002) 129

Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent, 466 (2002) 325

Non-ionic surfactant–salt–H₂O extraction system

Investigation of a liquid–liquid extraction system based on non-ionic surfactant–salt–H₂O and mechanism of drug extraction, 452 (2002) 321

Nonlinear modelling

Study of adsorption processes of model drugs at supercritical conditions using partial least squares regression, 452 (2002) 311

Non-methylene interrupted fatty acids

Identification of minor fatty acids in mussels (*Mytilus galloprovincialis*) by GC–MS of their 2-alkenyl-4,4-dimethyloxazoline derivatives, 465 (2002) 409

Non-reversible interaction

Determination of carbon monoxide in ambient air using piezoelectric crystal sorption detection, 456 (2002) 227

Non-steroidal anti-inflammatory drugs

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Noradrenaline

Quantification of noradrenaline and dopamine in *Portulaca oleracea* L. by capillary electrophoresis with laser-induced fluorescence detection, 471 (2002) 203

Norepinephrine (NE)

Poly(isonicotinic acid) modified glassy carbon electrode for electrochemical detection of norepinephrine, 454 (2002) 75
Two-rate method for simultaneous kinetic determination based on detecting the reagent in successive reactions, 464 (2002) 153

Norisoprenoids

Biogeneration of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Normalization

Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, 452 (2002) 47

N-Phenyl-1-naphthylamine

Evaluation of hydrophobic properties of sodium dodecylsulfate/γ-alumina admicelles based on fluorescence spectra of *N*-phenyl-1-naphthylamine, 454 (2002) 203

NPOE

Copper(II)-selective electrode based on dithioacetal, 455 (2002) 225

NTA

Analysis of copper complex lability using ⁶⁴Cu-equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Nuclear magnetic resonance

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77
Resolution of overlapped NMR spectra by two-way multivariate curve resolution alternating least squares with imbedded kinetic fitting, 459 (2002) 277

Nuclear magnetic resonance spectroscopy

Characterisation of a synthesised fluorescent ligand (4-acridinol-1-sulphonic acid) using nuclear magnetic resonance spectroscopy, 454 (2002) 147

Nucleic acid

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Nucleic acid analysis

Planar waveguides for ultra-high sensitivity of the analysis of nucleic acids, 469 (2002) 49

Nucleic acid biosensor

Interfacial nucleic acid chemistry studied by acoustic shear wave propagation, 469 (2002) 101

Nucleic acid detection

Fluorescence-based nucleic acid detection and microarrays, 469 (2002) 3

Nucleic acids

Near-infrared fluorimetric determination of nucleic acids by shifting the ion-association equilibrium between heptamethylene cyanine and Alcian blue 8GX, 461 (2002) 235

Practical physical aspects of interfacial nucleic acid oligomer hybridisation for biosensor design, 469 (2002) 115

Nucleosides

Application of probabilistic neural network in the clinical diagnosis of cancers based on clinical chemistry data, 471 (2002) 77

Nutrient film technique

Supported liquid membrane extraction for identification of phenolic compounds in the nutrient solution of closed hydroponic growing systems for tomato, 474 (2002) 49

Nutrients monitoring

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

N-way PCA

Three-way principal component analysis applied to food analysis: an example, 462 (2002) 133

Nystatin

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

O**OAD**

Quantitative determination of proteins by the Rayleigh light-scattering technique after optimization of the derivation reaction with Arsenazo-DBS, 459 (2002) 313

Oak wood

Aroma profile of Portuguese brandies aged in chestnut and oak woods, 458 (2002) 55

***o*-Aminobenzenethiol**

Capacitive immunosensor for transferrin based on an *o*-aminobenzenethiol oligomer layer, 458 (2002) 297

Ochratoxin A

Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Octyl dimethyl PABA

Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, 462 (2002) 209

Ointment

Development and validation of a new Fourier transform infrared spectrometric method for the quantification of urea in creams and ointments, 451 (2002) 323

Validation of a micellar electrokinetic capillary chromatography method for the determination of imidurea, methyl and propyl-parabens in a pharmaceutical ointment, 463 (2002) 15

Okadaic acid

Immunosensor for okadaic acid using quartz crystal microbalance, 471 (2002) 33

Olfactometry

Characterisation of young Cognac spirit aromatic quality, 458 (2002) 191

Oligomer layer

Capacitive immunosensor for transferrin based on an *o*-aminobenzenethiol oligomer layer, 458 (2002) 297

Oligonucleotides

Immobilization of oligonucleotides onto silica nanoparticles for DNA hybridization studies, 470 (2002) 51

Oligopeptide

Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, 469 (2002) 183

Olive oils

Investigations of the adulteration of extra virgin olive oils with seed oils using their weak chemiluminescence, 464 (2002) 135
Gas chromatographic-tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils, 466 (2002) 335

On site

Evaluation of a field-test kit for triazine herbicides (SensioScreen[®] TR500) as a fast assay to detect pesticide contamination in water samples, 475 (2003) 105

One-site immunometric assay

Optimization and development of a high-performance liquid chromatography-based one-site immunometric assay with chemiluminescence detection, 470 (2002) 37

On-line

Synthesis of amidinothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, 452 (2002) 223

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

On-line simultaneous monitoring of glucose and acetate with FIA during high cell density fermentation of recombinant *E. coli*, 462 (2002) 293

On-line classification

Validation of remote, on-line, near-infrared measurements for the classification of demolition waste, 453 (2002) 117

On-line detection

Determination of vanadium, molybdenum and tungsten in complex matrix samples by chelation ion chromatography and on-line detection with inductively coupled plasma mass spectrometry, 466 (2002) 161

On-line filtration-preconcentration-chromatographic separation-derivatization-fluorescence detection

Static-dynamic pressurized hot water extraction coupled to on-line filtration-solid-phase extraction-high-performance liquid chromatography-post-column derivatization-fluorescence detection for the analysis of *N*-methOnline photolysis, 463 (2002) 189

On-line photolysis

On-line photo-derivatization with flow injection and liquid chromatography-atmospheric pressure electrospray mass spectrometry for the identification of indoles, 460 (2002) 49

On-line pre-concentration

Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems.. Improvement of the detection limits employing an on-line pre-concentration stage, 454 (2002) 217

On-line process control

Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

On-line processes

On the ambiguity of self-modeling curve resolution: orthogonal projection approach analysis of the on-line Fourier transform-Raman spectra of styrene/1,3-butadiene block-copolymerization, 460 (2002) 73

On-line sorption preconcentration

Comparative study of 8-hydroxyquinoline derivatives as chelating reagents for flow-injection preconcentration of cobalt in a knotted reactor, 453 (2002) 143

On-site screening

On-line detection of sulfamethazine and sulfadiazine in porcine bile using a multi-channel high-throughput SPR biosensor, 473 (2002) 143

Optical oxygen sensor

Optical oxygen sensor based on fluorescence change of pyrene-1-butyric acid chemisorption film on an anodic oxidation aluminium plate, 471 (2002) 25

Optical pH sensor

Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, 455 (2002) 207

Optical selectivity

Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, 464 (2002) 187

Optical sensor

Dual lifetime referenced optical sensor membrane for the determination of copper(II) ions, 462 (2002) 1

Chromium(VI) transport through the Raipore 1030 anion exchange membrane, 464 (2002) 15

Liquid-supported membranes in chromium(VI) optical sensing: transport modelling, 464 (2002) 197

Optical fibre sensor for hydrogen sulphide monitoring in mouth air, 471 (2002) 13

Organic acids

Reducing the interference from CO₂ or organic acids in ion-selective polymer membrane sensors having a field-effect transistor as internal reference element, 464 (2002) 79

Organic guest

Solvent effect on the complex formation of distally dialkylated calix[4]arenes with 1-chloro-4-(trifluoromethyl)benzene, 461 (2002) 273

Organic matrix

Determination of actinides and strontium in fish samples by extraction chromatography, 458 (2002) 367

Organic matter

Determination of organic matter in soils using radial basis function networks and near infrared spectroscopy, 453 (2002) 125

Organic polymer

Separation of ⁶⁸Ga from ⁶⁸Ge using a macroporous organic polymer containing N-methylglucamine groups, 453 (2002) 135

Organized media

Determination of zinc in food using atomic fluorescence spectrometry by hydride generation from organized media, 457 (2002) 305

Organochlorine pesticides

Supercritical fluid extraction of organochlorine pesticides and some metabolites in frogs from National Park of Ordesa and Monte Perdido, 464 (2002) 303

Organophosphorus hydrolase

Dual amperometric-potentiometric biosensor detection system for monitoring organophosphorus neurotoxins, 469 (2002) 197

Organophosphorus pesticide

Analysis of organophosphorus pesticides by gas chromatography-mass spectrometry with negative chemical ionization: a study on the ionization conditions, 461 (2002) 97

Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO₂ suspensions, 467 (2002) 233

Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, 475 (2003) 85

Origin

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Ormosil

Reagentless pH-based biosensing using a fluorescently-labelled dextran co-entrapped with a hydrolytic enzyme in sol-gel derived nanocomposite films, 457 (2002) 47

Ornithine

Development of a bienzyme reactor sensor system for the determination of ornithine, 456 (2002) 219

Ornithine carbamyl transferase

Development of a bienzyme reactor sensor system for the determination of ornithine, 456 (2002) 219

Orthogonal design

Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II), 469 (2002) 303

Simple method for colorimetric spot-test quantitative analysis of Fe(III) using a computer controlled hand-scanner, 471 (2002) 97

Orthogonal projection approach

On the ambiguity of self-modeling curve resolution: orthogonal projection approach analysis of the on-line Fourier transform-Raman spectra of styrene/1,3-butadiene block-copolymerization, 460 (2002) 73

Orthophosphate

Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, 467 (2002) 83

Osmotic pumps

In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, 463 (2002) 265

Outer product

Outer product analysis of electronic nose and visible spectra: application to the measurement of peach fruit characteristics, 459 (2002) 107

Outlier detection

Robust regression and outlier detection in the evaluation of robustness tests with different experimental designs, 463 (2002) 53

Oxalate

Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection, 458 (2002) 291

Oxazolines

Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395

 ω -Oxidation product

High-performance liquid chromatography-thermospray ionization-mass spectrometry of the oxidation products of polyunsaturated-fatty acids, 465 (2002) 227

Oxidizable

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Oxidoreductase

Characterization of oxidoreductase-redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared-external reflection spectroscopy, 466 (2002) 201

Oxygen

Tuning the parameters for fast respirometry, 460 (2002) 257

Oxygenation

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

Oxytetracycline

Quantitative analysis for oxytetracycline in medicated premixes and feeds by second-derivative synchronous spectrofluorimetry, 455 (2002) 143

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination of oxytetracycline in the bryophyte *Fontinalis antipyretica*, 475 (2003) 117

Ozone

Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence, 451 (2002) 189

Sensitive electrochemical detection of ozone, 459 (2002) 199

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Ozone depletion

Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence, 451 (2002) 189

Ozonization

Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent, 463 (2002) 229

P **^{31}P NMR**

Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-(4-bromo-2-chlorophenyl) *O*-ethyl *S*-propyl phosphorothioate) measured by ^1H and ^{31}P QNMR spectrometry, 474 (2002) 125

Packed reactor with PTFE beads

Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, 463 (2002) 99

Paediatrics

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

PAHs

Monofluorinated polycyclic aromatic hydrocarbons as internal standards in Shpol'skii spectroscopy: 1-fluoropyrene as an example, 459 (2002) 53

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

Principal component analysis application in polycyclic aromatic hydrocarbons "mussel watch" analyses for source identification, 461 (2002) 201

Paleodiet

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Palladium

Synthesis of amidinothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, 452 (2002) 223

Microwave-assisted digestion procedure for the determination of palladium in road dust, 459 (2002) 257

Preconcentration of palladium in a flow-through electrochemical cell for determination by graphite furnace atomic absorption spectrometry, 462 (2002) 305

Ion-exchange method for separation and concentration of platinum and palladium for analysis of environmental samples by inductively coupled plasma atomic emission spectrometry, 464 (2002) 7

Pallidol

Direct liquid chromatographic analysis of resveratrol derivatives and flavanols in wines with absorbance and fluorescence detection, 458 (2002) 103

PAN

Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzy-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, 464 (2002) 187

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Paper mill effluent

Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent, 463 (2002) 229

para-Aminobenzoic acid

Study on molecular recognition of para-aminobenzoic acid species by α-, β- and hydroxypropyl-β-cyclodextrin, 458 (2002) 305

Parabens

Validation of a micellar electrokinetic capillary chromatography method for the determination of imidurea, methyl and propyl parabens in a pharmaceutical ointment, 463 (2002) 15

PARAFAC

Detection of verapamil drug by fluorescence and trilinear decomposition techniques, 453 (2002) 105

Quantifying catecholamines using multi-way kinetic modelling, 475 (2003) 137

PARAFAC model

Three-way principal component analysis applied to food analysis: an example, 462 (2002) 133

Parallel co-ordinate geometry

Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an

experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters, 455 (2002) 117

Parallel co-ordinate geometry and principal component analysis for the interpretation of large multi-response experimental designs, 458 (2002) 397

Parenteral solutions

Availability of aluminum from glass and an Al form ion exchanger in the presence of complexing agents and amino acids, 459 (2002) 267

Partial component regression

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

Partial least squares (PLS)

Study of adsorption processes of model drugs at supercritical conditions using partial least squares regression, 452 (2002) 311

Characterization of jewellery products by laser-induced breakdown spectroscopy, 457 (2002) 247

Spectrophotometric determination of hydrocortisone, nystatin and oxytetracycline in synthetic and pharmaceutical preparations based on various univariate and multivariate methods, 460 (2002) 85

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, 468 (2002) 81

Partial least squares calibration

Maintenance of a calibration model for near infrared spectrometry by a combined principal component analysis-partial least squares approach, 452 (2002) 35

Partial least-squares

Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Particulates

Aerosol analysis by cavity-ring-down laser spectroscopy, 466 (2002) 1

Partitioning

Analysis of polyethoxylated surfactants in microemulsion-oil-water systems. Part II, 452 (2002) 129

Pathogenic microorganism

Fluorescence-based nucleic acid detection and microarrays, 469 (2002) 3

Pathogens

Fingerprinting bacterial strains using ion mobility spectrometry, 457 (2002) 83

Pattern recognition

Clustering with dendograms on interpretation variables, 454 (2002)

13

Quantitative fuzzy neural network for analytical determination, 468 (2002) 105

Pb

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Pb determination

Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, 470 (2002) 215

Pb²⁺Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, 464 (2002) 187**PCA**

Variable reduction on electronic tongue data, 452 (2002) 255

Principal component analysis application in polycyclic aromatic hydrocarbons "mussel watch" analyses for source identification, 461 (2002) 201

PCBs

Relative performance of immunochemical (enzyme-linked immunosorbent assay) and gas chromatography-electron-capture detection techniques to quantify polychlorinated biphenyls in mussel tissues, 461 (2002) 75

PCR

Durbin-Watson statistic as a morphological estimator of information content, 454 (2002) 277

Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Coupling of an indicator-free electrochemical DNA biosensor with polymerase chain reaction for the detection of DNA sequences related to the apolipoprotein E, 469 (2002) 93

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Survival and polymerase chain reaction-based detection of nucleic acid taggant markers during bacterial growth and sterilization, 475 (2003) 67

PDAHigh-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61**PDMS**

Rapid fabrication of electrochemical enzyme sensor chip using polydimethylsiloxane microfluidic channel, 468 (2002) 143

PDO

Multivariate classification of rosé wines from different Spanish protected designations of origin, 458 (2002) 187

Peak detection

Matched filtering with background suppression for improved quality of base peak chromatograms and mass spectra in liquid chromatography-mass spectrometry, 454 (2002) 167

Peat

Inter-method comparison for the determination of antimony and arsenic in peat samples, 458 (2002) 387

Penicillin

Biosensor analysis of penicillin G in milk based on the inhibition of carboxypeptidase activity, 468 (2002) 153

Pentachlorophenol

Development of an enzyme-linked immunosorbent assay for pentachlorophenol, 460 (2002) 279

Pentafluorobenzyl bromide

Measurement of bisphenol A in human serum by gas chromatography/mass spectrometry, 458 (2002) 331

Pepsin activity

Indirect determination of pepsin activity in human seric protein samples by polyphenol oxidase electrodes, 460 (2002) 163

Peptide nucleic acid (PNA)

Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors, 469 (2002) 37

Peptides

Analytical methods for the characterization of proteins and peptides in wines, 458 (2002) 63

Complexation, liquid-liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers, 466 (2002) 101

Kinetics of the post-column complexation reaction of Cu(II) with N-formylmethionyl chemoattractant and chemotactic peptides, 474 (2002) 1

Perfluorinated polymer

Perfluorinated anion-exchange polymer mercury film electrode for anodic stripping voltammetric determination of zinc(II): effect of model organic compounds, 454 (2002) 93

Perfluorocarbon polymer

Development of a micro-planar Ag/AgCl quasi-reference electrode with long-term stability for an amperometric glucose sensor, 462 (2002) 253

Peristaltic pumps

Propelling devices: the heart of flow injection approaches, 461 (2002) 169

Permanent chemical modifier

Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W-Rh

permanent modifier for copper determination in seawater, 463 (2002) 275

Permanent modifier
Direct determination of aluminium in serum and urine by electro-thermal atomic absorption spectrometry using ruthenium as permanent modifier, 464 (2002) 323

Peroxidase-oxidase oscillator
Determination of ascorbic acid based on a peroxidase oscillator reaction, 466 (2002) 257

Peroxodisulfate
Pretreatment of water samples using UV irradiation-peroxodisulfate for the determination of total mercury, 454 (2002) 271

Personal exposure
Direct-on-filter analysis of crystalline silica using photoacoustic Fourier transform-infrared spectroscopy, 457 (2002) 257

Pervaporation
Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Pesticide
Development of a heterogeneous chemiluminescent flow immunoassay for DDT and related compounds, 453 (2002) 43
Immobilization of acetylcholinesterase on screen-printed electrodes: comparative study between three immobilization methods and applications to the detection of organophosphorus insecticides, 464 (2002) 171
Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, 468 (2002) 81
Evolution of antibodies for environmental monitoring: from mice to plants, 468 (2002) 185
Quartz crystal microbalance determination of organophosphorus and carbamate pesticides, 469 (2002) 189
Dual amperometric-potentiometric biosensor detection system for monitoring organophosphorus neurotoxins, 469 (2002) 197
Improved detection of toxic chemicals using bioluminescent bacteria, 471 (2002) 113

Pesticide analysis
Assessment of uncertainty in pesticide multiresidue analytical methods: main sources and estimation, 454 (2002) 297

Pesticide residues
Simultaneous determination of imidacloprid, carbendazim, methiocarb and hexythiazox in peaches and nectarines by liquid chromatography-mass spectrometry, 461 (2002) 109

pH
Spectrophotometric measurement of total inorganic carbon in aqueous solutions using a liquid core waveguide, 451 (2002) 221
Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater, 460 (2002) 247

pH measurement
Acid-base constants of neutral bases in acetonitrile-water mixtures, 454 (2002) 157

pH optimization
Prediction of the separation of phenols by capillary zone electrophoresis, 458 (2002) 355

pH response
Characteristics of the hydrogen ion-sensitive field effect transistors with sol-gel-derived lead titanate gate, 469 (2002) 205

pH scales
Acid-base constants of neutral bases in acetonitrile-water mixtures, 454 (2002) 157

pH sensor
Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1
Screen-printable sol-gel ceramic carbon composite pH sensor with a receptor zeolite, 455 (2002) 53

Phage display
Selection of phage displayed peptides for the detection of 2,4,6-trinitrotoluene in seawater, 457 (2002) 13

Phanquinone (4,7-phenanthroline-5,6-dione)
Phanquinone: a useful fluorescent pre-chromatographic derivatization reagent for liquid chromatographic analyses of amino acid dosage forms, 474 (2002) 11

Pharmaceutical formulation
Determination of flurbiprofen in pharmaceutical formulations by UV spectrophotometry and liquid chromatography, 463 (2002) 207

Pharmaceutical preparations
Room-temperature luminescence optosensings based on immobilized active principles actives. Application to nafronyl and naproxen determination in pharmaceutical preparations and biological fluids, 462 (2002) 217
Determination of β -blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, 471 (2002) 51

Pharmaceutical samples
Application of time-resolved luminescence to dry reagent chemical technology, 452 (2002) 169

Pharmaceuticals
Electrochemical characterisation of nefazodone hydrochloride and voltammetric determination of the drug in pharmaceuticals and human serum, 462 (2002) 49
Rapid spectrophotometric determination of fosfestrol following online hydrolysis by alkaline phosphatase using flow injection and chasing zones, 462 (2002) 119
Single-run capillary electrophoretic speciation of iodide and iodine, 466 (2002) 133
Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography-UV methods, 466 (2002) 175

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Phase behaviour

Evaluation of the factors affecting extraction of organic compounds based on the acid-induced phase cloud point approach, 460 (2002) 13

Phenanthroline

Ligand and surfactant effects on a novel electrochemiluminescent reaction involving cadmium, 454 (2002) 45

Phenol analysis

4-Aminoantipyrine spectrophotometric method of phenol analysis. Study of the reaction products via liquid chromatography with diode-array and mass spectrometric detection, 467 (2002) 105

Phenol biosensors

Glassy carbon paste electrodes modified with polyphenol oxidase. Analytical applications, 459 (2002) 43

Phenolic acids

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

Supported liquid membrane extraction for identification of phenolic compounds in the nutrient solution of closed hydroponic growing systems for tomato, 474 (2002) 49

Phenolic compounds

Spectrofluorimetric determination of hydrogen peroxide scavenging activity, 452 (2002) 177

Development of an enzymeless biosensor for the determination of phenolic compounds, 455 (2002) 215

Analytical performance of commercially available and unavailable phenolic compounds using real samples by high-performance liquid chromatography–diode-array detection, 460 (2002) 61

Phenolics

Countercurrent supercritical fluid extraction of phenolic compounds from aqueous matrices, 460 (2002) 1

Phenols

Effect of maturation in small oak casks on the volatility of red wine aroma compounds, 458 (2002) 45

Prediction of the separation of phenols by capillary zone electrophoresis, 458 (2002) 355

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

Uptake monitoring of anilines and phenols using modified zeolites, 464 (2002) 1

Abraham model in gas chromatography of phenol pollutants, 466 (2002) 151

Gas chromatographic–tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils, 466 (2002) 335

Phenothiazine drugs

Continuous photometric method for the screening of human urines for phenothiazines, 462 (2002) 275

Phenylarsonic acid

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Phenylbenzimidazole sulphonic acid

Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonic acid in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, 464 (2002) 295

Phosphate

Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, 455 (2002) 315

Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, 472 (2002) 37

Phosphorescence

Chemically induced phosphorescence from manganese(II) during the oxidation of various compounds by manganese(III), (IV) and (VII) in acidic aqueous solutions, 451 (2002) 181

Study of different normal-microemulsion compositions by room-temperature phosphorescence to determine benzo[*a*]pyrene in environmental samples, 474 (2002) 91

Phosphorus

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Photoacoustic spectroscopy

Direct-on-filter analysis of crystalline silica using photoacoustic Fourier transform-infrared spectroscopy, 457 (2002) 257

Photocatalytic treatment

Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO₂ suspensions, 467 (2002) 233

Photochemical-fluorimetric determination

Simultaneous potentiometric and fluorimetric determination of diclofenac in a sequential injection analysis system, 470 (2002) 185

Photodegradation

Assessment of the toxicity of methyl parathion and its photodegradation products in water samples using conductometric enzyme biosensors, 459 (2002) 33

Photodiode

Flow system for liquid–solid extraction and pre-concentration using a renewable extracting solid phase, 472 (2002) 141

Photo-isomerization

Differentiating geometrical isomers of retinoids and controlling their photo-isomerization by complexation with cyclodextrins, 468 (2002) 161

Photoluminescence

Solvent effect on the complex formation of distally dialkylated calix[4]arenes with 1-chloro-4-(trifluoromethyl)benzene, 461 (2002) 273

Photometry

Continuous photometric method for the screening of human urines for phenothiazines, 462 (2002) 275

Automatic screening method for the rapid and simple discrimination between synthetic and natural colorants in foods, 464 (2002) 237

Photo-reduction

Chemiluminescent flow-injection analysis of nitrates in water using on-line ultraviolet photolysis, 474 (2002) 99

pH-stat titrations

pH-stat techniques in titrimetric analysis. Part 3. The principles of pH-stat chelatometric titrations, 456 (2002) 313

pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Phthalates

Development of a solid-phase microextraction method for the determination of phthalic acid esters in water, 457 (2002) 211

Phthalocyanine

Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, 457 (2002) 297

Phthalocyanine dyes

Study of the white-rot fungal degradation of selected phthalocyanine dyes by capillary electrophoresis and liquid chromatography, 451 (2002) 259

Physical adsorption

Physical adsorption of protamine for heparin assay using a quartz crystal microbalance and electrochemical impedance spectroscopy, 462 (2002) 261

Physiologically important carboxylic acid

Fluorescent tagging of physiologically important carboxylic acids, including fatty acids, for their detection in liquid chromatography, 465 (2002) 111

Phytic acid

Spectrophotometric determination of phytic acid in plant extracts using a multi-pumping flow system, 474 (2002) 161

Piezoelectric quartz crystal

Determination of carbon monoxide in ambient air using piezoelectric crystal sorption detection, 456 (2002) 227

Piezoelectric quartz crystal impedance

In situ monitoring of gold-surface adsorption and acidic denaturation of human serum albumin by an isolation-capacitance-adapted electrochemical quartz crystal impedance system, 464 (2002) 65

Piezoelectric sensor signals

Use of wavelet transform to enhance piezoelectric signals for analytical purposes, 456 (2002) 93

Pigments

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

Pimozide

Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, 453 (2002) 221

Pin printing

Integrated chemical sensor array platform based on a light emitting diode, xerogel-derived sensor elements, and high-speed pin printing, 470 (2002) 101

Pipemidic acid

Chemiluminescence flow-through sensor for pipemidic acid using solid sodium bismuthate as an oxidant, 459 (2002) 19

Pirimicarb

Molecularly imprinted polymers for on-line preconcentration by solid phase extraction of pirimicarb in water samples, 451 (2002) 297

Piroxicam

Spectrofluorimetric method for the determination of piroxicam and pyridoxine, 466 (2002) 275

pK_a

Acid-base constants of neutral bases in acetonitrile-water mixtures, 454 (2002) 157

Planar waveguide

Planar waveguides for ultra-high sensitivity of the analysis of nucleic acids, 469 (2002) 49

Plant samples

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electrothermal atomic absorption spectrometry, 452 (2002) 207

Plasma

Simultaneous determination of clozapine, clozapine N-oxide, *N*-desmethylclozapine, risperidone, and 9-hydroxyrisperidone in plasma by high performance liquid chromatography with ultraviolet detection, 460 (2002) 201

Development and validation of liquid chromatographic method for the determination of lycopene in plasma, 467 (2002) 115

Plasma polymerization

Performance of amperometric alcohol electrodes prepared by plasma polymerization technique, 469 (2002) 217

Plasma spectrochemistry

Can plasma spectrochemistry assist in improving the accuracy of chemical analysis?, 456 (2002) 63

Plastic scintillation

Comparative study of quenching correction procedures for ⁹⁰Sr/⁹⁰Y determination by Cerenkov, liquid scintillation and plastic scintillation techniques, 471 (2002) 135

Plastic scintillators

Mixed waste reduction in radioactivity determination by using plastic scintillators, 463 (2002) 125

Platinum

Measurement of the isotopic composition and atomic weight of an isotopic reference material of platinum, IRMM-010, 460 (2002) 41
Ion-exchange method for separation and concentration of platinum and palladium for analysis of environmental samples by inductively coupled plasma atomic emission spectrometry, 464 (2002) 7

PLS1

Durbin-Watson statistic as a morphological estimator of information content, 454 (2002) 277

PLS

Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, 461 (2002) 189
Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

PLS2

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Pneumolysin

Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, 462 (2002) 31

p-Nitrophenol

Microbial biosensor for *p*-nitrophenol using *Moraxella* sp., 470 (2002) 79

Point-like sample

Radial and longitudinal profiles of the electron paramagnetic resonance signal intensity of a single TE₁₀₂ rectangular cavity. A three-dimensional surface plot for a point-like sample, 464 (2002) 163

Polar ice

High-sensitivity measurements of strontium isotopes in polar ice, 469 (2002) 225

Poly(3,3'-diaminobenzidine) film

Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, 453 (2002) 209

Poly(adenylic) acid

Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile-water mixtures using hard-modelling and soft-modelling approaches, 471 (2002) 145

Poly(*p*-chloromethylstyrene-ethylene glycol dimethacrylate)

1,4,8,11-Tetraazacyclotetradecane bound to poly(*p*-chloromethylstyrene-ethylene glycol dimethacrylate) microbeads for selective gold uptake, 464 (2002) 313

Poly(*p*-chlorophenylamide)

Glucose biosensors prepared by electropolymerization of *p*-chlorophenylamine with and without Nafion, 463 (2002) 239

Poly(pyrrole)

All-solid-state planar miniature ion-selective chloride electrode, 451 (2002) 243

Polyacrylamide

Use of the diffusion gradient thin film method to measure trace metals in fresh waters at low ionic strength, 456 (2002) 241

Polyaniline

Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1
Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal 1 protein, 461 (2002) 49

Polyaniline as a new sensitive layer for gas sensors, 475 (2003) 1

Polyaniline electrode modified with 2,2'-bipyridyl

Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2'-bipyridyl in polyaniline, 455 (2002) 69

Polychlorinated dibenzo-*p*-dioxins

Extraction and preconcentration of polychlorinated dibenzo-*p*-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, 470 (2002) 205

Polyclonal antibodies (PoAbs)

Development of an immunosensor for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, 453 (2002) 181

Enzyme-linked immunosorbent assay for the determination of 20(S)-protopanaxatriol, 462 (2002) 157

Polycyclic

Improvement of UV spectrophotometry methodology for the determination of total polycyclic aromatic compounds in contaminated soils, 453 (2002) 245

Polycyclic aromatic hydrocarbons

Selective fluorescence quenching of polycyclic aromatic hydrocarbons by nitromethane within room temperature ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate, 453 (2002) 89

Laser desorption-ionization of polycyclic aromatic hydrocarbons from glass surfaces with ion mobility spectrometry analysis, 453 (2002) 231

Characterization of polycyclic aromatic hydrocarbons in environmental samples by selective fluorescence quenching, 459 (2002) 61

Time-resolved laser-induced fluorimetry for screening polycyclic aromatic hydrocarbons on solid-phase extraction membranes, 464 (2002) 261

Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel, 466 (2002) 93

Methods for coating filter paper for solid-phase microextraction with luminescence detection and characterization of the coated filter paper by infrared spectrometry, 474 (2002) 77

Polyelectrolyte

Polyelectrolyte-stabilized biosensors based on macroporous carbon electrode, 467 (2002) 2

Polyether polyols

Determination of the ethylene oxide content of polyether polyols by low-field ^1H nuclear magnetic resonance spectrometry, 472 (2002) 133

Polyethoxylated surfactants

Analysis of polyethoxylated surfactants in microemulsion-oil-water systems. Part II, 452 (2002) 129

Polyethylene glycol-1000

Investigation of a liquid-liquid extraction system based on non-ionic surfactant-salt- H_2O and mechanism of drug extraction, 452 (2002) 321

Polyhydroxyl compounds

Nickel oxide-modified composite electrode for electrochemical detection of polyhydroxyl compounds in liquid chromatographic analysis, 471 (2002) 195

Poly-L-Cysteine

Characterization of metal ion-exchange on modified surfaces of porous carbon, 455 (2002) 233

Polymer microdevices

Surface modification of polymer-based microfluidic devices, 470 (2002) 87

Polymerase chain reaction

Surface plasmon resonance biosensor for genetically modified organisms detection, 453 (2002) 165

Polymeric membrane

Lithium sensor based on the laser scanning semiconductor transducer, 459 (2002) 1

Development of a urea biosensor based on a polymeric membrane including zeolite, 466 (2002) 39

Citrate selective electrodes for the flow injection analysis of soft drinks, beers and pharmaceutical products, 471 (2002) 41

Polymerization

On the ambiguity of self-modeling curve resolution: orthogonal projection approach analysis of the on-line Fourier transform-Raman spectra of styrene/1,3-butadiene block-copolymerization, 460 (2002) 73

Polypheophytin oxidase

Indirect determination of pepsin activity in human seric protein samples by polypheophytin oxidase electrodes, 460 (2002) 163

Polypyrrrole

Bienzymatic amperometric biosensor for glucose based on polypyrrrole/ceramic carbon as electrode material, 451 (2002) 251

Electrochemical biosensing of DNA hybridization by ferrocenyl groups functionalized polypyrrrole, 469 (2002) 85

Study on the formation of the Prussian blue films on the polypyrrrole surface as a potential mediator system for biosensing applications, 472 (2002) 113

Polyunsaturated fatty acids (PUFA)

High-performance liquid chromatography-thermospray ionization-mass spectrometry of the oxidation products of polyunsaturated-fatty acids, 465 (2002) 227

Determination of free polyunsaturated fatty acids and their oxidative metabolites by high-performance liquid chromatography (HPLC) and mass spectrometry (MS), 465 (2002) 417

Polyurethane foam

Determination of gallic acid with 4-nitrobenzenediazonium tetrafluoroborate by diffuse reflectance spectrometry on polyurethane foam, 469 (2002) 295

Porcine kidney

Determination of carazolol residues in porcine tissue by radio-receptor assay, 462 (2002) 149

Porcine muscle

Determination of carazolol residues in porcine tissue by radio-receptor assay, 462 (2002) 149

Pore-waters

Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, 474 (2002) 147

Pork

Mineral analysis (Fe, Zn, Ca, Na, K) of fresh Iberian pork loin by near infrared reflectance spectrometry. Determination of Fe, Na and K with a remote fibre-optic reflectance probe, 468 (2002) 293

Porous carbon

Polyelectrolyte-stabilized biosensors based on macroporous carbon electrode, 467 (2002) 217

Porphyrin

Amperometric detection of nitrite and nitrate at tetraruthenated porphyrin-modified electrodes in a continuous-flow assembly, 452 (2002) 23

Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, 469 (2002) 183

Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion, 469 (2002) 285

Port wine

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Portulaca oleracea L

Quantification of noradrenaline and dopamine in *Portulaca oleracea* L. by capillary electrophoresis with laser-induced fluorescence detection, 471 (2002) 203

Post-column detection

Optimization and development of a high-performance liquid chromatography-based one-site immunometric assay with chemiluminescence detection, 470 (2002) 37

Post-column electrochemistry

Kinetics of the post-column complexation reaction of Cu(II) with *N*-formylmethionyl chemoattractant and chemotactic peptides, 474 (2002) 1

Potassium hydrogentartrate

Optimisation of the method for determination of the temperature of saturation in wines, 458 (2002) 257

Potassium superoxide

Investigations of the adulteration of extra virgin olive oils with seed oils using their weak chemiluminescence, 464 (2002) 135

Potential step

Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode, 475 (2003) 47

Potentiometric biosensors

Glucose and urea biosensors based on all solid-state PVC-NH₂ membrane electrodes, 452 (2002) 29

Potentiometric determination

Simultaneous potentiometric and fluorimetric determination of diclofenac in a sequential injection analysis system, 470 (2002) 185

Potentiometric flow injection system

Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems. Improvement of the detection limits employing an on-line pre-concentration stage, 454 (2002) 217

Potentiometric sensor

Methylene blue potentiometric sensor for selective determination of sulfide ions, 466 (2002) 47

Potentiometric titration

Methylene blue potentiometric sensor for selective determination of sulfide ions, 466 (2002) 47

Potentiometry

Solid-state pH nanoelectrode based on polyaniline thin film electrodeposited onto ion-beam etched carbon fiber, 452 (2002) 1

Determination of stoichiometry of Li_{1-x}CoO₂ materials by flame atomic absorption spectrometry and automated potentiometric titration, 455 (2002) 35

Fabrication of a covalently attached multilayer film electrode containing cobalt phthalocyanine and its application as a potentiometric sensor of iodide ion, 455 (2002) 61

Yeast cells sucrose biosensor based on a potentiometric oxygen electrode, 458 (2002) 215

Zn(II)-selective membrane electrode based on tetra(2-aminophenyl) porphyrin, 460 (2002) 177

Selective thiocyanate poly(vinyl chloride) membrane based on a 1,8-dibenzyl-1,3,6,8,10,13-hexaaazacyclotetradecane-Ni(II) perchlorate, 462 (2002) 25

Novel Ag⁺ ion-selective electrodes based on two new mixed azathioether crowns containing a 1,10-phenanthroline sub-unit, 462 (2002) 225

Cobalt(II)-selective membrane electrode using a recently synthesized mercapto compound, 462 (2002) 245

Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection, 467 (2002) 25

Citrate selective electrodes for the flow injection analysis of soft drinks, beers and pharmaceutical products, 471 (2002) 41

Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, 474 (2002) 147

Ytterbium(III)-selective membrane electrode based on cefixime, 475 (2003) 59

Power plant

Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, 455 (2002) 315

PQC sensor

Piezoelectric quartz crystal sensors based on ion-pair complexes for the determination of cinchonine in human serum and urine, 454 (2002) 65

Pralidoxime

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Preconcentration

Molecularly imprinted polymers for on-line preconcentration by solid phase extraction of pirimicarb in water samples, 451 (2002) 297

Automated flow analysis system based on multicommutation for Cd, Ni and Pb on-line pre-concentration in a cationic exchange resin with determination by inductively coupled plasma atomic emission spectrometry, 453 (2002) 301

Evaluation of electroless gold deposited on porous silica for ligand attachment for metal ion-exchange, 454 (2002) 37

Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for their flame atomic absorption spectrometric determination, 454 (2002) 229

Determination of copper in seawater based on a liquid membrane preconcentration system, 460 (2002) 35

Flow injection on-line preconcentration of low levels of Cr(VI) with detection by ETAAS. Comparison of using an open tubular PTFE knotted reactor and a column reactor packed with PTFE beads, 463 (2002) 99

1,4,8,11-Tetraazacyclotetradecane bound to poly(*p*-chloromethyl-styrene–ethylene glycol dimethacrylate) microbeads for selective gold uptake, 464 (2002) 313

Extraction and preconcentration of Cr(VI) from urine using supported liquid membrane, 474 (2002) 59

Preconcentration and separation

Synthesis of amidinothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, 452 (2002) 223

Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, 467 (2002) 3

Prediction bias

Limit of detection estimator for second-order bilinear calibration, 451 (2002) 313

Prediction of binding affinity

Prediction of human serum albumin–drug binding affinity without albumin, 454 (2002) 101

Prediction variance

Limit of detection estimator for second-order bilinear calibration, 451 (2002) 313

Pre-processing

Variable reduction on electronic tongue data, 452 (2002) 255

Preprocessing method

A comparison of two algorithms for warping of analytical signals, 456 (2002) 77

Preservatives determination

Validation of a micellar electrokinetic capillary chromatography method for the determination of imidurea, methyl and propylparabens in a pharmaceutical ointment, 463 (2002) 15

Pressurised hot water extraction

Static–dynamic pressurized hot water extraction coupled to on-line filtration–solid-phase extraction–high-performance liquid chromatography–post-column derivatization–fluorescence detection for the analysis of *N*-methylcarbamates in foods, 463 (2002) 189

Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel, 466 (2002) 93

Pre-term

Stable isotope analysis of fatty acids by gas chromatography–isotope ratio mass spectrometry, 465 (2002) 63

Pretreatment

Pretreatment of water samples using UV irradiation–peroxodisulfate for the determination of total mercury, 454 (2002) 271

Principal component analysis

Maintenance of a calibration model for near infrared spectrometry by a combined principal component analysis–partial least squares approach, 452 (2002) 35

Characterisation of humic substances by acid catalysed transesterification, 452 (2002) 105

Wheat lipids to discriminate species, varieties, geographical origins and crop years, 454 (2002) 315

Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters, 455 (2002) 117

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Parallel co-ordinate geometry and principal component analysis for the interpretation of large multi-response experimental designs, 458 (2002) 397

Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, 459 (2002) 25

Chemometrics characterisation of the quality of river water, 462 (2002) 87

Flow injection analysis applied to a voltammetric electronic tongue, 471 (2002) 159

Principal component regression

Determination of the antibacterial enrofloxacin by differential-pulse adsorptive stripping voltammetry, 454 (2002) 83

Principal components

Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol–water mixtures, 455 (2002) 335

Principal factor analysis

Classification of metal ions according to their complexing properties: a data-driven approach, 455 (2002) 131

Principle component analysis

Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, 457 (2002) 297

Probabilistic neural network

Application of probabilistic neural network in the clinical diagnosis of cancers based on clinical chemistry data, 471 (2002) 77

Probe

In vitro study of experimental factors affecting the microdialysis results, 459 (2002) 143

Procaine hydrochloride

Investigation of a liquid–liquid extraction system based on non-ionic surfactant–salt–H₂O and mechanism of drug extraction, 452 (2002) 321

Frequency doubling scattering and second-order scattering technology as novel methods for the determination of the inclusion constant of procaine hydrochloride to β-cyclodextrin, 472 (2002) 89

Process analysis

Quantitation of intracellular recombinant human superoxide dismutase using surface plasmon resonance, 456 (2002) 193
 Determination of the ethylene oxide content of polyether polyols by low-field ¹H nuclear magnetic resonance spectrometry, 472 (2002) 133

Process analyzers

Solving the problems of sequential injection systems as process analyzers, 467 (2002) 61

Procyclidine

Capillary electrophoresis with electrochemiluminescence detection of procyclidine in human urine pretreated by ion-exchange cartridge, 470 (2002) 137

Prodrug

Analysis of fatty acid anhydrides and polyanhydrides, 465 (2002) 257

Profenofos

Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-4-bromo-2-chlorophenyl *O*-etyl 5-propyl phosphorothioate) measured by ¹H and ³¹P NMR spectrometry, 474 (2002) 125

Progesterone

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Propelling devices

Propelling devices: the heart of flow injection approaches, 461 (2002) 169

Propylparaben

Simultaneous determination of methylparaben, propylparaben, sodium diclofenac and its degradation product in a topical emulgel by reversed-phase liquid chromatography, 467 (2002) 91

Prostanoid

Strategy and principles of the simultaneous analysis of prostanoids by gas chromatography/mass spectrometry/selected-ion monitoring, 465 (2002) 379

Protamine

Physical adsorption of protamine for heparin assay using a quartz crystal microbalance and electrochemical impedance spectroscopy, 462 (2002) 261

Protein

Reagentless pH-based biosensing using a fluorescently-labelled dextran co-entrapped with a hydrolytic enzyme in sol-gel derived nanocomposite films, 457 (2002) 47
 Analytical methods for the characterization of proteins and peptides in wines, 458 (2002) 63
 Langmuir aggregation of Evans blue on cetyltrimethylammonium bromide and on proteins and its application, 458 (2002) 417

Quantitative determination of proteins by the Rayleigh light-scattering technique after optimization of the derivation reaction with Arsenazo-DBS, 459 (2002) 313

Synchronous fluorescence determination of protein with functionalized CdS nanoparticles as a fluorescence probe, 466 (2002) 87

Protein A

Protein A immobilized monolithic capillary column for affinity chromatography, 466 (2002) 141

Protein complex

Screening of antagonists based on induced dissociation of a calmodulin-melittin interaction entrapped in a sol-gel derived matrix, 470 (2002) 19

Protein engineering

Development of a thermostable firefly luciferase, 457 (2002) 115

Protein phosphatase

Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography-UV detection and enzyme-linked immunosorbent assay. Comparison of methods, 466 (2002) 213

Protoporphyrin

Molecular imprinting-based fluorescent chemosensor for histamine using zinc(II)-protoporphyrin as a functional monomer, 466 (2002) 31

Prussian blue

Study on the formation of the Prussian blue films on the polypyrrole surface as a potential mediator system for biosensing applications, 472 (2002) 113

Pseudomonas fluorescens

Use of bioluminescent bacterial sensors as an alternative method for measuring heavy metals in soil extracts, 456 (2002) 55

Pseudomonas putida BA-11

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

Pseudomonas putida C-11

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

PTFE

Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 471 (2002) 121

Puerariae radix

Determination of puerarin and daidzein in *Puerariae radix* and its medicinal preparations by micellar electrokinetic capillary chromatography with electrochemical detection, 452 (2002) 123

Puerarin

Determination of puerarin and daidzein in *Puerariae radix* and its medicinal preparations by micellar electrokinetic capillary chromatography with electrochemical detection, 452 (2002) 123

PUFA oxidative metabolites

Determination of free polyunsaturated fatty acids and their oxidative metabolites by high-performance liquid chromatography (HPLC) and mass spectrometry (MS), 465 (2002) 417

Pulsed flow

Monitoring urea levels during haemodialysis with a pulsed-flow chemiluminescence analyser, 461 (2002) 131

Multi-pumping in flow analysis: concepts, instrumentation, potentialities, 466 (2002) 125

Pulsed voltammetry

Flow injection analysis applied to a voltammetric electronic tongue, 471 (2002) 159

Pure copper

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid pre-reduction and cupferron chelation-extraction, 459 (2002) 161

Purine bases

Separation of six purine bases by capillary electrophoresis with electrochemical detection, 457 (2002) 225

Purine nucleoside phosphorylase

Selective fluorescent and fluorogenic substrates for purine-nucleoside phosphorylases from various sources, and direct fluorimetric determination of enzyme levels in human and animal blood, 472 (2002) 63

Purines

Determination of purines and pyrimidines in beer samples by capillary zone electrophoresis, 454 (2002) 185

Purity measurements

Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-(4-bromo-2-chlorophenyl)-*O*-ethyl *S*-propyl phosphorothioate) measured by ^1H and ^{31}P QNMR spectrometry, 474 (2002) 125

Putrescine

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

PVC

Copper(II)-selective electrode based on dithioacetal, 455 (2002) 225
Entrapment of glucose oxidase in non-porous poly(vinyl chloride), 461 (2002) 57

PVC membrane

Lead-selective fluorescent optode membrane based on 3,3',5,5'-tetramethyl-*N*-(9-anthrylmethyl)benzidine, 460 (2002) 123

Selective thiocyanate poly(vinyl chloride) membrane based on a 1,8-dibenzyl-1,3,6,8,10,13-hexaaazacyclotetradecane-Ni(II) perchlorate, 462 (2002) 25

Novel Ag⁺ ion-selective electrodes based on two new mixed azathioether crowns containing a 1,10-phenanthroline sub-unit, 462 (2002) 225

Cobalt(II)-selective membrane electrode using a recently synthesized mercaptocompound, 462 (2002) 245

Novel coated-graphite membrane sensor based on *N,N'*-dimethyl-cyanodaza-18-crown-6 for the determination of ultra-trace amounts of lead, 464 (2002) 181

Poly(vinyl chloride)-membrane ion-selective bulk optode based on 1,10-dibenzyl-1,10-diaza-18-crown-6 and 1-(2-pyridylazo)-2-naphthol for Cu²⁺ and Pb²⁺ ions, 464 (2002) 187

Ytterbium(III)-selective membrane electrode based on cefixime, 475 (2003) 59

PVC-NH₂ membrane electrode

Glucose and urea biosensors based on all solid-state PVC-NH₂ membrane electrodes, 452 (2002) 29

Py-GC-MS

Application of factor analysis for resolving thermogravimetric-mass spectrometric analysis spectra, 461 (2002) 215

Pyrene

Monofluorinated polycyclic aromatic hydrocarbons as internal standards in Shpol'skii spectroscopy: 1-fluoropyrene as an example, 459 (2002) 53

Optical oxygen sensor based on fluorescence change of pyrene-1-butrylic acid chemisorption film on an anodic oxidation aluminium plate, 471 (2002) 25

Pyridoxine

Spectrofluorimetric method for the determination of piroxicam and pyridoxine, 466 (2002) 275

4-(2-Pyridylazo)resorcinol

Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol-water mixtures, 455 (2002) 335

Pyrimidines

Determination of purines and pyrimidines in beer samples by capillary zone electrophoresis, 454 (2002) 185

Pyrohydrolysis

Potentiometric determination of fluoride in geological and biological samples following pyrohydrolytic decomposition, 466 (2002) 117

Pyrolysis

Sorption of aquatic humic matter by DAX-8 and XAD-8 resins. Comparative study using pyrolysis gas chromatography, 471 (2002) 219

Pyrrolidine dithiocarbamate

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Pyruvate

Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD⁺-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, 467 (2002) 225

Pyruvate decarboxylase

Flow monitoring of NADH consumption in bioassays based on packed-bed reactors bearing NAD⁺-dependent dehydrogenases. Determination of acetaldehyde using alcohol dehydrogenase, 467 (2002) 225

Pyruvate oxidase

Development of a bienzaise reactor sensor system for the determination of ornithine, 456 (2002) 219

Q**QCM**

Quartz crystal microbalance determination of organophosphorus and carbamate pesticides, 469 (2002) 189

QSPR

Radial basis function network-based quantitative structure–property relationship for the prediction of Henry's law constant, 462 (2002) 101

Quality

Characterisation of young Cognac spirit aromatic quality, 458 (2002) 191

Quality control

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Contribution of European research to endocrine disruptors, 473 (2002) 161

Quantification

Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, 452 (2002) 47

Quantitative fuzzy neural network for analytical determination, 468 (2002) 105

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Quantitative analysis

Application of quantitative IR spectral analysis of bacterial cells to acetone–butanol–ethanol fermentation monitoring, 471 (2002) 127

Quantitative EPR spectroscopy

From a point-like to an arbitrarily shaped sample. A survey of equations for electron paramagnetic resonance signal intensity calculations, 456 (2002) 129

Quantitative EPR spectroscopy

Radial and longitudinal profiles of the electron paramagnetic resonance signal intensity of a single TE₁₀₂ rectangular cavity. A three-dimensional surface plot for a point-like sample, 464 (2002) 163

Quantitative millimetre wavelength spectrometry

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. Part I. Absolute determination of transition line strengths and sample concentrations with a confocal Fabry–Perot cavity spectrometer, 466 (2002) 57

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. II. Determination of oxygen at atmospheric pressure, 468 (2002) 323

Quantitative mode

Advantages and limitations of the semi-quantitative operation mode of an inductively coupled plasma-mass spectrometer for multi-element analysis of wines, 463 (2002) 165

Quantitative NMR spectrometry

Quantitative nuclear magnetic resonance spectrometry. II. Purity of phosphorus-based agrochemicals glyphosate (*N*-(phosphonomethyl)-glycine) and profenofos (*O*-(4-bromo-2-chlorophenyl)-*O*-ethyl *S*-propyl phosphorothioate) measured by ¹H and ³¹P QNMR spectrometry, 474 (2002) 125

Quantitative structure–retention relationships

Prediction of log *k*_w of disubstituted benzene derivatives in reversed-phase high-performance liquid chromatography using multiple linear regression and radial basis function neural network, 463 (2002) 89

Quartz crystal

Interfacial nucleic acid chemistry studied by acoustic shear wave propagation, 469 (2002) 101

Quartz crystal microbalance (QCM)

Development of an immunosensor for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, 453 (2002) 181

Physical adsorption of protamine for heparin assay using a quartz crystal microbalance and electrochemical impedance spectroscopy, 462 (2002) 261

Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads, 469 (2002) 183

Immunosensor for okadaic acid using quartz crystal microbalance, 471 (2002) 33

Study on the formation of the Prussian blue films on the polypyrrole surface as a potential mediator system for biosensing applications, 472 (2002) 113

Quartz piezoelectric crystal

Kinetic detection of benzene/chloroform and toluene/chloroform vapors using a single quartz piezoelectric crystal coated with calix[6]arene, 464 (2002) 57

Quenching

Selective fluorescence quenching of polycyclic aromatic hydrocarbons by nitromethane within room temperature ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate, 453 (2002) 89

Quenching correction

Comparative study of quenching correction procedures for $^{90}\text{Sr}/^{90}\text{Y}$ determination by Cerenkov, liquid scintillation and plastic scintillation techniques, 471 (2002) 135

Quinoxalines

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

R**Radial basis function**

Prediction of $\log k_w$ of disubstituted benzene derivatives in reversed-phase high-performance liquid chromatography using multiple linear regression and radial basis function neural network, 463 (2002) 89

Radial basis function networks

Radial basis function network-based quantitative structure–property relationship for the prediction of Henry's law constant, 462 (2002) 101

Radial basis function networks (RBFN)

Determination of organic matter in soils using radial basis function networks and near infrared spectroscopy, 453 (2002) 125

Radiative transition

Measurement of K shell radiative transition probabilities and K, L₂ and L₃ shell/subshell fluorescence yields of some elements in the atomic number range $30 \leq Z \leq 40$, 454 (2002) 327

Radical scavengers

'Untypical aging off-flavor' in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors, 458 (2002) 29

Radioactivity

Mixed waste reduction in radioactivity determination by using plastic scintillators, 463 (2002) 125

Radiometric detection

High performance liquid chromatography of fatty acid metabolites. Improvement of sensitivity by radiometric, fluorimetric and mass spectrometric methods, 465 (2002) 193

Radio-receptor assay

Determination of carazolol residues in porcine tissue by radio-receptor assay, 462 (2002) 149

Detection of illegal growth promoters in biological samples using receptor binding assays, 473 (2002) 135

Radiotracer technique

Analysis of copper complex lability using ^{64}Cu -equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Radium

Separation of Sr from Ca, Ba and Ra by means of $\text{Ca}(\text{OH})_2$ and $\text{Ba}(\text{Ra})\text{Cl}_2$ or $\text{Ba}(\text{Ra})\text{SO}_4$ for the determination of radiostrontium, 466 (2002) 109

RAFA

Determination of rate constants from two-way kinetic-spectral data by using rank annihilation factor analysis, 454 (2002) 21

Rain water

Calibrationless determination of cadmium, lead and copper in rain samples by stripping voltammetry at mercury microelectrodes. Effect of natural convection on the deposition step, 452 (2002) 65

Raipore R1030

Chromium(VI) transport through the Raipore 1030 anion exchange membrane, 464 (2002) 15

Rank annihilation

Rank annihilation correction for the amendment of instrumental inconsistencies, 464 (2002) 249

Rapid detection

Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, 460 (2002) 141

Rapid field test

Evaluation of a field-test kit for triazine herbicides (SensioScreen® TR500) as a fast assay to detect pesticide contamination in water samples, 475 (2003) 105

Rapid PCR

ResonSense®: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, 457 (2002) 61

Rapid test

Rapid on-site immunoassay for diflubenzuron in grains, 468 (2002) 209

Rapid toxicity tests

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert® 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Rate constant determination

Determination of rate constants from two-way kinetic-spectral data by using rank annihilation factor analysis, 454 (2002) 21

Ratio derivative spectrophotometry

Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography–UV methods, 466 (2002) 175

Reactive oxygen

Chemiluminescence assay for catechin based on generation of hydrogen peroxide in basic solution, 472 (2002) 75

Reactive oxygen species

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative

global method for determination of total antioxidant capacity, 467 (2002) 133

Readsorption

Continuous-flow system for reduction of metal readsorption during sequential extraction of soil, 472 (2002) 147

Real-time accuracy assessment

Simultaneous potentiometric and fluorimetric determination of diclofenac in a sequential injection analysis system, 470 (2002) 185

Reconstituted biological membranes

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Recovery

In vitro study of experimental factors affecting the microdialysis results, 459 (2002) 143

Recycled paper packaging materials

Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Red wine

Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection, 458 (2002) 111

Anthocyanin-derived pigments and colour of red wines, 458 (2002) 147

Redox polymer

Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

Characterization of oxidoreductase-redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared-external reflection spectroscopy, 466 (2002) 201

Reducible

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

REE pattern

Determination of the oxidation state of cerium in rocks by Ce L_{III}-edge X-ray absorption near-edge structure spectroscopy, 468 (2002) 345

Reflectance

Optical fibre sensor for hydrogen sulphide monitoring in mouth air, 471 (2002) 13

Reflectometric interference spectroscopy

Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors, 469 (2002) 37

Refractive index change

Surface plasmon resonance study on enhanced refractive index change of an Ag⁺ ion-sensing membrane containing dithiosquarylium dye, 460 (2002) 133

Regiospecificity

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Regularized forward selection

Determination of organic matter in soils using radial basis function networks and near infrared spectroscopy, 453 (2002) 125

Release

Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, 451 (2002) 285

Reliability

Can plasma spectrochemistry assist in improving the accuracy of chemical analysis?, 456 (2002) 63

Remediation

Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent, 463 (2002) 229

Covalent binding of genetically engineered microorganisms to porous glass beads, 470 (2002) 71

Remote analysis

Development of the continuously variable volume reactor for flow injection analysis. Part 1. Design, capabilities and testing, 455 (2002) 287

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. II. Determination of oxygen at atmospheric pressure, 468 (2002) 323

Remote microwave spectroscopy

Remote microwave wavelength spectrometry using an infrared fibre optic telecommunication network, 463 (2002) 1

Remote near-infrared sensing

Validation of remote, on-line, near-infrared measurements for the classification of demolition waste, 453 (2002) 117

Renewable

Flow system for liquid-solid extraction and pre-concentration using a renewable extracting solid phase, 472 (2002) 141

Renewable microcolumn

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Renewable reagent

Chromium(VI) transport through the Raipore 1030 anion exchange membrane, 464 (2002) 15

Re-Os dating

Simplified method for the Re-Os dating of molybdenite using acid digestion and isotope dilution ICP-MS, 463 (2002) 111

Resacetophenone

Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for their flame atomic absorption spectrometric determination, 454 (2002) 229

Residue

Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-*p*-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies, 457 (2002) 199

Rapid on-site immunoassay for diflubenzuron in grains, 468 (2002) 209

Simultaneous determination of fluorophores with overlapped spectra by sequential injection analysis coupled to variable angle scanning fluorescence spectrometry and multivariate linear regression algorithms, 471 (2002) 173

Contamination of animal feedingstuffs as a cause of residues in food: a review of regulatory aspects, incidence and control, 473 (2002) 3

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

On-line detection of sulfamethazine and sulfadiazine in porcine bile using a multi-channel high-throughput SPR biosensor, 473 (2002) 143

Halofuginone contamination in feeds as a cause of residues in eggs, 473 (2002) 177

Residue analysis

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Resolution

Micellar-organic versus aqueous-organic mobile phases for the screening of β -blockers, 454 (2002) 109

Prediction of the separation of phenols by capillary zone electrophoresis, 458 (2002) 355

Gas chromatographic separation of *R/S*- α -hydroxy fatty acid esters, 465 (2002) 299

Resonance light scattering

Study of the interaction of Azur B with DNA and the determination of DNA based on resonance light scattering measurements, 452 (2002) 285

Resonance Rayleigh scattering

Resonance Rayleigh scattering, frequency doubling scattering and second-order scattering spectra of the heparin-crystal violet system and their analytical application, 468 (2002) 275

ResonSense[®]

ResonSense[®]: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, 457 (2002) 61

Resorcylic acid lactone

Confirmatory analysis method for zearanol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Respiration

Microbial biosensor for *p*-nitrophenol using *Moraxella* sp., 470 (2002) 79

Respirometry

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert[®] 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Tuning the parameters for fast respirometry, 460 (2002) 257

Retinoic acid isomers

Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography – diode-array detection, 468 (2002) 237

Retinoids

Differentiating geometrical isomers of retinoids and controlling their photo-isomerization by complexation with cyclodextrins, 468 (2002) 161

Retinol

Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography – diode-array detection, 468 (2002) 237

Retinyl palmitate

Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography – diode-array detection, 468 (2002) 237

Reversed-phase

Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Reversed-phase liquid chromatography

Micellar-organic versus aqueous-organic mobile phases for the screening of β -blockers, 454 (2002) 109

Development and validation of liquid chromatographic method for the determination of lycopene in plasma, 467 (2002) 115

Phanquinone: a useful fluorescent pre-chromatographic derivatization reagent for liquid chromatographic analyses of amino acid dosage forms, 474 (2002) 11

Reversible

Reversible affinity interactions of antibody molecules at functionalized dendrimer monolayer: affinity-sensing surface with reusability, 456 (2002) 209

Review

High-performance liquid chromatography of fatty acids in biological samples, 465 (2002) 81

Analysis of fatty acids by column liquid chromatography, 465 (2002) 145

Chromatographic separation and identification of conjugated linoleic acid isomers, 465 (2002) 207

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

Rhodamine 19 octadecylamide

Lipophilic derivative of rhodamine 19: characterization and spectroscopic properties, 468 (2002) 13

Rhodamine B

Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, 464 (2002) 289
Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, 469 (2002) 149

Rhodamine B hydrazide

Novel spectrofluorimetric method for the determination of sulfite with rhodamine B hydrazide in a micellar medium, 456 (2002) 121

Rhubarb

Determination of six components in Rhubarb by cyclodextrin-modified micellar electrokinetic chromatography using a mixed micellar system of sodium cholate and sodium taurocholate, 456 (2002) 183

Ring-down

Aerosol analysis by cavity-ring-down laser spectroscopy, 466 (2002) 1

Ring-like deposit

Fluorescence microscopic quantification of DNA with $\alpha,\beta,\gamma,\delta$ -tetakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique, 466 (2002) 193

Risk analysis

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Risk assessment

Contribution of European research to endocrine disruptors, 473 (2002) 161

Risperidone

Simultaneous determination of clozapine, clozapine *N*-oxide, *N*-desmethylclozapine, risperidone, and 9-hydroxyrisperidone in plasma by high performance liquid chromatography with ultraviolet detection, 460 (2002) 201

Ritalin[®]

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

River water

Interactions of Pb(II) with particles of a polluted river, 462 (2002) 73

RLS

Quantitative determination of proteins by the Rayleigh light-scattering technique after optimization of the derivation reaction with Arsenazo-DBS, 459 (2002) 313

Road dust samples

Microwave-assisted digestion procedure for the determination of palladium in road dust, 459 (2002) 257

Robust regression

Robust regression and outlier detection in the evaluation of robustness tests with different experimental designs, 463 (2002) 53

Rockwool

Supported liquid membrane extraction for identification of phenolic compounds in the nutrient solution of closed hydroponic growing systems for tomato, 474 (2002) 49

Roman pigment

Investigation of a Roman age "bulk pigment" found in Vicenza, 475 (2003) 181

Room temperature ionic liquids

Selective fluorescence quenching of polycyclic aromatic hydrocarbons by nitromethane within room temperature ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate, 453 (2002) 89

Room temperature phosphorescence

Determination of trace levels of mercury in water samples based on room temperature phosphorescence energy transfer, 455 (2002) 179

Effect of small organic molecules on room temperature phosphorescence properties of naphthol ternary inclusion complexes in β -cyclodextrin, 463 (2002) 135

Room-temperature fluorimetry

Spectrofluorimetric method for the determination of piroxicam and pyridoxine, 466 (2002) 275

Rosé wines

Multivariate classification of rosé wines from different Spanish protected designations of origin, 458 (2002) 187

Rotating disk electrode (RDE) linear sweep voltammetry

Electrochemical studies on antioxidants in bovine milk, 474 (2002) 137

R-Perindopril

On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

RP-HPLC

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Ruthenium

Direct determination of aluminium in serum and urine by electro-thermal atomic absorption spectrometry using ruthenium as permanent modifier, 464 (2002) 323

Ruthenium(II) trisbipyridyl chelate

Determination of adrenaline by using inhibited Ru(bpy)₃²⁺ electro-chemiluminescence, 471 (2002) 187

S**Salbutamol**

Using on-line solid phase extraction for flow-injection spectrophotometric determination of salbutamol, 455 (2002) 103

Salicylate

Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Saliva

Development of a screening method for cocaine and cocaine metabolites in saliva using hollow fiber membrane solvent microextraction, 458 (2002) 311

Saliva analysis

Development of a non-competitive immunoassay for cortisol and its application to the analysis of saliva, 468 (2002) 315

Sample pretreatment

Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, 467 (2002) 3

Sample shape

From a point-like to an arbitrarily shaped sample. A survey of equations for electron paramagnetic resonance signal intensity calculations, 456 (2002) 129

Sample stability

Influence of the storage conditions on the concentration of clenbuterol in cattle urine samples, 452 (2002) 115

Sampling

Automated control and optimisation of ion mobility spectrometry responses using a sheath-flow inlet, 463 (2002) 143

Sampling devices

Solving the problems of sequential injection systems as process analyzers, 467 (2002) 61

SAMs

Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, 469 (2002) 149

Sb

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Scanning

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Scanning chemiluminescence microscopy

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Scanning electron microscopy

Investigation of a Roman age "bulk pigment" found in Vicenza, 475 (2003) 181

Schizophrenia patients

Simultaneous determination of clozapine, clozapine N-oxide, N-desmethylclozapine, risperidone, and 9-hydroxyrisperidone in plasma by high performance liquid chromatography with ultraviolet detection, 460 (2002) 201

Screening

Spectrofluorimetric method for the rapid screening of toxic heavy metals in water samples, 451 (2002) 203

Internal validation of screening methodology for residues of epitenbolone, trenbolone, epi-nortestosterone and nortestosterone in bovine urine using immunoaffinity cartridges for sample clean-up, 473 (2002) 111

Screening analysis

Estimating the uncertainty of binary test results to assess their compliance with regulatory limits, 455 (2002) 267

Screening method

Application of time-resolved luminescence to dry reagent chemical technology, 452 (2002) 169

Automatic screening method for the rapid and simple discrimination between synthetic and natural colorants in foods, 464 (2002) 237

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Screen-printed

Immobilization of acetylcholinesterase on screen-printed electrodes: comparative study between three immobilization methods and applications to the detection of organophosphorus insecticides, 464 (2002) 171

Screen-printed electrode

All-solid-state planar miniature ion-selective chloride electrode, 451 (2002) 243

Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, 458 (2002) 203

Direct detection of myoglobin in whole blood using a disposable amperometric immunosensor, 460 (2002) 141

Flow amperometric detection of indigo for enzyme-linked immunosorbent assays with use of screen-printed electrodes, 462 (2002) 31

Voltammetric behavior and trace determination of Pb²⁺ at a mercury-free screen-printed silver electrode, 464 (2002) 229

Screen-printing technique

Screen-printable sol-gel ceramic carbon composite pH sensor with a receptor zeolite, 455 (2002) 53

Se

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Se speciation

Speciation analysis of selenium using voltammetric techniques, 467 (2002) 167

Se(VI)

Speciation analysis of selenium using voltammetric techniques, 467 (2002) 167

Sea Nine 211

Headspace solid phase microextraction for the analysis of the new antifouling agents Irgarol 1051 and Sea Nine 211 in natural waters, 468 (2002) 171

Seafood

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electrothermal atomic absorption spectrometry, 452 (2002) 207

Ultrasonic extraction combined with fast furnace analysis as an improved methodology for total selenium determination in seafood by electrothermal-atomic absorption spectrometry, 452 (2002) 217

Seawater

Determination of inorganic antimony species in seawater by differential pulse anodic stripping voltammetry: stability of the trivalent state, 452 (2002) 237

Analysis for Cd, Cu, Ni, Zn, and Mn in estuarine water by inductively coupled plasma mass spectrometry coupled with an automated flow injection system, 455 (2002) 11

Determination of copper in seawater based on a liquid membrane preconcentration system, 460 (2002) 35

In situ osmotic analyzer for the year-long continuous determination of Fe in hydrothermal systems, 463 (2002) 265

Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W-Rh permanent modifier for copper determination in seawater, 463 (2002) 275

Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection, 466 (2002) 261

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Extraction and preconcentration of polychlorinated dibenz-p-dioxins using the cloud-point methodology. Application to their determination in water samples by high-performance liquid chromatography, 470 (2002) 205

SEB

Development of a tetramethylrhodamine-labeled probe for a capillary electrophoresis-based competitive immunoassay of staphylococcal enterotoxin B, 457 (2002) 21

Second derivatives

Matched filtering with background suppression for improved quality of base peak chromatograms and mass spectra in liquid chromatography-mass spectrometry, 454 (2002) 167

Secondary amines

Development of a generic flow-injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. Part II. Selection and evaluation of the chemical reaction parameters, 455 (2002) 117

Second-order bilinear calibration

Limit of detection estimator for second-order bilinear calibration, 451 (2002) 313

Second-order scattering

Resonance Rayleigh scattering, frequency doubling scattering and second-order scattering spectra of the heparin-crystal violet system and their analytical application, 468 (2002) 275

Frequency doubling scattering and second-order scattering technology as novel methods for the determination of the inclusion constant of procaine hydrochloride to β -cyclodextrin, 472 (2002) 89

Sediment

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electrothermal atomic absorption spectrometry, 452 (2002) 207

Principal component analysis application in polycyclic aromatic hydrocarbons "mussel watch" analyses for source identification, 461 (2002) 201

Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel, 466 (2002) 93

Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electrothermal atomic absorption spectrometry following sequential extraction, 466 (2002) 303

Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, 468 (2002) 335

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Sediment and colloid fractionation

Assessment of the distribution of pesticides on soil particle fractions in simulated irrigation run-off using centrifugal SPLITT fractionation and ELISA, 468 (2002) 199

Sediment samples

Determination of some trace metals in water and sediment samples by flame atomic absorption spectrometry after coprecipitation with cerium (IV) hydroxide, 452 (2002) 231

Seed oils

Investigations of the adulteration of extra virgin olive oils with seed oils using their weak chemiluminescence, 464 (2002) 135

Selective separation

Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, 456 (2002) 147

Selectivity

Towards the optimization of an optical DNA sensor: control of selectivity coefficients and relative surface affinities, 457 (2002) 29

Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, 470 (2002) 163

Optimized separation of pharmacologically active xanthones from *Securidaca inappendiculata* by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography, 474 (2002) 37

Selectivity filter

Sensitive electrochemical detection of ozone, 459 (2002) 199

Selenastrum capricornutum

Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays, 456 (2002) 303

Selenium

Ultrasonic extraction combined with fast furnace analysis as an improved methodology for total selenium determination in seafood by electrothermal-atomic absorption spectrometry, 452 (2002) 217

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid prereduction and cupferron chelation-extraction, 459 (2002) 161

Selenocystine

Speciation analysis of selenium using voltammetric techniques, 467 (2002) 167

Self-assembled monolayer (SAM)

Development of an immunosensor for human ferritin, a nonspecific tumor marker, based on a quartz crystal microbalance, 453 (2002) 181

Effect of hydrogel matrix on binding kinetics of protein–protein interactions on sensor surface, 456 (2002) 201

Voltammetric determination of DNA hybridization using methylene blue and self-assembled alkanethiol monolayer on gold electrodes, 462 (2002) 39

Low density lipoprotein interaction with amino acid-modified self assembled monolayers on surface plasmon resonance surfaces, 470 (2002) 3

Self-modeling curve resolution

On the ambiguity of self-modeling curve resolution: orthogonal projection approach analysis of the on-line Fourier transform-Raman spectra of styrene/1,3-butadiene block-copolymerization, 460 (2002) 73

Self-ordered ring (SOR) technique

Fluorescent microscopic determination of cadmium in water samples with the self-ordered ring of $\alpha,\beta,\gamma,\delta$ -tetra(5-sulfophenyl)-porphine formed on the solid support of glass slides, 453 (2002) 97

Semi-infinite diffusion

Determination of diffusion profiles of silver ions in soda-lime–silica glass by X-ray fluorescence spectrometry, 459 (2002) 305

Semi-quantitative analysis

Estimating the uncertainty of binary test results to assess their compliance with regulatory limits, 455 (2002) 267

Semi-quantitative mode

Advantages and limitations of the semi-quantitative operation mode of an inductively coupled plasma-mass spectrometer for multi-element analysis of wines, 463 (2002) 165

Sensitive layer

Polyaniline as a new sensitive layer for gas sensors, 475 (2003) 1

Sensor

Conducting polymer-based array for the discrimination of odours from trim plastic materials used in automobiles, 455 (2002) 41

Zn(II)-selective membrane electrode based on tetra(2-aminophenyl) porphyrin, 460 (2002) 177

Development of integrated chemiluminescence flow sensor for the determination of adrenaline and isoproterenol, 463 (2002) 257

Sensor array

Determination of calcium and total hardness in natural waters using a potentiometric sensor array, 464 (2002) 89

Quantitative fuzzy neural network for analytical determination, 468 (2002) 105

Sensor chip CMS

Effect of hydrogel matrix on binding kinetics of protein–protein interactions on sensor surface, 456 (2002) 201

Sensor property

Ion-sensor property and blood compatibility of neutral-carrier-type poly(vinyl chloride) membranes coated by phosphorylcholine polymers, 463 (2002) 31

Separating demolition waste

Validation of remote, on-line, near-infrared measurements for the classification of demolition waste, 453 (2002) 117

Separation

Sulfonamide imprinted polymers using co-functional monomers, 452 (2002) 277

Flow system with in-line separation/preconcentration coupled to graphite furnace atomic absorption spectrometry with W–Rh permanent modifier for copper determination in seawater, 463 (2002) 275

Isolation and separation of individual long-chain acyl-coenzyme A esters, 465 (2002) 427

Separation of Sr from Ca, Ba and Ra by means of $\text{Ca}(\text{OH})_2$ and $\text{Ba}(\text{Ra})\text{Cl}_2$ or $\text{Ba}(\text{Ra})\text{SO}_4$ for the determination of radiostrontium, 466 (2002) 109

Sequential extraction

Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash, 451 (2002) 285

Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electrothermal atomic absorption spectrometry following sequential extraction, 466 (2002) 303

Continuous-flow system for reduction of metal reabsorption during sequential extraction of soil, 472 (2002) 147

Sequential immunoassay

Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, 453 (2002) 63

Sequential injection (SI)

Development of an automated sequential injection on-line solvent extraction-back extraction procedure as demonstrated for the determination of cadmium with detection by electrothermal atomic absorption spectrometry, 456 (2002) 283

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonate acid in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, 464 (2002) 295

Implementation of suitable flow injection/sequential injection-sample separation/preconcentration schemes for determination of trace metal concentrations using detection by electrothermal atomic absorption spectrometry and inductively coupled plasma mass spectrometry, 467 (2002) 3

Solving the problems of sequential injection systems as process analyzers, 467 (2002) 61

Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction, 469 (2002) 129

Sequential injection analysis

Spectrofluorimetric determination of aluminum in drinking waters by sequential injection analysis, 457 (2002) 311

Quinohemoprotein alcohol dehydrogenase-based reagentless amperometric biosensor for ethanol monitoring during wine fermentation, 463 (2002) 39

Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection, 467 (2002) 25

On-line determination of iron(II) and iron(III) using a spectro-photometric sequential injection system, 467 (2002) 35

Determination of chromium(III) and chromium(VI) by use of a spectrophotometric sequential injection system, 467 (2002) 51

On-line simultaneous determination of S- and R-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

Simultaneous determination of fluorophores with overlapped spectra by sequential injection analysis coupled to variable angle scanning fluorescence spectrometry and multivariate linear regression algorithms, 471 (2002) 173

SERS

Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform, 469 (2002) 149

Serum

Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

Serum and urine

Piezoelectric quartz crystal sensors based on ion-pair complexes for the determination of cinchonine in human serum and urine, 454 (2002) 65

Serum lactate dehydrogenase activity

Amperometric determination of serum lactate dehydrogenase activity using an ADP-modified graphite electrode, 457 (2002) 275

SFE

Supercritical fluid extraction of organochlorine pesticides and some metabolites in frogs from National Park of Ordesa and Monte Perdido, 464 (2002) 303

Sheath-flow inlet

Automated control and optimisation of ion mobility spectrometry responses using a sheath-flow inlet, 463 (2002) 143

Shell method

From a point-like to an arbitrarily shaped sample. A survey of equations for electron paramagnetic resonance signal intensity calculations, 456 (2002) 129

SIA

Simultaneous potentiometric and fluorimetric determination of diclofenac in a sequential injection analysis system, 470 (2002) 185

Signal generation techniques

Coupling conducting polymers and mediated electrochemical responses for the detection of *Listeria*, 475 (2003) 37

Signal intensity calculation

From a point-like to an arbitrarily shaped sample. A survey of equations for electron paramagnetic resonance signal intensity calculations, 456 (2002) 129

Signal intensity profile

Radial and longitudinal profiles of the electron paramagnetic resonance signal intensity of a single TE₁₀₂ rectangular cavity. A three-dimensional surface plot for a point-like sample, 464 (2002) 163

Signal shift

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Signal-to-noise ratio

Use of wavelet transform to enhance piezoelectric signals for analytical purposes, 456 (2002) 93

Silica gel

Silica gel functionalized with resacetophenone: synthesis of a new chelating matrix and its application as metal ion collector for their flame atomic absorption spectrometric determination, 454 (2002) 229

Silica nanoparticles

Immobilization of oligonucleotides onto silica nanoparticles for DNA hybridization studies, 470 (2002) 51

Silicate

Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, 455 (2002) 315

Silicon

Methods for coating filter paper for solid-phase microextraction with luminescence detection and characterization of the coated filter paper by infrared spectrometry, 474 (2002) 77
Polyaniline as a new sensitive layer for gas sensors, 475 (2003) 1

Silver

Determination of trace silver in superalloys and steels by inductively coupled plasma-mass spectrometry, 451 (2002) 329

Synthesis of amidinothioureido-silica gel and its application to flame atomic absorption spectrometric determination of silver, gold and palladium with on-line preconcentration and separation, 452 (2002) 223

Characterization of jewellery products by laser-induced breakdown spectroscopy, 457 (2002) 247

Voltammetric behavior and trace determination of Pb^{2+} at a mercury-free screen-printed silver electrode, 464 (2002) 229

Silver chloride collosol

Study on the new fluorescence enhancement system of Tb-1,10-bis(2'-carboxylphenyl)-1,4,7,10-tetraoxadecane in silver chloride collosol and its analytical application, 468 (2002) 287

Silver electrode

Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, 457 (2002) 285

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Silver ion-selective electrode

Calix[2]furan[2]pyrrole and related compounds as the neutral carrier in silver ion-selective electrode, 453 (2002) 81

Silver(I) determination

Study on the new fluorescence enhancement system of Tb-1,10-bis(2'-carboxylphenyl)-1,4,7,10-tetraoxadecane in silver chloride collosol and its analytical application, 468 (2002) 287

Silver-selective electrodes

Novel Ag^+ ion-selective electrodes based on two new mixed azathioether crowns containing a 1,10-phenanthroline sub-unit, 462 (2002) 225

SIMCA

Classification and quantitation of finishing oils by near infrared spectroscopy, 463 (2002) 295

SIMCA models

Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, 472 (2002) 161

Simplisma

Comparison of various chemometric evaluation approaches for on-line FT-NIR transmission and FT-MIR/ATR spectroscopic

data of methyl methacrylate solution polymerization, 452 (2002) 265

Simultaneous analysis

Strategy and principles of the simultaneous analysis of prostanooids by gas chromatography/mass spectrometry/selected-ion monitoring, 465 (2002) 379

Simultaneous assay

Simultaneous flow-injection assay of creatinine and creatine in serum by the combined use of a 16-way switching valve, some specific enzyme reactors and a highly selective hydrogen peroxide electrode, 462 (2002) 283

Solving the problems of sequential injection systems as process analyzers, 467 (2002) 61

Simultaneous detection

On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

Simultaneous determination

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Simultaneous determination of silicate and phosphate in boiler water at power plants based on series flow cells by using flow injection spectrophotometry, 455 (2002) 315

Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxycillin and clavulanic acid by stopped-flow kinetic analysis, 463 (2002) 75

A simple automated method for the speciation of dissolved inorganic nitrogen in seawater, 469 (2002) 235

Integration of bienzymatic disaccharide sensors for simultaneous determination of disaccharides by means of light addressable potentiometric sensor, 471 (2002) 3

Simultaneous immunoassay

Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection, 453 (2002) 63

Simultaneous sample preparation

Simultaneous sample preparation for high-performance liquid chromatographic determination of Vitamin A and β -carotene in emulsified nutritional supplements after solid-phase extraction, 463 (2002) 21

Single molecule

Ultrasensitive chemiluminescence detection of aM vanadium(IV) by capillary electrophoresis, 456 (2002) 177

Single rectangular cavity

Radial and longitudinal profiles of the electron paramagnetic resonance signal intensity of a single TE₁₀₂ rectangular cavity. A

three-dimensional surface plot for a point-like sample, 464 (2002) 163

Singlet oxygen

Simple and convenient chemiluminescence method for the determination of melatonin, 455 (2002) 193

Site-selectivity

Determination of hydrogen peroxide using glassy carbon and graphite/polyester composite electrodes modified by vanadium-doped zirconias, 452 (2002) 11

Site-specific immobilization

Electron paramagnetic resonance spin label titration: a novel method to investigate random and site-specific immobilization of enzymes onto polymeric membranes with different properties, 470 (2002) 29

Skatole

Homogeneous stopped-flow fluoroimmunoassay using europium as label, 460 (2002) 271

Skeletal muscle

Determination of long-chain fatty acids in heart and skeletal muscle by capillary gas chromatography, 465 (2002) 351

Skin

Effects of enzyme treatment and skin extraction on varietal volatiles in Spanish wines made from Chardonnay, Muscat, Airén, and Macabeo grapes, 458 (2002) 39

Sludge

Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, 468 (2002) 335

Small organic molecules

Effect of small organic molecules on room temperature phosphorescence properties of naphthal ternary inclusion complexes in β -cyclodextrin, 463 (2002) 135

Smooth muscle cells

Novel nitric oxide microsensor and its application to the study of smooth muscle cells, 455 (2002) 199

Sn

Determination of tin in soil by continuous hydride generation and inductively coupled plasma mass spectrometry, 456 (2002) 263
Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Soda

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Sodium bismuthate

Chemiluminescence flow-through sensor for pipemidic acid using solid sodium bismuthate as an oxidant, 459 (2002) 19

Sodium diclofenac

Simultaneous determination of methylparaben, propylparaben, sodium diclofenac and its degradation product in a topical emulgel by reversed-phase liquid chromatography, 467 (2002) 91

Simultaneous potentiometric and fluorimetric determination of diclofenac in a sequential injection analysis system, 470 (2002) 185

Sodium dodecyl sulphate

Direct injection micellar liquid chromatographic method for the analysis of corticosteroids in creams, ointments and other pharmaceuticals, 454 (2002) 125

Sodium dodecylbenzene sulfonate

Novel assay of thiamine based on its enhancement of total internal reflected resonance light scattering signals of sodium dodecylbenzene sulfonate at the water/tetrachloromethane interface, 475 (2003) 151

Sodium dodecylsulfate

Evaluation of hydrophobic properties of sodium dodecylsulfate/ γ -alumina admicelles based on fluorescence spectra of *N*-phenyl-1-naphthylamine, 454 (2002) 203

Sodium ethylenediaminetetraacetate

Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Sodium hydrosulfite

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Sodium monofluorophosphate

Determination of the sodium monofluorophosphate in a hardened cement paste by ion chromatography, 472 (2002) 37

Sodium persulfate

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Soft independent modelling of class analogy

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Soil

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Determination of organic matter in soils using radial basis function networks and near infrared spectroscopy, 453 (2002) 125

Improvement of UV spectrophotometry methodology for the determination of total polycyclic aromatic compounds in contaminated soils, 453 (2002) 245

Determination of tin in soil by continuous hydride generation and inductively coupled plasma mass spectrometry, 456 (2002) 263

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Microwave digestion of sludge, soil and sediment samples for metal analysis by inductively coupled plasma-atomic emission spectrometry, 468 (2002) 335

Determination of chlorophenoxy acid herbicides and their esters in soil by capillary high performance liquid chromatography with ultraviolet detection, using large volume injection and temperature gradient, 470 (2002) 147

Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, 473 (2002) 27

Soil bacteria

Use of bioluminescent bacterial sensors as an alternative method for measuring heavy metals in soil extracts, 456 (2002) 55

Soil extraction

Use of bioluminescent bacterial sensors as an alternative method for measuring heavy metals in soil extracts, 456 (2002) 55

Solenoid pumps

Multi-pumping in flow analysis: concepts, instrumentation, potentialities, 466 (2002) 125

Sol-gel

Bienzymatic amperometric biosensor for glucose based on poly-pyrrole/ceramic carbon as electrode material, 451 (2002) 251

Screen-printable sol-gel ceramic carbon composite pH sensor with a receptor zeolite, 455 (2002) 53

Stability of new optical pH sensing material based on cross-linked poly(vinyl alcohol) copolymer, 455 (2002) 207

Reagentless pH-based biosensing using a fluorescently-labelled dextran co-entrapped with a hydrolytic enzyme in sol-gel derived nanocomposite films, 457 (2002) 47

Novel fiber-optic biosensor based on immobilized glutathione *S*-transferase and sol-gel entrapped bromcresol green for the determination of atrazine, 460 (2002) 151

Properties and applications of proteins encapsulated within sol-gel derived materials, 461 (2002) 1

Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, 462 (2002) 11

Characteristics of the hydrogen ion-sensitive field effect transistors with sol-gel-derived lead titanate gate, 469 (2002) 205

Screening of antagonists based on induced dissociation of a calmodulin-melittin interaction entrapped in a sol-gel derived matrix, 470 (2002) 19

Solid phase extraction (SPE)

Molecularly imprinted polymers for on-line preconcentration by solid phase extraction of pirimicarb in water samples, 451 (2002) 297

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Determination of polyethoxylated non-ionic surfactants using potentiometric flow injection systems.. Improvement of the detection limits employing an on-line pre-concentration stage, 454 (2002) 217

Using on-line solid phase extraction for flow-injection spectrophotometric determination of salbutamol, 455 (2002) 103

Determination of volatile phenols in fino sherry wines, 458 (2002) 95

Simultaneous sample preparation for high-performance liquid chromatographic determination of Vitamin A and β-carotene in emulsified nutritional supplements after solid-phase extraction, 463 (2002) 21

Time-resolved laser-induced fluorimetry for screening polycyclic aromatic hydrocarbons on solid-phase extraction membranes, 464 (2002) 261

Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonate in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, 464 (2002) 295

Spectrofluorimetric method for the determination of piroxicam and pyridoxine, 466 (2002) 275

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Development and validation of liquid chromatographic method for the determination of lycopene in plasma, 467 (2002) 115

Sensitive capillary electrophoresis microchip determination of tri-nitroaromatic explosives in nonaqueous electrolyte following solid phase extraction, 469 (2002) 253

Simultaneous analysis of six antiepileptic drugs and two selected metabolites in human plasma by liquid chromatography after solid-phase extraction, 472 (2002) 1

Solid phase microextraction

Development of a solid-phase microextraction method for the determination of phthalic acid esters in water, 457 (2002) 211

Determination of ethylphenol compounds in wine by headspace solid-phase microextraction in conjunction with gas chromatography and flame ionization detection, 458 (2002) 111

Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO₂ suspensions, 467 (2002) 233

Solid sample digestion

Determination of Cd, Cu, Pb and Zn in environmental samples: microwave-assisted total digestion versus aqua regia and nitric acid extraction, 462 (2002) 59

Solid substrate room temperature phosphorescence immunoassay (SS-RTP-IA)

Solid substrate room temperature phosphorescence immunoassay based on an antibody labeled with tetramethylrhodamine B isothiocyanate, 470 (2002) 121

Solid-matrix fluorescence and phosphorescence

Methods for coating filter paper for solid-phase microextraction with luminescence detection and characterization of the coated filter paper by infrared spectrometry, 474 (2002) 77

Solid-matrix luminescence

Time-resolved laser-induced fluorimetry for screening polycyclic aromatic hydrocarbons on solid-phase extraction membranes, 464 (2002) 261

Solid-phase oxidant

Chemiluminescence flow-through sensor for pipemidic acid using solid sodium bismuthate as an oxidant, 459 (2002) 19

Solid-state sensor array platform

Integrated chemical sensor array platform based on a light emitting diode, xerogel-derived sensor elements, and high-speed pin printing, 470 (2002) 101

Solvent extraction

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Effect of 1,10-phenanthroline on the extraction and separation of lithium(I), sodium(I) and potassium(I) with thenoyltrifluoroacetone, 454 (2002) 241

Solvent mixtures

Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol-water mixtures, 455 (2002) 335

Solvent polymeric membrane

Chronocoulometric flow-injection analysis with solvent polymeric membrane ion sensors, 459 (2002) 11

Somatotropin

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Sonic spray ionization

Sonic spray ionization interface for liquid chromatography-mass spectrometry, 468 (2002) 263

Sorption

Determination of gallic acid with 4-nitrobenzenediazonium tetrafluoroborate by diffuse reflectance spectrometry on polyurethane foam, 469 (2002) 295

SOS response

SOS-LUX- and LAC-FLUORO-TEST for the quantification of genotoxic and/or cytotoxic effects of heavy metal salts, 456 (2002) 31

Spacer arm

Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity, 475 (2003) 85

SPE

Development of a tandem thin-layer chromatography-high-performance liquid chromatography method for the identification and determination of corticosteroids in cosmetic products, 457 (2002) 187

Determination of amitraz and other acaricide residues in beeswax, 475 (2003) 97

Speciation

Determination of As(III) and arsenic(V) in natural waters by cathodic stripping voltammetry at a hanging mercury drop electrode, 459 (2002) 151

Heavy metal mobility assessment in sediments based on a kinetic approach of the EDTA extraction: search for optimal experimental conditions, 459 (2002) 245

Interactions of Pb(II) with particles of a polluted river, 462 (2002) 73

Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt, 466 (2002) 285

On-line determination of iron(II) and iron(III) using a spectrophotometric sequential injection system, 467 (2002) 35

Simultaneous determination of chromium(VI) and chromium(III) at trace levels by adsorptive stripping voltammetry, 470 (2002) 241

Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 471 (2002) 121

Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, 474 (2002) 147

Flow-injection determination of chromium(III) by its catalysis on the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3-methoxyaniline, 474 (2002) 167

Speciation analysis

Investigation on the geometric and matrix effects and quantitative determination of K, Cl and S atomic fraction for biomass burning particles by Monte Carlo simulation, 459 (2002) 93

Determination of chromium(III) and chromium(VI) by use of a spectrophotometric sequential injection system, 467 (2002) 51

Speciation kinetics

Analysis of copper complex lability using ⁶⁴Cu-equilibration techniques and free-ion selective radiotracer extraction, 464 (2002) 141

Spectral deconvolution

Spectral curve deconvolution in micellar systems with H-point curve isolation and H-point standard addition methods, 459 (2002) 119

Spectral interferences

Study of chemical and spectral interferences in the simultaneous determination of As, Bi, Sb, Se and Sn by hydride generation inductively coupled plasma atomic emission spectrometry, 468 (2002) 71

Spectrofluorimetric

Direct spectrofluorimetric determination of glutathione in biological samples using 5-maleimidyl-2-(*m*-methylphenyl) benzoxazole, 451 (2002) 211

Spectrofluorimetric biparameter sensor

Use of a solid sensing zone implemented with unsegmented flow analysis for simultaneous determination of thiabendazole and warfarin, 459 (2002) 235

Spectrofluorimetric method

Spectrofluorimetric study of the β -cyclodextrin-dapsone-linear alcohol supramolecular system and determination of dapsone, 469 (2002) 273

Spectrofluorimetry

Spectrofluorimetric determination of hydrogen peroxide scavenging activity, 452 (2002) 177

Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149

Novel spectrofluorimetric method for the determination of sulfite with rhodamine B hydrazide in a micellar medium, 456 (2002) 121

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Simultaneous determination of fluorophores with overlapped spectra by sequential injection analysis coupled to variable angle scanning fluorescence spectrometry and multivariate linear regression algorithms, 471 (2002) 173

Spectrofluorometry

Direct and simultaneous spectrofluorometric determination of naproxen and salicylate in human serum assisted by chemometric analysis, 471 (2002) 87

Spectrometric techniques

Study of solvent effects on the acid-base behaviour of adenine, adenosine 3',5'-cyclic monophosphate and poly(adenylic) acid in acetonitrile-water mixtures using hard-modelling and soft-modelling approaches, 471 (2002) 145

Spectrophotometric

Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II), 469 (2002) 303

Flow system for liquid-solid extraction and pre-concentration using a renewable extracting solid phase, 472 (2002) 141

Spectrophotometric determination

Spectrophotometric determination of trace ionic and non-ionic surfactants based on a collection on a membrane filter as the ion associate of the surfactant with Erythrosine B, 455 (2002) 83

Spectrophotometric pH

Spectrophotometric pH measurements of freshwater, 453 (2002) 13

Spectrophotometry

Spectrophotometric measurement of total inorganic carbon in aqueous solutions using a liquid core waveguide, 451 (2002) 221

Direct spectrophotometric determination of calcium in clinical samples with carboxyazo-*p*-CH₃, 452 (2002) 303

Spectrophotometric catalytic determination of Fe(III) in estuarine waters using a flow-batch system, 455 (2002) 327

Spectrophotometric analysis of iodide oxidation by chlorine in highly mineralized solutions, 456 (2002) 105

Sensitized spectrophotometric determination of trace Hg(II) in benzalkonium chloride media, 459 (2002) 75

Rapid spectrophotometric determination of fosfostrol following on-line hydrolysis by alkaline phosphatase using flow injection and chasing zones, 462 (2002) 119

Spectrophotometric determination of metal ions in electroplating solutions in the presence of EDTA with the aid of multivariate calibration and artificial neural networks, 463 (2002) 305

Multi-pumping in flow analysis: concepts, instrumentation, potentialities, 466 (2002) 125

Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectrophotometric sequential injection procedures, 466 (2002) 345

Automated spectrophotometric determination of clomipramine on a multicommuted flow system, 467 (2002) 75

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

Spectrophotometric determination of phytic acid in plant extracts using a multi-pumping flow system, 474 (2002) 161

Flow-injection determination of chromium(III) by its catalysis on the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulopropyl)-3-methoxyaniline, 474 (2002) 167

Spectrophotometry (¹DD)

Stability indicating spectrophotometric methods for determination of glafenine using first derivative of ratio spectra and chemometric techniques, 461 (2002) 155

Spectroscopic techniques

Outer product analysis of electronic nose and visible spectra: application to the measurement of peach fruit characteristics, 459 (2002) 107

Spectrum-structure correlation

Visible spectrophotometric determination of metal ions: the influence of structure on molar absorptivity value of copper(II) complexes in aqueous solution, 459 (2002) 323

SPE-electrode

Sensitive electrochemical detection of ozone, 459 (2002) 199

Spent PWR fuels

Determination of Ru, Rh, Pd, Te, Mo and Zr in spent pressurized water reactor fuels by ion exchange and extraction chromatographic separations and inductively coupled plasma atomic emission spectrometric analysis, 475 (2003) 171

S-Perindopril

On-line simultaneous determination of *S*- and *R*-perindopril using amperometric biosensors as detectors in flow systems, 467 (2002) 189

SP-HPLC

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Spirits

Characterisation of young Cognac spirit aromatic quality, 458 (2002) 191

SPLITT cell fractionation

Dimensional and elemental characterization of suspended particulate matter in natural waters: quantitative aspects in the integrated ultrafiltration, split-flow thin cell and inductively coupled plasma-atomic emission spectrometry approach, 470 (2002) 253

Spoilage

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Spot-test

Simple method for colorimetric spot-test quantitative analysis of Fe(III) using a computer controlled hand-scanner, 471 (2002) 97

SPR biosensor

Effect of hydrogel matrix on binding kinetics of protein-protein interactions on sensor surface, 456 (2002) 201

SPR optical biosensor

On-line detection of sulfamethazine and sulfadiazine in porcine bile using a multi-channel high-throughput SPR biosensor, 473 (2002) 143

20(S)-Protopanaxatriol

Enzyme-linked immunosorbent assay for the determination of 20(S)-protopanaxatriol, 462 (2002) 157

SPR sensor

Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode, 475 (2003) 47

Square wave voltammetry

A "virtual" electroanalytical instrument for square wave voltammetry, 467 (2002) 179

Sr

Determination of actinides and strontium in fish samples by extraction chromatography, 458 (2002) 367

SrCO₃-based sensor

Nanosized SrCO₃-based chemiluminescence sensor for ethanol, 466 (2002) 69

SRM 2710

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

SRM 2711

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Stability constants

Classification of metal ions according to their complexing properties: a data-driven approach, 455 (2002) 131

Stabilization

Polyelectrolyte-stabilized biosensors based on macroporous carbon electrode, 467 (2002) 217

Stable isotopes

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Standard

Accurate and precise lithium isotopic determinations of igneous rock samples using multi-collector inductively coupled plasma mass spectrometry, 456 (2002) 271

Standard addition

Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectro-photometric sequential injection procedures, 466 (2002) 345

Standard Gibbs free energy for ion transfer

Evaluation of Gibbs free energy for the transfer of a highly hydrophilic ion from an acidic aqueous solution to an organic solution based on ion pair extraction, 452 (2002) 149

Standard reference materials

Development and application of a micro-digestion device for elemental analysis of biological samples, 451 (2002) 279

Standardized sequential extraction

Determination of Al, Cu, Fe, Mn, Pb and Zn in certified reference materials using the optimized BCR sequential extraction procedure, 454 (2002) 249

Stanozolol

Analytical possibilities for the detection of stanozolol and its metabolites, 473 (2002) 39

Staphylococcal enterotoxin B

Development of a tetramethylrhodamine-labeled probe for a capillary electrophoresis-based competitive immunoassay of staphylococcal enterotoxin B, 457 (2002) 21

Starch-iodine film

Starch-iodine films respond to water vapor, 455 (2002) 49

Static headspace

Aroma composition of wine studied by different extraction methods, 458 (2002) 85

Static-dynamic extraction mode

Static-dynamic pressurized hot water extraction coupled to on-line filtration-solid-phase extraction-high-performance liquid chromatography-post-column derivatization-fluorescence detection for the analysis of *N*-methylcarbamates in foods, 463 (2002) 189

Stationary phase tuning

Analysis of fatty acids in foods by supercritical fluid chromatography, 465 (2002) 131

Statistical analysis

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert® 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Steels

Determination of trace silver in superalloys and steels by inductively coupled plasma-mass spectrometry, 451 (2002) 329

Stereoselective antibodies

Enantioselective sequential-injection chemiluminescence immunoassays for 3,3'-5-triiodothyronine (T_3) and thyroxine (T_4), 463 (2002) 5

Stereospecificity

Chromatographic analysis of lipoxygenase products, 465 (2002) 319

Steroid hormone receptor

Detection of illegal growth promoters in biological samples using receptor binding assays, 473 (2002) 135

Steroid hormones

Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, 473 (2002) 27

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Steroids

Sonic spray ionization interface for liquid chromatography-mass spectrometry, 468 (2002) 263

Screening and confirmatory strategies for the surveillance of anabolic steroid abuse within Northern Ireland, 473 (2002) 99

Stilbenes

Direct liquid chromatographic analysis of resveratrol derivatives and flavanols in wines with absorbance and fluorescence detection, 458 (2002) 103

Stoichiometry

Determination of stoichiometry of $\text{Li}_{1+x}\text{CoO}_2$ materials by flame atomic absorption spectrometry and automated potentiometric titration, 455 (2002) 35

Stokes' shift

Natively fluorescent isoflavones exhibiting anomalous Stokes' shifts, 468 (2002) 3

Stopped-flow

Homogeneous stopped-flow fluoroimmunoassay using europium as label, 460 (2002) 271

Fourier transform infrared spectrometric strategies for the determination of Buprofezin in pesticide formulations, 468 (2002) 81

Stopped-flow kinetic analysis

Comparative study of net analyte signal-based methods and partial least squares for the simultaneous determination of amoxicillin and clavulanic acid by stopped-flow kinetic analysis, 463 (2002) 75

Stress

Quantifying catecholamines using multi-way kinetic modelling, 475 (2003) 137

Striatum

New microdialysis-electrochemical device for simultaneous determination of ascorbic acid and 5-hydroxyindole-3-acetic acid in rat striatum, 458 (2002) 337

Stripping voltammetry

Perfluorinated anion-exchange polymer mercury film electrode for anodic stripping voltammetric determination of zinc(II): effect of model organic compounds, 454 (2002) 93

Electrochemical and quartz crystal microbalance studies of lead(II) deposition and stripping in the presence of copper on a gold electrode modified with 2,2'-bipyridyl in polyaniline, 455 (2002) 69

Determination of As(III) and arsenic(V) in natural waters by cathodic stripping voltammetry at a hanging mercury drop electrode, 459 (2002) 151

A "virtual" electroanalytical instrument for square wave voltammetry, 467 (2002) 179

Simultaneous determination of chromium(VI) and chromium(III) at trace levels by adsorptive stripping voltammetry, 470 (2002) 241

Stripping with nitrogen

Aroma composition of wine studied by different extraction methods, 458 (2002) 85

Strongly acidic cation-exchange resin

Vacancy ion-exclusion chromatography of carboxylic acids on a strongly acidic cation-exchange resin, 474 (2002) 31

Strontium-90

Separation of Sr from Ca, Ba and Ra by means of $\text{Ca}(\text{OH})_2$ and $\text{Ba}(\text{Ra})\text{Cl}_2$ or $\text{Ba}(\text{Ra})\text{SO}_4$ for the determination of radiostrontium, 466 (2002) 109

Strontium

High-sensitivity measurements of strontium isotopes in polar ice, 469 (2002) 225

Comparative study of quenching correction procedures for $^{90}\text{Sr}/^{90}\text{Y}$ determination by Cerenkov, liquid scintillation and plastic scintillation techniques, 471 (2002) 135

Structural composition

Sorption of aquatic humic matter by DAX-8 and XAD-8 resins. Comparative study using pyrolysis gas chromatography, 471 (2002) 219

Styrene/1,3-butadiene

On the ambiguity of self-modeling curve resolution: orthogonal projection approach analysis of the on-line Fourier transform-Raman spectra of styrene/1,3-butadiene block-copolymerization, 460 (2002) 73

Subarachnoid administration

Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, 459 (2002) 177

Subcritical water chromatography

Separation of polar and non-polar analytes using dimethyl sulfoxide-modified subcritical water, 460 (2002) 185

Subset selection

Representative subset selection, 468 (2002) 91

Subtractive anodic stripping voltammetry

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Successive reaction

Two-rate method for simultaneous kinetic determination based on detecting the reagent in successive reactions, 464 (2002) 153

Sucrose

Yeast cells sucrose biosensor based on a potentiometric oxygen electrode, 458 (2002) 215

Sulfadiazine

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Sulfide

Differential pulse cathodic stripping voltammetric determination of nanomolar levels of dissolved sulfide applicable to field analysis of groundwater, 459 (2002) 209

Sulfide ions

Voltammetric investigation on sulfide ions in aqueous solutions with mercury-coated platinum microelectrodes, 464 (2002) 217

Methylene blue potentiometric sensor for selective determination of sulfide ions, 466 (2002) 47

Sulfite

Novel spectrofluorimetric method for the determination of sulfite with rhodamine B hydrazide in a micellar medium, 456 (2002) 121

Sulfonamide

Sulfonamide imprinted polymers using co-functional monomers, 452 (2002) 277

Sulfonamide-type di-Schiff base ligands as chelate extraction reagents for divalent metal cations, 466 (2002) 295

On-line detection of sulfamethazine and sulfadiazine in porcine bile using a multi-channel high-throughput SPR biosensor, 473 (2002) 143

Sulfonylurea

Resolution of overlapped NMR spectra by two-way multivariate curve resolution alternating least squares with imbedded kinetic fitting, 459 (2002) 277

Molecularly imprinted polymer for metsulfuron-methyl and its binding characteristics for sulfonylurea herbicides, 468 (2002) 217

Sulfonylurea herbicides

Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow

liquid-liquid extraction combined with supported liquid membrane, 455 (2002) 93

Development of a rapid, specific fluorescence polarization immunoassay for the herbicide chlorsulfuron, 468 (2002) 229

Sulfur dioxide

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

Sulfur dioxide determination

Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. Part I. Absolute determination of transition line strengths and sample concentrations with a confocal Fabry-Perot cavity spectrometer, 466 (2002) 57

Sulphur compounds

Volatile sulphur compounds in wines related to yeast metabolism and nitrogen composition of grape musts, 458 (2002) 157

Sumithion

Determination of organophosphorus aromatic nitro insecticides by using electric-field cell orientation in microbial suspensions, 462 (2002) 165

Sunscreen

Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, 462 (2002) 209

Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonic acid in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, 464 (2002) 295

Sunscreen cosmetic products

Cleaning validation in the toiletries industry, 467 (2002) 261

Superalloys

Determination of trace silver in superalloys and steels by inductively coupled plasma-mass spectrometry, 451 (2002) 329

Supercritical fluid chromatography

Analysis of fatty acids in foods by supercritical fluid chromatography, 465 (2002) 131

Supercritical fluids

Study of adsorption processes of model drugs at supercritical conditions using partial least squares regression, 452 (2002) 311

Superoxide anion radical

w>Studies on catalytic spectrophotometry using β -cyclodextrin polymer-Schiff base metal complex as mimetic enzyme, 459 (2002) 83

Superoxide anions

Novel chemiluminescence method for detection of superoxide anions and its application to dry-cured meat, 467 (2002) 145

Superoxide dismutase

Studies on catalytic spectrophotometry using β -cyclodextrin polymer-Schiff base metal complex as mimetic enzyme, 459 (2002) 83

Superoxide radical

Superoxide sensor based on cytochrome *c* immobilized on mixed-thiol SAM with a new calibration method, 454 (2002) 53

'Unusual aging off-flavor' in wine: formation of 2-aminoaceto-phenone and evaluation of its influencing factors, 458 (2002) 29

Supervised pattern recognition techniques

Electronic nose based on metal oxide semiconductor sensors as a fast alternative for the detection of adulteration of virgin olive oils, 459 (2002) 219

Supported liquid membrane (SLM)

Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid-liquid extraction combined with supported liquid membrane, 455 (2002) 93

Extraction and preconcentration of Cr(VI) from urine using supported liquid membrane, 474 (2002) 59

Supramolecular complex

Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion, 469 (2002) 285

Supramolecular mechanism

Spectrofluorimetric study of the β -cyclodextrin-dapsone-linear alcohol supramolecular system and determination of dapsone, 469 (2002) 273

Surface adsorption

Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, 465 (2002) 441

Surface charge

Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode, 475 (2003) 47

Surface imprinting

Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule, 469 (2002) 173

Surface modification

Surface modification of polymer-based microfluidic devices, 470 (2002) 87

Surface plasmon resonance (SPR)

Surface plasmon resonance biosensor for genetically modified organisms detection, 453 (2002) 165

Enhanced surface plasmon resonance immunoassay for human complement factor 4, 453 (2002) 173

Differentiation of human serum samples by surface plasmon resonance monitoring of the integral glycoprotein interaction with a lectin panel, 459 (2002) 25

Surface plasmon resonance study on enhanced refractive index change of an Ag⁺ ion-sensing membrane containing dithiosquarlyl dye, 460 (2002) 133

Electrochemical enzyme immunoassay using immobilized antibody on gold film with monitoring of surface plasmon resonance signal, 463 (2002) 219

Low density lipoprotein interaction with amino acid-modified self assembled monolayers on surface plasmon resonance surfaces, 470 (2002) 3

Surfactant

Ligand and surfactant effects on a novel electrochemiluminescent reaction involving cadmium, 454 (2002) 45

Spectrophotometric determination of trace ionic and non-ionic surfactants based on a collection on a membrane filter as the ion associate of the surfactant with Erythrosine B, 455 (2002) 83

Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule, 469 (2002) 173

Suspended particle matter

Dimensional and elemental characterization of suspended particulate matter in natural waters: quantitative aspects in the integrated ultrafiltration, split-flow thin cell and inductively coupled plasma-atomic emission spectrometry approach, 470 (2002) 253

Suspended particles

Interactions of Pb(II) with particles of a polluted river, 462 (2002) 73

SW voltammetry

Simultaneous coulometric determination of iodide, bromide and chloride in a mixture by automated coupling of constant current chronopotentiometry and square wave voltammetry, 464 (2002) 115

Sweet wines

Role of melanoidins in sweet wines, 458 (2002) 169

SYBR® Gold

ResonSense™: simple linear fluorescent probes for quantitative homogeneous rapid polymerase chain reaction, 457 (2002) 61

Synchronous fluorescence

Study of the interaction between terazosin and serum albumin. Synchronous fluorescence determination of terazosin, 452 (2002) 185

Synchronous fluorescence determination of protein with functionalized CdS nanoparticles as a fluorescence probe, 466 (2002) 87

Synchronous spectrofluorimetry

Quantitative analysis for oxytetracycline in medicated premixes and feeds by second-derivative synchronous spectrofluorimetry, 455 (2002) 143

Synergism

Effect of 1,10-phenanthroline on the extraction and separation of lithium(I), sodium(I) and potassium(I) with thenoyltrifluoroacetone, 454 (2002) 241

Synergistic effect

Assessment of the toxicity of methyl parathion and its photodegradation products in water samples using conductometric enzyme biosensors, 459 (2002) 33

T

Tablet

Electrooxidation of pimozide and its differential pulse voltammetric and HPLC-EC determination, 453 (2002) 221

Enantiomeric analysis of methotrexate in pharmaceuticals by cyclodextrin-modified capillary electrophoresis, 471 (2002) 211

Taggants

Survival and polymerase chain reaction-based detection of nucleic acid taggant markers during bacterial growth and sterilization, 475 (2003) 67

Tal 1 protein

Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal 1 protein, 461 (2002) 49

Tandem mass spectrometry

Screening and confirmatory strategies for the surveillance of anabolic steroid abuse within Northern Ireland, 473 (2002) 99

Tandem streams

Multicommunication in flow analysis: concepts, applications and trends, 468 (2002) 119

Tannin

Spectrofluorimetric determination of tannins based on their activating effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide, 455 (2002) 187

Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139

Tantalum

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

Tap waters

Simultaneous UV and electrochemical determination of the herbicide asulam in tap water samples by micellar electrokinetic capillary chromatography, 469 (2002) 243

Tartaric acid

Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and winemaking by-products, 458 (2002) 119

Taste sensor

Flow injection analysis applied to a voltammetric electronic tongue, 471 (2002) 159

Tb(III) chelates

Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, 458 (2002) 271

Tea

Spectrofluorimetric determination of tannins based on their activating effect on the Cu(II) catalytic oxidation of rhodamine 6G by hydrogen peroxide, 455 (2002) 187

Chemiluminescence assay for catechin based on generation of hydrogen peroxide in basic solution, 472 (2002) 75

Teicoplanin

Chiral discrimination of dansyl-amino-acid enantiomers on teicoplanin phase: sucrose-perchlorate anion dependence, 457 (2002) 149

Telecommunication network

Remote microwave wavelength spectrometry using an infrared fibre optic telecommunication network, 463 (2002) 1

Tellurium

Determination of bismuth, selenium and tellurium in nickel-based alloys and pure copper by flow-injection hydride generation atomic absorption spectrometry—with ascorbic acid pre-reduction and cupferron chelation-extraction, 459 (2002) 161

Temperature

Practical physical aspects of interfacial nucleic acid oligomer hybridisation for biosensor design, 469 (2002) 115

Temperature effect

Determination of testosterone and its metabolites using liquid chromatography with elevated column temperature and flow-rate gradient, 457 (2002) 165

Temperature gradient

Determination of chlorophenoxy acid herbicides and their esters in soil by capillary high performance liquid chromatography with ultraviolet detection, using large volume injection and temperature gradient, 470 (2002) 147

Temperature of saturation

Optimisation of the method for determination of the temperature of saturation in wines, 458 (2002) 257

Tenax

Migration studies from recycled paper packaging materials: development of an analytical method for rapid testing, 467 (2002) 253

Terazosin

Study of the interaction between terazosin and serum albumin. Synchronous fluorescence determination of terazosin, 452 (2002) 185

Terbium

Study on the new fluorescence enhancement system of Tb-1,10-bis(2'-carboxylphenyl)-1,4,7,10-tetraoxadecane in silver chloride collosol and its analytical application, 468 (2002) 287

Screening of antagonists based on induced dissociation of a calmodulin-melittin interaction entrapped in a sol-gel derived matrix, 470 (2002) 19

Terbium photoluminescence

Enhanced spore detection using dipicolinate extraction techniques, 455 (2002) 167

Terbium sensitized fluorescence

Post-column terbium complexation and sensitized fluorescence detection for the determination of norepinephrine, epinephrine and dopamine using high-performance liquid chromatography, 462 (2002) 179

Terbium(III)

Application of time-resolved luminescence to dry reagent chemical technology, 452 (2002) 169

Test strip

Optical test strip for calcium determination based on a neutral ionophore, 451 (2002) 231

Testosterone

Determination of testosterone and its metabolites using liquid chromatography with elevated column temperature and flow-rate gradient, 457 (2002) 165

Tetra(2-aminophenyl) porphyrin

Zn(II)-selective membrane electrode based on tetra(2-aminophenyl) porphyrin, 460 (2002) 177

 $\alpha,\beta,\gamma,\delta$ -Tetra(5-sulfophenyl)porphine (TPPS₄)

Fluorescent microscopic determination of cadmium in water samples with the self-ordered ring of $\alpha,\beta,\gamma,\delta$ -tetra(5-sulfophenyl)porphine formed on the solid support of glass slides, 453 (2002) 97

1,4,8,11-Tetraazacyclotetradecane

1,4,8,11-Tetraazacyclotetradecane bound to poly(*p*-chloromethylstyrene-ethylene glycol dimethacrylate) microbeads for selective gold uptake, 464 (2002) 313

Tetraethyl-ammonium determination

Chronocoulometric flow-injection analysis with solvent polymeric membrane ion sensors, 459 (2002) 11

Tetraethylborate in situ ethylation

Headspace solid-phase micro-extraction gas chromatography-mass detection method for the determination of butyltin compounds in wines, 458 (2002) 231

 $\alpha,\beta,\gamma,\delta$ -tetrakis[4-(Trimethylammonium)phenyl]porphine (TAPP)

Fluorescence microscopic quantification of DNA with $\alpha,\beta,\gamma,\delta$ -tetrakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique, 466 (2002) 193

Tetramethylammonium hydroxide

Determination of trace elements in biological materials using tetramethylammonium hydroxide for sample preparation, 470 (2002) 195

Tetramethylrhodamine B isothiocyanate (TRITC)

Solid substrate room temperature phosphorescence immunoassay based on an antibody labeled with tetramethylrhodamine B isothiocyanate, 470 (2002) 121

Tetraphenylarsonium chloride

Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electro-thermal atomic absorption spectrometry, 452 (2002) 207

Tetraphenylporphyrin

Cross-sensitive chemical sensors based on tetraphenylporphyrin and phthalocyanine, 457 (2002) 297

TG-MS

Application of factor analysis for resolving thermogravimetric-mass spectrometric analysis spectra, 461 (2002) 215

Thallium

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

 Δ^9 -THC

Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization detection and high-performance liquid chromatography/UV detection, 468 (2002) 245

Thermal desorption

Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel, 466 (2002) 93

Thermal desorption-gas

Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139

Thermal ionisation mass spectrometry

Recent advances in measurement of Pb isotopes in polar ice and snow at sub-picogram per gram concentrations using thermal ionisation mass spectrometry, 453 (2002) 1

Chlorine stable isotope measurements of chlorinated aliphatic hydrocarbons by thermal ionization mass spectrometry, 455 (2002) 1

Thermodynamic properties

Complexation, liquid-liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers, 466 (2002) 101

Thermoelectric cooling

Construction and validation of a cryogen free gas chromatography-electron-capture detection system for the measurement of ambient halocarbons, 461 (2002) 85

Thermostability

Development of a thermostable firefly luciferase, 457 (2002) 115

Thiabendazole

Use of a solid sensing zone implemented with unsegmented flow analysis for simultaneous determination of thiabendazole and warfarin, 459 (2002) 235

Thiamine

Novel assay of thiamine based on its enhancement of total internal reflected resonance light scattering signals of sodium dodecylbenzene sulfonate at the water/tetrachloromethane interface, 475 (2003) 151

Thiazole orange

Tethered thiazole orange intercalating dye for development of fibre-optic nucleic acid biosensors, 470 (2002) 57

Thin insulating film-coated electrodes

Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution, 454 (2002) 193

Heterogeneous and homogeneous electrochemiluminoimmunoassays of hTSH at disposable oxide-covered aluminum electrodes, 458 (2002) 271

Thioacidolysis

Characterisation of a wheat straw cell wall residue by various techniques. A comparative study with a synthetic and an extracted lignin, 459 (2002) 133

Thiocetic acid/iridium oxide–palladium modified electrode

In vivo determination of the monoamine neurotransmitters in rat brain by liquid chromatography with a thiocetic acid/iridium oxide–palladium modified electrode, 472 (2002) 27

Thiocyanate

Solvent extraction flow-injection manifold for the simultaneous spectrophotometric determination of free cyanide and thiocyanate ions based upon on-line masking of cyanides by formaldehyde, 452 (2002) 295

Thiocyanate-selective electrode

Selective thiocyanate poly(vinyl chloride) membrane based on a 1,8-dibenzyl-1,3,6,8,10,13-hexaazacyclotetradecane–Ni(II) perchlorate, 462 (2002) 25

Thiol cotton fiber

Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, 456 (2002) 147

Thiol/disulfide exchange reaction

Immobilization of oligonucleotides onto silica nanoparticles for DNA hybridization studies, 470 (2002) 51

Thromboxane

Structural and thermodynamic investigations of metabolites of the thromboxane synthase pathway, 465 (2002) 441

Thyrostats

Recent developments in the use and abuse of growth promoters, 473 (2002) 71

Thyroxine

Optimization and development of a high-performance liquid chromatography-based one-site immunometric assay with chemiluminescence detection, 470 (2002) 37

Thyroxine (T₄)

Enantioselective sequential-injection chemiluminescence immunoassays for 3,3',5-triiodothyronine (T₃) and thyroxine (T₄), 463 (2002) 5

Time shift

Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, 470 (2002) 163

Time window

Time shift correction in second-order liquid chromatographic data with iterative target transformation factor analysis, 470 (2002) 163

Time-based injection

Time-based multisyringe flow injection system for the spectrofluorimetric determination of aluminium, 455 (2002) 149

Multisyringe flow-injection system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry, 455 (2002) 277

Time-resolved electrochemiluminescence

Time-resolved electrochemiluminescence of platinum(II) coporphyrin, 453 (2002) 269

Time-resolved laser-induced fluorimetry

Time-resolved laser-induced fluorimetry for screening polycyclic aromatic hydrocarbons on solid-phase extraction membranes, 464 (2002) 261

Time-resolved luminescence

Application of time-resolved luminescence to dry reagent chemical technology, 452 (2002) 169

TIMS

High-sensitivity measurements of strontium isotopes in polar ice, 469 (2002) 225

Tin

Tin determination in marine sediment, soil, coal fly ash and coal slurred samples by hydride generation-electrothermal atomic absorption spectrometry, 461 (2002) 261

TiO₂

Application of solid-phase microextraction for monitoring the photocatalytic decomposition of fenthion and parathion in aqueous TiO₂ suspensions, 467 (2002) 233

Tiron

Highly sensitive spectrofluorimetric kinetic determination of ultra-trace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate, 455 (2002) 159

Titrimetric analysis

pH-stat techniques in titrimetric analysis. Part 3. The principles of pH-stat chelatometric titrations, 456 (2002) 313

pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Titrimetry

Determination of stoichiometry of Li_{1+x}CoO₂ materials by flame atomic absorption spectrometry and automated potentiometric titration, 455 (2002) 35

TLC

Development of a tandem thin-layer chromatography-high-performance liquid chromatography method for the identification and determination of corticosteroids in cosmetic products, 457 (2002) 187

TMAH

Sorption of aquatic humic matter by DAX-8 and XAD-8 resins. Comparative study using pyrolysis gas chromatography, 471 (2002) 219

TMANB

Lead-selective fluorescent optode membrane based on 3,3',5,5'-tetramethyl-N-(9-anthrylmethyl)benzidine, 460 (2002) 123

TMB

Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, 459 (2002) 177

Tobaccos

Analysis by gas chromatography/mass spectrometry of fatty acids and esters in alcoholic beverages and tobaccos, 465 (2002) 309

Tolterodine

Sonic spray ionization interface for liquid chromatography-mass spectrometry, 468 (2002) 263

Toothpaste

Simultaneous flow-injection determination of fluoride, monofluorophosphate and orthophosphate ions using alkaline phosphatase immobilized on a cellulose nitrate membrane and an open-circulation approach, 467 (2002) 83

Tosflex

Perfluorinated anion-exchange polymer mercury film electrode for anodic stripping voltammetric determination of zinc(II): effect of model organic compounds, 454 (2002) 93

Total and individual platelet phospholipids

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

Total antioxidant capacity

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

Total hardness

Determination of calcium and total hardness in natural waters using a potentiometric sensor array, 464 (2002) 89

Total internal reflected resonance light scattering

Novel assay of thiamine based on its enhancement of total internal reflected resonance light scattering signals of sodium dodecylbenzene sulfonate at the water/tetrachloromethane interface, 475 (2003) 151

Total internal reflection fluorescence

Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors, 469 (2002) 37

Total mercury

Pretreatment of water samples using UV irradiation-peroxodisulfate for the determination of total mercury, 454 (2002) 271

Total reflection X-ray fluorescence spectrometry

Development and application of a micro-digestion device for elemental analysis of biological samples, 451 (2002) 279

ToxAlert[®] 10

Comparison of three microbial assay procedures for measuring toxicity of chemical compounds: ToxAlert[®] 10, CellSense and Biolog MT2 microplates, 456 (2002) 41

Toxic compounds

Identification of toxic compounds in wastewater treatment plants during a field experiment, 456 (2002) 19

Toxic gas analysis

Hydrogen fluoride analyzer for gases and aerosols, 460 (2002) 219

Toxicity

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors, 456 (2002) 3

Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays, 456 (2002) 303

Assessment of the toxicity of methyl parathion and its photodegradation products in water samples using conductometric enzyme biosensors, 459 (2002) 33

Toxicity testing

Sol-gel luminescence biosensors: Encapsulation of recombinant *E. coli* reporters in thick silicate films, 462 (2002) 11

Toxicokinetic

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

Trace analysis

Determination of nanomolar concentrations of lead and cadmium by anodic-stripping voltammetry at the silver electrode, 457 (2002) 285

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Trace and ultratrace metals

Analysis and comparison of SIMCA models for denominations of origin of wines from de Canary Islands (Spain) builds by means of their trace and ultratrace metals content, 472 (2002) 161

Trace elements

Application of multivariate methods to scalp hair metal data to distinguish between drug-free subjects and drug abusers, 455 (2002) 253

Systematic studies on adsorption of trace elements Pt, Pd, Au, Se, Te, As, Hg, Sb on thiol cotton fiber, 456 (2002) 147

Trace heavy metals

Dimensional and elemental characterization of suspended particulate matter in natural waters: quantitative aspects in the integrated ultrafiltration, split-flow thin cell and inductively coupled plasma-atomic emission spectrometry approach, 470 (2002) 253

Trace metal analysis

Analysis for Cd, Cu, Ni, Zn, and Mn in estuarine water by inductively coupled plasma mass spectrometry coupled with an automated flow injection system, 455 (2002) 11

Trace metals

Dithione as chelator in the flow injection separation and pre-concentration system of trace metals in biological samples, 451 (2002) 305

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Determination of some trace metals in water and sediment samples by flame atomic absorption spectrometry after coprecipitation with cerium (IV) hydroxide, 452 (2002) 231

Use of the diffusion gradient thin film method to measure trace metals in fresh waters at low ionic strength, 456 (2002) 241

Trace metal studies of selected white wines: an alternative approach, 458 (2002) 223

Trace tellurium determination

Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems, 453 (2002) 209

Trace-enrichment

Continuous flow liquid membrane extraction: a novel automatic trace-enrichment technique based on continuous flow liquid-liquid extraction combined with supported liquid membrane, 455 (2002) 93

***trans* Fatty acids**

Influence of milk fat presence on the determination of *trans* fatty acids in fats used for infant formulae, 465 (2002) 395

***trans,trans*-Muconic acid**

Ultratrace analysis for *trans,trans*-muconic acid by electrophoretic derivatization and capillary gas chromatography, 455 (2002) 111

***Trans*- β -carotene**

Ultrasensitive assays of *trans*- and *cis*- β -carotenes in vegetable oils by high-performance liquid chromatography-thermal lens detection, 460 (2002) 193

Transcription

Use of specific bioluminescent cell lines for the detection of steroid hormone (ant)agonists in meat producing animals, 473 (2002) 119

Transduction

Polyaniline as a new sensitive layer for gas sensors, 475 (2003) 1

Transesterification/esterification

Characterisation of humic substances by acid catalysed transesterification, 452 (2002) 105

Transferrin

Capacitive immunosensor for transferrin based on an *o*-aminobenzothiol oligomer layer, 458 (2002) 297

Transformation products

Occurrence and determination of herbicides and their major transformation products in environmental waters, 462 (2002) 187

Transport

Complexation, liquid-liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers, 466 (2002) 101

Triazines

Evaluation of a field-test kit for triazine herbicides (SensioScreen® TR500) as a fast assay to detect pesticide contamination in water samples, 475 (2003) 105

Trichomoniasis

Novel application for ion mobility spectrometry: diagnosing vaginal infections through measurement of biogenic amines, 474 (2002) 115

Trihydroxyindole

Quantifying catecholamines using multi-way kinetic modelling, 475 (2003) 137

Triiodothyronine (T_3)

Enantioselective sequential-injection chemiluminescence immunoassays for 3,3',5-triiodothyronine (T_3) and thyroxine (T_4), 463 (2002) 5

Trimethoprim

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Trimethylamine (TMA)

Determination of volatile biogenic amines in muscle food products by ion mobility spectrometry, 463 (2002) 155

Tris(2,2'-bipyridyl)ruthenium

Determination of sophoridine and related lupin alkaloids using tris(2,2'-bipyridyl)ruthenium electrogenerated chemiluminescence, 466 (2002) 79

Tris(2,2'-Bipyridyl)ruthenium(II)

Determination of β -blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, 471 (2002) 51

Tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence

Determination of sodium oxalate in Bayer liquor using flow-analysis incorporating an anion exchange column and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection, 458 (2002) 291

Tris(1,10-phenanthroline)iron(III)

Two-rate method for simultaneous kinetic determination based on detecting the reagent in successive reactions, 464 (2002) 153

Triterpene glycosides

High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection, 471 (2002) 61

Triton X-114

Cloud point preconcentration and flame atomic absorption spectrometric determination of Cd and Pb in human hair, 470 (2002) 215

Tryptophan and its derivatives

Electrochemical behavior of tryptophan and its derivatives at a glassy carbon electrode modified with hemin, 452 (2002) 245

Tucker3 model

Three-way principal component analysis applied to food analysis: an example, 462 (2002) 133

Tunnel emission

Time-resolved electrochemiluminescence of platinum(II) coproporphyrin, 453 (2002) 269

Hot electron-induced electrogenerated chemiluminescence of 1-aminonaphthalene-4-sulphonate at oxide-covered aluminium electrodes in aqueous solution, 454 (2002) 193

Turbid waters

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Turnover

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Tween 80

Novel spectrofluorimetric method for the determination of sulfite with rhodamine B hydrazide in a micellar medium, 456 (2002) 121

Tween 20

Group-specific enzyme-linked immunosorbent assay for fenitrooxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, 460 (2002) 99

Two-rate method

Two-rate method for simultaneous kinetic determination based on detecting the reagent in successive reactions, 464 (2002) 153

Two-way kinetic-spectral data

Determination of rate constants from two-way kinetic-spectral data by using rank annihilation factor analysis, 454 (2002) 21

Tylosin A solid-phase clean-up

Quantitation of tylosin in swine tissues by liquid chromatography combined with electrospray ionization mass spectrometry, 473 (2002) 167

U**Ultrafiltration sampling**

Flow-injection chemiluminescence detection for studying protein binding for drug with ultrafiltration sampling, 468 (2002) 65

Ultrasonic

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Ultrasonic extraction

Ultrasonic extraction combined with fast furnace analysis as an improved methodology for total selenium determination in seafood by electrothermal-atomic absorption spectrometry, 452 (2002) 217

Ultrasound-assisted extraction

Ultrasound-assisted extraction and determination of tartaric and malic acids from grapes and winemaking by-products, 458 (2002) 119

Ultra-thin films

Grazing-exit electron probe X-ray microanalysis of ultra-thin films and single particles with high-angle resolution, 455 (2002) 245

Umbilical cord samples

Determination of umbilical cord and maternal plasma concentrations of fentanyl by using novel spectrophotometric and chemiluminescence enzyme immunoassays, 459 (2002) 177

Uncertainty

Assessment of uncertainty in pesticide multiresidue analytical methods: main sources and estimation, 454 (2002) 297

Estimating the uncertainty of binary test results to assess their compliance with regulatory limits, 455 (2002) 267

Underpotential deposition

Characteristics of subtractive anodic stripping voltammetry of Pb and Cd at silver and gold electrodes, 464 (2002) 99

Voltammetric behavior and trace determination of Pb²⁺ at a mercury-free screen-printed silver electrode, 464 (2002) 229

Uniform design

Representative subset selection, 468 (2002) 91

United States Department of Agriculture

An odyssey—meeting European Union analytical criteria for residues from afar: experiences from North America, 473 (2002) 49

Univariate

Standardization methods for handling instrument related signal shift in gas-sensor array measurement data, 472 (2002) 99

Univariate calibration

Comparison of various chemometric evaluation approaches for on-line FT-NIR transmission and FT-MIR/ATR spectroscopic data of methyl methacrylate solution polymerization, 452 (2002) 265

Unresolved peaks

Artificial neural networks for quantification in unresolved capillary electrophoresis peaks, 452 (2002) 47

Unsegmented flow analysis

Use of a solid sensing zone implemented with unsegmented flow analysis for simultaneous determination of thiabendazole and warfarin, 459 (2002) 235

Untypical aging off-flavor (UTA)

'Untypical aging off-flavor' in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors, 458 (2002) 29

Urea

Development and validation of a new Fourier transform infrared spectrometric method for the quantification of urea in creams and ointments, 451 (2002) 323

Monitoring urea levels during haemodialysis with a pulsed-flow chemiluminescence analyser, 461 (2002) 131

Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Urea biosensor

Glucose and urea biosensors based on all solid-state PVC-NH₂ membrane electrodes, 452 (2002) 29

Development of a urea biosensor based on a polymeric membrane including zeolite, 466 (2002) 39

Urease

Application of a polyaniline based ammonium sensor for the amperometric immunoassay of a urease conjugated Tal 1 protein, 461 (2002) 49

Uric acid

Monitoring reactive oxygen species in vivo using microdialysis sampling and chemiluminescence detection as an alternative global method for determination of total antioxidant capacity, 467 (2002) 133

Uricase

Simultaneous detection of uric acid and glucose on a dual-enzyme chip using scanning electrochemical microscopy/scanning chemiluminescence microscopy, 458 (2002) 263

Urine

Separation and determination of homovanillic acid and vanillylmandelic acid by capillary electrophoresis with electrochemical detection, 461 (2002) 123

Post-column terbium complexation and sensitized fluorescence detection for the determination of norepinephrine, epinephrine and dopamine using high-performance liquid chromatography, 462 (2002) 179

Room-temperature luminescence optosensings based on immobilized active principles actives. Application to nafronyl and naproxen determination in pharmaceutical preparations and biological fluids, 462 (2002) 217

Continuous photometric method for the screening of human urines for phenothiazines, 462 (2002) 275

Determination of β -blockers in pharmaceutical preparations and human urine by high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection, 471 (2002) 51

Screening and confirmatory strategies for the surveillance of anabolic steroid abuse within Northern Ireland, 473 (2002) 99

Confirmatory analysis method for zeronol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Extraction and preconcentration of Cr(VI) from urine using supported liquid membrane, 474 (2002) 59

Quantifying catecholamines using multi-way kinetic modelling, 475 (2003) 137

Urine analysis

Rapid determination of diuretics in human urine by gas chromatography-mass spectrometry following microwave assisted derivatization, 475 (2003) 125

UV

Flow injection-chemiluminescence determination of octyl dimethyl PABA in sunscreen formulations, 462 (2002) 209

UV filters

Cleaning validation in the toiletries industry, 467 (2002) 261

UV irradiation

Pretreatment of water samples using UV irradiation-peroxodisulfate for the determination of total mercury, 454 (2002) 271

UV spectrometry

Improvement of UV spectrophotometry methodology for the determination of total polycyclic aromatic compounds in contaminated soils, 453 (2002) 245

Sequential injection analysis for benzophenone-4 and phenylbenzimidazole sulphonic acid in sunscreen sprays by solid-phase extraction coupled with ultraviolet spectrometry, 464 (2002) 295

UV spectrophotometry

Determination of flurbiprofen in pharmaceutical formulations by UV spectrophotometry and liquid chromatography, 463 (2002) 207

UV-absorbing complex

Determination of ethambutol by ion-pair reversed phase liquid chromatography with UV detection, 456 (2002) 189

UV-Vis

Determination of anthraquinone-2-sulfonate in alkaline pulping liquor by spectrophotometry using a Nafion membrane interface, 474 (2002) 69

UV-Vis absorption

Investigation on the inclusion behavior of *neutral red* with β -cyclodextrin, hydroxypropyl- β -cyclodextrin and sulfobutyler- β -cyclodextrin, 474 (2002) 189

UV-visible detection

High-performance liquid chromatographic determination of free fatty acids and esterified fatty acids in biological materials as their 2-nitrophenylhydrazides, 465 (2002) 237

V**Vacancy chromatography**

Vacancy ion-exclusion chromatography of carboxylic acids on a strongly acidic cation-exchange resin, 474 (2002) 31

Vacancy transfer

Measurement of K shell radiative transition probabilities and K, L₂ and L₃ shell/subshell fluorescence yields of some elements in the atomic number range 30 ≤ Z ≤ 40, 454 (2002) 327

Vaginitis

Novel application for ion mobility spectrometry: diagnosing vaginal infections through measurement of biogenic amines, 474 (2002) 115

Validation

Validation of remote, on-line, near-infrared measurements for the classification of demolition waste, 453 (2002) 117

Determination of primary active constituents in *Cannabis* preparations by high-resolution gas chromatography/flame ionization detection and high-performance liquid chromatography/UV detection, 468 (2002) 245

Internal validation of screening methodology for residues of epitenbolone, trenbolone, epi-nortestosterone and nortestosterone in bovine urine using immunoaffinity cartridges for sample clean-up, 473 (2002) 111

Simultaneous determination of sulfadiazine and trimethoprim in animal feed by liquid chromatography with UV and tandem mass spectrometric detection, 473 (2002) 183

Valinomycin

Membrane supported bilayer lipid membranes array: preparation, stability and ion-channel insertion, 460 (2002) 23

Vanadium determination

Highly sensitive spectrofluorimetric kinetic determination of ultra-trace amounts of vanadium(V) based on the oxidation of 1,8-diaminonaphthalene by bromate, 455 (2002) 159

Vanadium(IV)

Ultrasensitive chemiluminescence detection of aM vanadium(IV) by capillary electrophoresis, 456 (2002) 177

Vanadium-doped

Determination of hydrogen peroxide using glassy carbon and graphite/polyester composite electrodes modified by vanadium-doped zirconias, 452 (2002) 11

Vancomycin column

Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies, 469 (2002) 261

Vanillylmandelic acid

Separation and determination of homovanillic acid and vanillylmandelic acid by capillary electrophoresis with electrochemical detection, 461 (2002) 123

Vaporization-ICP-AES

Speciation of chromium(III) and chromium(VI) by *in situ* separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry, 471 (2002) 121

Variable reduction

Variable reduction on electronic tongue data, 452 (2002) 255

Variable scanning fluorescence

Simultaneous determination of fluorophores with overlapped spectra by sequential injection analysis coupled to variable angle scanning fluorescence spectrometry and multivariate linear regression algorithms, 471 (2002) 173

Variable selection

Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, 461 (2002) 189

Varietal aroma

Effects of enzyme treatment and skin extraction on varietal volatiles in Spanish wines made from Chardonnay, Muscat, Airén, and Macabeo grapes, 458 (2002) 39

Vegetable oil

Ultrasensitive assays of *trans*- and *cis*-β-carotenes in vegetable oils by high-performance liquid chromatography-thermal lens detection, 460 (2002) 193

Stable isotope analysis of fatty acids by gas chromatography-isotope ratio mass spectrometry, 465 (2002) 63

Vegetables

Flow-injection chemiluminescence determination of ascorbic acid by use of the cerium(IV)-Rhodamine B system, 464 (2002) 289

Verapamil drug

Detection of verapamil drug by fluorescence and trilinear decomposition techniques, 453 (2002) 105

Very long-chain fatty acids (VLCFAs)

Chromatography of very long-chain fatty acids from animal and plant kingdoms, 465 (2002) 273

Veterinary drug residue

Detection of illegal growth promoters in biological samples using receptor binding assays, 473 (2002) 135

Veterinary drugs

Contribution of European research to anti-microbials and hormones, 473 (2002) 83

Veterinary medicines

Contamination of animal feedingstuffs as a cause of residues in food: a review of regulatory aspects, incidence and control, 473 (2002) 3

Viagra

Luminol chemiluminescence reaction: a new method for monitoring nitric oxide *in vivo*, 458 (2002) 281

Vibrational spectroscopy

Comparison of various chemometric evaluation approaches for on-line FT-NIR transmission and FT-MIR/ATR spectroscopic data of methyl methacrylate solution polymerization, 452 (2002) 265

Vibrio fischeri

Comparative evaluation of the effects of pesticides in acute toxicity luminescence bioassays, 451 (2002) 195

Toxicity evaluation of single and mixed antifouling biocides measured with acute toxicity bioassays, 456 (2002) 303

Vincristine

Study of uptake kinetics of vincristine for human erythrocytes by capillary zone electrophoresis with electrochemical detection, 461 (2002) 117

Vine variety

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77

Vines

Biogeneration of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Vinylphenols

Determination of volatile phenols in fino sherry wines, 458 (2002) 95

Virgin olive oils

Electronic nose based on metal oxide semiconductor sensors as a fast alternative for the detection of adulteration of virgin olive oils, 459 (2002) 219

Virtual instrument

A "virtual" electroanalytical instrument for square wave voltammetry, 467 (2002) 179

Visible absorption spectrophotometry

Visible spectrophotometric determination of metal ions: the influence of structure on molar absorptivity value of copper(II) complexes in aqueous solution, 459 (2002) 323

Vitamin A

Simultaneous sample preparation for high-performance liquid chromatographic determination of Vitamin A and β-carotene in emulsified nutritional supplements after solid-phase extraction, 463 (2002) 21

Simple quantification of endogenous retinoids in bovine serum by high-performance liquid chromatography – diode-array detection, 468 (2002) 237

Vitamin B₁₂

Implementation of chemiluminescence detection in the multisyringe flow injection technique, 467 (2002) 155

Vitis vinifera

Biogeneration of C₁₃-norisoprenoid compounds: experiments supportive for an apo-carotenoid pathway in grapevines, 458 (2002) 3

Volatile fatty acids

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Volatile organic compounds

Cooled internal reflection element for infrared chemical sensing of volatile to semi-volatile organic compounds in the headspace of aqueous solutions, 462 (2002) 235

Volatile sulfur compound

Portable oral malodor analyzer using highly sensitive In₂O₃ gas sensor combined with a simple gas chromatography system, 475 (2003) 27

Volatiles

Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139

Voltammetry

Electrochemical reduction and oxidation of the antibiotic cefepime at a carbon electrode, 457 (2002) 265

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

Application of multivariate curve resolution to the voltammetric study of the complexation of fulvic acids with cadmium(II) ion, 459 (2002) 291

Electrochemical characterisation of nefazodone hydrochloride and voltammetric determination of the drug in pharmaceuticals and human serum, 462 (2002) 49

Voltammetric behavior and determination of estrogens at Nafion-modified glassy carbon electrode in the presence of cetyltrimethylammonium bromide, 464 (2002) 209

Electrochemical nucleic acid biosensors, 469 (2002) 63

Iron(II) and iron(III) determination by potentiometry and ion-exchange voltammetry at ionomer-coated electrodes, 474 (2002) 147

Quantitative analysis of gas mixtures by voltammetric sensing, 475 (2003) 17

W**Wall-jet cell**

Determination of arsenic in gold samples using matrix exchange differential pulse stripping voltammetry, 453 (2002) 201

Warfarin

Use of a solid sensing zone implemented with unsegmented flow analysis for simultaneous determination of thiabendazole and warfarin, 459 (2002) 235

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Washing

Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry, 455 (2002) 23

Waste

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Wastewater

Spectrafluorimetric method for the rapid screening of toxic heavy metals in water samples, 451 (2002) 203

In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors, 456 (2002) 3

Identification of toxic compounds in wastewater treatment plants during a field experiment, 456 (2002) 19

Tuning the parameters for fast respirometry, 460 (2002) 257

Highly selective spectrophotometric determination of trace cobalt and development of a reagentless fiber-optic sensor, 467 (2002) 205

Wastewaters analysis

Methylene blue potentiometric sensor for selective determination of sulfide ions, 466 (2002) 47

Water

Determination of some trace metals in water and sediment samples by flame atomic absorption spectrometry after coprecipitation with cerium (IV) hydroxide, 452 (2002) 231

Pretreatment of water samples using UV irradiation-peroxodisulfate for the determination of total mercury, 454 (2002) 271

Spectrofluorimetric determination of aluminum in drinking waters by sequential injection analysis, 457 (2002) 311

Development of an enzyme-linked immunosorbent assay for pentachlorophenol, 460 (2002) 279

Environmental analysis of aliphatic carboxylic acids by ion-exclusion chromatography, 465 (2002) 157

Separation of Sr from Ca, Ba and Ra by means of Ca(OH)₂ and Ba(Ra)Cl₂ or Ba(Ra)SO₄ for the determination of radiostrontium, 466 (2002) 109

Abraham model in gas chromatography of phenol pollutants, 466 (2002) 151

Multisyringe flow injection spectrofluorimetric determination of warfarin at trace levels with on-line solid-phase preconcentration, 467 (2002) 13

Determination of chloride by multisyringe flow injection analysis and sequential injection analysis with potentiometric detection, 467 (2002) 25

Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment, 473 (2002) 27

Chemiluminescent flow-injection analysis of nitrates in water using on-line ultraviolet photolysis, 474 (2002) 99

Water analysis

Optical test strip for calcium determination based on a neutral ionophore, 451 (2002) 231

Development of a solid-phase microextraction method for the determination of phthalic acid esters in water, 457 (2002) 211

Group-specific enzyme-linked immunosorbent assay for fenitroxon and 3-methyl-4-nitrophenol in water samples based on a polyclonal antibody, 460 (2002) 99

Water and sediment samples

Column solid-phase extraction with Chromosorb-102 resin and determination of trace elements in water and sediment samples by flame atomic absorption spectrometry, 452 (2002) 77

Water bath heating

Determination of total phosphorus and nitrogen in turbid waters by oxidation with alkaline potassium peroxodisulfate and low pressure microwave digestion, autoclave heating or the use of closed vessels in a hot water bath: comparison with Kjeldahl digestion, 463 (2002) 283

Water quality

Chemometrics characterisation of the quality of river water, 462 (2002) 87

Water samples

Determination of As(III) and total inorganic arsenic by flow injection hydride generation atomic absorption spectrometry, 460 (2002) 227

Water vapor

Starch-iodine films respond to water vapor, 455 (2002) 49

Wavelength selection

Variable selection for multivariate calibration using a genetic algorithm: prediction of additive concentrations in polymer films from Fourier transform-infrared spectral data, 461 (2002) 189

Wavelet transform

Use of wavelet transform to enhance piezoelectric signals for analytical purposes, 456 (2002) 93

16-Way switching valve

Rapid measurement of fish freshness indices by an amperometric flow-injection system with a 16-way switching valve and immobilized enzyme reactors, 470 (2002) 175

White wine

Removal of iron, copper and manganese from white wines through ion exchange techniques: effects on their organoleptic characteristics and susceptibility to browning, 458 (2002) 197

White-rot fungal degradation

Study of the white-rot fungal degradation of selected phthalocyanine dyes by capillary electrophoresis and liquid chromatography, 451 (2002) 259

Wine

Comparison of methods for the determination of ochratoxin A in wine, 453 (2002) 33

Effect of oxygenation on polyphenol changes occurring in the course of wine-making, 458 (2002) 15

'Untypical aging off-flavor' in wine: formation of 2-aminoacetophenone and evaluation of its influencing factors, 458 (2002) 29

Effects of enzyme treatment and skin extraction on varietal volatiles in Spanish wines made from Chardonnay, Muscat, Airén, and Macabeo grapes, 458 (2002) 39

Analytical methods for the characterization of proteins and peptides in wines, 458 (2002) 63

Use of modern nuclear magnetic resonance spectroscopy in wine analysis: determination of minor compounds, 458 (2002) 77

Determination of volatile phenols in fino sherry wines, 458 (2002) 95

Direct liquid chromatographic analysis of resveratrol derivatives and flavanols in wines with absorbance and fluorescence detection, 458 (2002) 103

Sequential injection flow system with improved sample throughput: determination of glycerol and ethanol in wines, 458 (2002) 131

Comparison of wine aromas with different tannic content aged in French oak barrels, 458 (2002) 139
 Volatile sulphur compounds in wines related to yeast metabolism and nitrogen composition of grape musts, 458 (2002) 157
 Screen-printed biosensors for the control of wine quality based on lactate and acetaldehyde determination, 458 (2002) 203
 Headspace solid-phase micro-extraction gas chromatography-mass detection method for the determination of butyltin compounds in wines, 458 (2002) 231
 Micelle mediated methodology for the determination of free and bound iron in wines by flame atomic absorption spectrometry, 458 (2002) 241
 Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249
 Advantages and limitations of the semi-quantitative operation mode of an inductively coupled plasma-mass spectrometer for multi-element analysis of wines, 463 (2002) 165
 Method for monitoring urea and ammonia in wine and must by flow injection-pervaporation, 471 (2002) 105

Wine colour

Anthocyanin-derived pigments and colour of red wines, 458 (2002) 147

Wine volatiles

Aroma composition of wine studied by different extraction methods, 458 (2002) 85

Wines tartaric stability

Optimisation of the method for determination of the temperature of saturation in wines, 458 (2002) 257

Wood

Effect of maturation in small oak casks on the volatility of red wine aroma compounds, 458 (2002) 45

Wool wax

Gas chromatographic and mass spectrometric methods for the characterisation of long-chain fatty acids. Application to wool wax extracts, 465 (2002) 359

X**XANES**

Determination of the oxidation state of cerium in rocks by Ce L_{III}-edge X-ray absorption near-edge structure spectroscopy, 468 (2002) 345

Xanthone

Optimized separation of pharmacologically active xanthones from *Securidaca inappendiculata* by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography, 474 (2002) 37

XPS

Characterisation of a wheat straw cell wall residue by various techniques. A comparative study with a synthetic and an extracted lignin, 459 (2002) 133

X-ray fluorescence spectrometry

Determination of diffusion profiles of silver ions in soda-lime-silica glass by X-ray fluorescence spectrometry, 459 (2002) 305

Xylitol oxidase

Development of xylitol oxidase-based flow injection analysis for monitoring of xylitol concentrations, 456 (2002) 293

Y**Yeast**

Yeast cells sucrose biosensor based on a potentiometric oxygen electrode, 458 (2002) 215

Ytterbium ion-selective electrode

Ytterbium(III)-selective membrane electrode based on cefixime, 475 (2003) 59

Z**Zearalenone**

Confirmatory analysis method for zearanol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Zeolite

Screen-printable sol-gel ceramic carbon composite pH sensor with a receptor zeolite, 455 (2002) 53

Development of a urea biosensor based on a polymeric membrane including zeolite, 466 (2002) 39

Zeolites

Uptake monitoring of anilines and phenols using modified zeolites, 464 (2002) 1

Zeranol

Confirmatory analysis method for zearanol, its metabolites and related mycotoxins in urine by liquid chromatography-negative ion electrospray tandem mass spectrometry, 473 (2002) 151

Zidovudine

Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography-UV methods, 466 (2002) 175

Zinc

Ligand and surfactant effects on a novel electrochemiluminescent reaction involving cadmium, 454 (2002) 45

Perfluorinated anion-exchange polymer mercury film electrode for anodic stripping voltammetric determination of zinc(II): effect of model organic compounds, 454 (2002) 93

Determination of zinc in food using atomic fluorescence spectrometry by hydride generation from organized media, 457 (2002) 305

Voltammetry using a dental amalgam electrode for heavy metal monitoring of wines and spirits, 458 (2002) 249

Minimalism approach for determination of Cu, Fe and Zn in serum by simultaneous electrothermal atomic absorption spectrometry, 458 (2002) 321

Multi-component analysis by flow injection-diode array detection-spectrophotometry using partial least squares calibration model for simultaneous determination of zinc, cadmium and lead, 461 (2002) 181

Zinc(II)

pH-stat techniques in titrimetric analysis. IV. pH-stat monitoring of chelatometric titrations, 470 (2002) 277

Zirconias

Determination of hydrogen peroxide using glassy carbon and graphite/polyester composite electrodes modified by vanadium-doped zirconias, 452 (2002) 11

Zirconium

Determination of niobium, tantalum, zirconium and hafnium in geological materials by extraction chromatography and inductively coupled plasma mass spectrometry, 458 (2002) 375

Zn

Cold ultrasonic acid extraction of copper, lead and zinc from soil samples, 452 (2002) 143

Determination of calcium, iron and zinc in milk powder by reaction cell inductively coupled plasma mass spectrometry, 470 (2002) 223

Zn²⁺-selective electrode

Zn(II)-selective membrane electrode based on tetra(2-aminophenyl) porphyrin, 460 (2002) 177

Zootechnical feed additives

Contamination of animal feedingstuffs as a cause of residues in food: a review of regulatory aspects, incidence and control, 473 (2002) 3

Zr(IV)-porphyrins

Zirconium(IV)-porphyrins as novel ionophores for fluoride-selective polymeric membrane electrodes, 468 (2002) 133

